



# Get the Job Done Right!

*Featuring Job Solutions for:*

- Floor and Wall Maintenance
  - Loading Dock Maintenance
  - Cleaning Maintenance
- Equipment Maintenance
  - HVAC Maintenance • **NEW**
- Electrical Maintenance
- Metal Repair • **NEW**
- Outdoor Maintenance • **NEW**

Visit [3M.com/MRO](http://3M.com/MRO)

**3M**

3M™ Job Solutions Work . . .

**Better.**

Products that help you  
become more efficient.

**Faster.**

Solutions that are easy to use.

Now that's

**Smarter.**



# Table of Contents

## Job Solutions

---

|                          |      |
|--------------------------|------|
| Floor & Wall Maintenance | .A-B |
| Loading Dock Maintenance | .C-D |
| Cleaning Maintenance     | .E-F |
| Equipment Maintenance    | .G-H |
| HVAC Maintenance         | .I-J |
| Electrical Maintenance   | .K-L |
| Metal Repair Maintenance | .M-N |
| Outdoor Maintenance      | .O-P |
| Warning Information      | .Q-R |

## Facility Guides

---

|                                |        |
|--------------------------------|--------|
| Distribution Facility Guide    | .S-T   |
| Education Facility Guide       | .U-V   |
| Food Processing Facility Guide | .W-X   |
| Healthcare Facility Guide      | .Y-Z   |
| Manufacturing Facility Guide   | .AA-BB |

## Products

---

|                          |        |
|--------------------------|--------|
| Abrasives                | .1-8   |
| Adhesives                | .9-13  |
| Air Filtration Products  | .14    |
| Automotive Products      | .15    |
| Cleaners/Lubricants      | .16    |
| Electrical Products      | .17-22 |
| Facility Care Products   | .23-27 |
| Fire Protection Products | .28    |
| Health Care Products     | .29    |
| Matting and Treads       | .30-31 |
| Marine Products          | .32    |
| Safety Products          | .33-38 |
| Safety Product Warnings  | .39-41 |
| Tapes                    | .42-47 |
| 3M™ Command Products     | .48    |

## Indexes

---

|                    |        |
|--------------------|--------|
| UPC Index          | .49-51 |
| Product Name Index | .52-55 |







# Floor & Wall Maintenance



*Gear up.*

## Patented 3M™ Cool Flow™ Valve!



### 3M™ Particulate Respirator 8511, N95

(UPC: 50-051138-54343-8)

*Use for certain particles such as those from grinding, sweeping and processing minerals.*

- Cool flow valve for long wear comfort.
- Suited for work setting that involves heat and humidity.
- NIOSH N95 Certified; can be used up to 10X PEL.

#### Also Consider:

Virtua™ V4 Safety Eyewear (UPC: 10-078371-11674-0)

E-A-Rsoft™ Yellow Neons™ Earplugs Uncorded (UPC: 10-080529-12063-9)

*Knock off the tough stuff.*

## Reduces the hazard of flying wires!



### Scotch-Brite™ Bristle Disc, 4½ in 50 Grit

(UPC: 00-048011-24241-5)

*Removes crud, coatings, paint, rust stains and glue.*

- Does not gouge base material.
- Runs smoothly – works with light pressure.

#### Also Consider:

Scotch-Brite™ Coating Removal Disc (UPC: 00-048011-18424-1)

Scotch-Brite™ General Purpose Hand Pad 7447 (UPC: 00-048011-04029-5)

*Sweep up the mess.*

## Trap up to 6 times more dirt and dust!



### 3M™ Easy Trap Duster

(UPC: 50-048011-59032-0)

*Use for cleaning and dusting.*

- Proprietary technology picks up sand, dust, dirt and hair.
- Use with any tool.
- Picks up even when wet.

#### Also Consider:

3M™ Easy Trap Flip Holder (UPC: 50-048011-59247-8)

3M™ Doodlebug™ White Cleansing Pad 8440 (UPC: 50-048011-08003-6)

*Mark lanes, hazards and safety areas.*

## Faster than masking and painting!



### 3M™ Safety Stripe Tape Black/Yellow 5702

(UPC: 00-021200-04585-1)

*Easy to apply OSHA compliant tape for hazard or safety markings.*

- Extremely long wear.
- Resists abrasion and solvents.

#### Also Consider:

3M™ Vinyl Tape Yellow 471 (UPC: 00-021200-04310-9)

3M™ Vinyl Tape Red 471 (UPC: 00-021200-04305-5)





*Clean large areas.*  
**Clear scuffs and marks!**

**3M™ Buffer Pad 5100**

(UPC: 50-048011-08394-5)

*Cleans when damp and buffs when dry.*

- Removes scuff and black heel marks.
- Abrasive mineral throughout pad extends useful life.
- Designed for use on low speed (175-600 RPM) rotary or automatic equipment.



**Also Consider:**

3M™ Cleaner Pad 5300 (UPC: 50-048011-08412-6)

3M™ Heavy Duty Degreaser Concentrate (UPC: 50-048011-34782-5)



*Repair concrete.*  
**Sets in minutes!**

**3M™ Scotch-Weld™ Concrete Repair 600 Gray, Self-Leveling**

(UPC: 00-021200-96596-8)

*Quickly repairs cracks and spalls in concrete.*

- Hardens in as little as 5 minutes; forklift can pass over a repair in as few as 15 minutes.
- Cartridge can be used in standard caulk gun.
- Custom tapping and anchoring bolts.



**Also Consider:**

3M™ Scotch-Weld™ Concrete Repair DP600NS Gray, Non-Sag (UPC: 00-021200-56603-5)

Scotch-Brite™ Bristle Disc (UPC: 00-048011-24241-5)



*Spot clean.*  
**Powerful no-rinse formula!**

**3M™ Sharpshooter™ Extra Strength**

(UPC: 50-048011-19344-6)

*Removes a wide range of tough stains like grease, crayon and black heel marks.*

- Approved for indirect food contact in processing applications (NSF rating C-1, USDA rating C-2).
- Bio-degradable.



**Also Consider:**

3M™ Adhesive Remover (UPC: 00-021200-49048-4)

Scotch-Brite™ Medium Duty Scrub Sponge 74 (UPC: 50-048011-20688-7)



*Contain drips and spills.*  
**For use as a boom, pillow, pad or roll!**

**3M™ Maintenance Sorbent Folded M-FL50DD**

(UPC: 50-051131-07172-3)

*Absorbs most non-aggressive liquids, including oils, coolants, cutting fluids, aqueous-based liquids and petroleum-based products.*

- Quicker and easier to dispose of versus granules.
- Each roll absorbs 31.5 gallons of liquid.



**Also Consider:**

3M™ Maintenance Sorbent Roll M-RL15150DD (UPC: 50-051131-07166-2)







# Loading Dock Maintenance

*Gear up.*

**Softer foam for greater comfort!**



**E-A-Rsoft™ Yellow Neons™  
Earplugs Uncorded**

(UPC: 10-080529-12063-9)

*Ear plugs help to reduce noise and protect hearing.*

- NRR 33 dB-Highest NRR available.

**Also Consider:**

Virtua™ V4 Safety Eyewear (UPC: 10-078371-11674-0)

3M™ Particulate Respirator 8511 (UPC: 50-051138-54343-8) NIOSH N95 Certified. Can be used up to 10 X PEL.

*Mark lanes, hazards and safety areas.*

**Faster than masking and painting!**



**3M™ Vinyl Tape Yellow 471**

(UPC: 00-021200-04310-9)

*Easy to apply OSHA compliant tape for hazard or safety markings.*

- Faster than masking and painting.
- Colored throughout, not just printed on the surface.
- Extremely long wear, resists abrasion and solvents.

**Also Consider:**

3M™ Safety Stripe Tape Black/Yellow 5702 (UPC: 00-021200-04585-1)

3M™ Vinyl Tape Red 471 (UPC: 00-021200-04305-5)

*Improve worker comfort and safety.*

**Reduce leg and back fatigue!**



**3M™ Safety-Walk™ Cushion Matting 3270E**

(UPC: 00-048011-34826-1)

*Ergonomic work safety matting that helps reduce worker fatigue.*

- Ergonomic matting can increase worker comfort and productivity.
- Light weight for easy moving and repositioning.

**Also Consider:**

E-A-Rsoft™ Yellow Neons™ Earplugs Uncorded (UPC: 10-080529-12063-9)

3M™ Ultrathon™ Insect Repellent (UPC: 00-051131-67442-4)

*Repair concrete.*

**Sets in minutes!**



**3M™ Scotch-Weld™ Concrete Repair  
600 Gray Self-Leveling**

(UPC: 00-021200-96596-8)

*Quickly repairs cracks and spalls in concrete.*

- Hardens in as little as 5 minutes; forklift can pass over a repair in as few as 15 minutes.
- Cartridge can be used in standard caulk gun.
- Custom tapping and anchoring bolts.

**Also Consider:**

3M™ Scotch-Weld™ Concrete Repair DP600NS Gray, Non-Sag (UPC: 00-021200-56603-5)

Scotch-Brite™ Bristle Disc (UPC: 00-048011-24241-5)

*Attach signage.*

### High-strength bond can replace metal fasteners!

#### 3M™ VHB™ Heavy Duty Mounting Tape 5952 Black

(UPC: 00-051115-25522-9)

*Fasten without using rivets, screws or welds.*

- Reclosable plastic storage container keeps tape clean.
- Replaces screws and studs for various permanent mounting applications.
- Attaches to a variety of wall surfaces.



**Also Consider:**

- 3M™ Sharpshooter™ Extra Strength No Rinse Mark Remover (UPC: 50-048011-19344-6)
- 3M™ VHB™ Heavy Duty Mounting Tape 4910 Clear (UPC: 00-051115-25523-6)



*Maintain moving parts and lifts.*

### One product – five uses!

#### 3M™ 5-Way Penetrant

(UPC: 00-021200-21305-2)

*Silicone free formulation penetrates, lubricates, de-moisturizes, cleans and prevents rust and corrosion.*

- Great for loosening rusted or frozen bolts.
- Undercuts grit and grime.



**Also Consider:**

- 3M™ Silicone Lubricant (UPC: 00-021200-85822-2)
- Rite-Lok™ Threadlocker TL43-10 (UPC: 00-051115-25138-2)



*Help prevent slip and trip hazards.*

### Quick and easy to apply!

#### 3M™ Safety-Walk™ General Purpose Tread 610

(UPC: 50-048011-19217-3)

*Mineral-coated safety tread to help prevent slips and falls.*

- Low-profile, mineral-coated, slip-resistant material features a highly durable surface.
- For use on stairs, ramps, equipment and vehicles.

**Also Consider:**

- 3M™ Vinyl Tape Yellow 471 (UPC: 00-021200-04310-9)
- 3M™ Scotch-Weld™ Concrete Repair 600 Gray Self-Leveling (UPC: 00-021200-96596-8)



*Quick repairs and cleanup.*

### Clean removal, leaves no residue!

#### 3M™ Performance Plus Duct Tape 8979

(UPC: 00-021200-56468-0)


*Performance grade duct tape for indoor and outdoor use.*

- Removes cleanly with no residue from most opaque surfaces for up to six months after it's applied.
- For permanent or temporary applications.



**Also Consider:**

- 3M™ Maintenance Sorbent Roll M-RL15150DD (UPC: 50-051131-07166-2)
- 3M™ All Purpose Cleaner Concentrate (UPC: 50-048011-34747-4)







# Cleaning Maintenance

*Clean tables, counters and chairs.*  
**Chemical free cleaning!**

**Scotch-Brite™ Easy Erase Pad 4004**  
(UPC: 50-048011-55658-6)

*Innovative spot cleaning tool designed to be used without chemicals.*

- Erase marks without scouring or scratching.
- Wet white side with water and remove scuff marks, grease, crayon, marker, metal marks, stains, ink and more.
- Use blue side to wipe away residue.



**Also Consider:**

3M™ Sharpshooter™ Extra Strength No Rinse Remover (UPC: 50-048011-19344-6)  
3M™ Dose 'n Fill All Purpose Cleaner and Degreaser (UPC: 50-048011-54109-4)



*Clean appliances and glass surfaces.*

**Save up to 33% over ready-to-use chemicals!**

**3M™ Dose 'n Fill Glass Cleaner**  
(UPC: 50-048011-54111-7)

*Ready-to-use glass cleaner.*

- Kit contains one ready-to-use quart spray bottle, refill cartridge and storage caddy.
- Dosing cartridge makes 6 more quarts.
- Easy to mix, easy to store and easy to take along.



**Also Consider:**

Scotch-Brite™ Medium Duty Scrub Sponge 74 (UPC: 50-048011-20688-7)  
3M™ Dose 'n Fill All Purpose Cleaner and Degreaser (UPC: 50-048011-54109-4)



*Clean floors.*

**Trap up to 6 times more dirt and dust!**

**3M™ Easy Trap Duster**  
(UPC: 50-048011-59032-0)

*Use for cleaning and dusting.*

- Proprietary technology picks up sand, dust, dirt and hair.
- Use with any tool.
- Picks up even when wet.



**Also Consider:**

3M™ All Purpose Cleaner Concentrate (UPC: 50-048011-34747-4)  
3M™ Doodlebug™ White Cleansing Pad 8440 (UPC: 50-048011-08003-6)





*Protect entryways and floors.*

## Trap dirt and moisture at the door!

### 3M™ Nomad™ Scraper Matting 6050

(UPC: 50-048011-26445-0)

*Entry matting for indoor and outdoor use.*

- Durable vinyl loop designed to trap, hide and hold dirt and sand at the door.
- Reduce daily maintenance costs by keeping floors cleaner.
- Removes up to 72% more dirt than other types of carpet matting.



#### Also Consider:

3M™ Safety-Walk™ General Purpose Tread 610 (UPC: 50-048011-19217-3)

3M™ Nomad™ Carpet Matting 5000 (UPC: 00-048011-59220-6)



*Hang signs.*

## Multiple openings and closings!

### 3M™ Scotchmate™ Reclosable Fastener

(UPC: 00-051131-06488-1)

*For temporary attachment of signs and access panels.*

- As simple as pressing together and pulling apart.
- More than 5000 closures.
- Aggressive tacky rubber-based adhesive for a variety of surfaces.



#### Also Consider:

3M™ Extra-Thick Multipurpose Mounting Tape 4008 (UPC: 00-051115-25525-0)

3M™ Super 77™ Multipurpose Adhesive (UPC: 00-021200-21210-9)



*Specialty cleaning.*

## No rinse, no residue spot remover!

### Scotchgard™ Spot Remover & Upholstery Cleaner

(UPC: 50-048011-14003-7)

*Foaming aerosol spot remover.*

- Ready-to-use, easy-to-dispense foaming aerosol carpet and upholstery cleaner.
- Attacks both oil- and water-based stains.
- No sticky residue to cause resoiling.



#### Also Consider:

Scotch-Brite™ Easy Erase Pad 4004 (UPC: 50-048011-55658-6)

3M™ TroubleShooter™ Liquid Finish Remover (UPC: 50-048011-29524-9)



# Equipment Maintenance

*Gear up.*

## Stylish UV protection!



### Virtua™ V4 Safety Eyewear

(UPC: 10-078371-11674-0)

*Stylish eye protection you can wear indoors and outdoors.*

- Soft, dual injected temples for comfortable all day wear.
- Lightweight, popular unisex styling.
- Rugged polycarbonate lens construction.
- Meets ANSI Z87.1-2003 Standards.

### Also Consider:

3M™ Particulate Respirator 8210 (UPC: 50-051138-46457-3) NIOSH N95 Certified. Can be used up to 10 X PEL.  
E-A-Rsoft™ Yellow Neons™ Earplugs Corded (UPC: 10-080529-11033-3)

*Remove rust and paint.*

## Reduces the hazard of flying wires!



### Scotch-Brite™ Bristle Disc, 4½ in 50 Grit

(UPC: 00-048011-24241-5)

*Removes crud, coatings, paint, rust stains and glue.*

- Does not gouge base material.
- Runs smoothly – works with light pressure.

### Also Consider:

Scotch-Brite™ Coating Removal Disc (UPC: 00-048011-18424-1)  
Scotch-Brite™ General Purpose Hand Pad 7447 (UPC: 00-048011-04029-5)

*Clean up grease and oil.*

## No-rinse, food-grade acceptable cleaner!



### 3M™ Citrus Base Adhesive Remover

(UPC: 00-021200-49048-4)

*Cuts through most adhesive films, labels, grease, grime, tar and oil.*

- Effective, non-corrosive, citrus base non-solvent formula.
- Convenient and portable aerosol dispensing.
- Restricted in California.

### Also Consider:

3M™ Heavy Duty Degreaser Concentrate (UPC: 50-048011-34782-5)  
Scotch-Brite™ General Purpose Hand Pad 7447 (UPC: 00-048011-04029-5)

*Contain drips and spills.*

## For use as a boom, pillow, pad or roll!



### 3M™ Maintenance Sorbent Folded M-FL550DD

(UPC: 50-051131-07172-3)

*Absorbs most non-aggressive liquids, including oils, coolants, cutting fluids, aqueous-based liquids and petroleum-based products.*

- Quicker and easier to dispose of versus granules.
- Each roll absorbs 31.5 gallons of liquid.

### Also Consider:

3M™ Maintenance Sorbent Roll M-RL15150DD (UPC: 50-051131-07166-2)



## Lubricate and clean moving parts. One product – five uses!

### 3M™ 5-Way Penetrant

(UPC: 00-021200-21305-2)

*Silicone free formulation penetrates, lubricates, de-moisturizes, cleans and prevents rust and corrosion.*

- Great for loosening rusted or frozen bolts.
- Undercuts grit and grime.



#### Also Consider:

3M™ Silicone Lubricant (UPC: 00-021200-85822-2)  
3M™ Adhesive Remover (UPC: 00-021200-49048-4)



## Maintain electrical components. Professional's choice!

### Scotch® Super 33+ Vinyl Electrical Tape

(UPC: 00-054007-06132-8)

*All-weather vinyl electrical insulating tape.*

- Made in the U.S.A.
- Stays put in harsh conditions and extreme temperatures.
- Stretches to conform to any shape.



#### Also Consider:

3M™ Cable Tie Assortment Pack (UPC: 00-054007-06220-2)  
3M™ "Performance Plus" B/G+ Wire Connector (UPC: 00-054007-43150-3)



## Re-assemble equipment. Securely locks and seals!

### Rite-Lok™ Threadlocker TL43-10

(UPC: 00-051115-25138-2)

*Fast and easy way to lock and seal threaded metal parts.*

- Reduces need to inventory washers.
- Blue color means removable with hand tools for threads up to 3/4".
- Sets up in about 5 minutes.



#### Also Consider:

Rite-Lok™ TL62-10 (UPC: 00-048011-62609-3)  
3M™ Scotch-Weld™ Rubber and Gasket Adhesive (UPC: 00-021200-19868-7)



## Gather up hoses, cables and cords. Variety pack!

### 3M™ Cable Tie Assortment Pack

(UPC: 00-054007-06220-2)

*Secure and bundle cables, hoses and wires.*

- Includes three sizes, four lengths and two colors.
- Self-locking teeth for easy gripping around bundles.
- White for indoor use and weather resistant black for outdoor use.



#### Also Consider:

3M™ Performance Plus Duct Tape 8979 (UPC: 00-021200-56468-0)  
3M™ Paper Tape 200 (UPC: 00-048011-53465-7)



# HVAC Maintenance

*Replace filters.*

**Cleaner air! Less energy!**

**Filtrete™ Commercial High Performance HVAC Filter F976**  
(UPC: 00-051138-93423-1)

*High efficiency electrostatic and mechanical filter media helps to maintain system cleanliness.*

- Reduce energy consumption with low airflow resistance.
- Reduce filter changes by 75% due to extended filter life.
- Integrated gasket system helps to reduce air bypass.



**Also Consider:**

Filtrete™ Commercial High-Performance HVAC Utility Filter E376  
(UPC: 00-051138-93784-3)

Filtrete™ Commercial Mid-Performance HVAC Utility Filter E294  
(UPC: 00-051138-93688-4)

*Clean circuits and equipment.*

**Can use on live circuits!**

**3M™ Novec™ Contact Cleaner Aerosol**

(UPC: 00-051135-71699-1)

*Effectively removes fluorinated oils and greases, light oils and silicones, dust and particulates.*

- Zero ozone depletion and low global warming potential.
- Quick drying and non-flammable.
- Requires no rinsing and leaves no residue.
- Compatible with plastics.

**Also Consider:**

Scotch® Super33+ Vinyl Electrical Tape (UPC: 00-054007-06132-8)

Scotch® Self-Fusing Silicone Rubber Electrical Tape 70 (UPC: 00-054007-15603-1)

*Connect wires.*

**Two connectors replace six!**

**3M™ Wire Connectors – O/B+ and T/R+**

Blue and Orange O/B+ (UPC: 00-054007-43152-7)

Red and Tan T/R+ (UPC: 00-051128-54454-9)

*Electrically connect and insulate conductor ends.*

- Quick bite spring saves time and effort.
- O/B+ replaces gray, blue and orange standard connectors.
- T/R+ replaces yellow, tan and red connectors.
- Flame retardant insulator.

**Also Consider:**

3M™ Scotchlok™ Electrical IDC 567-BOX, Run and Tap (UPC: 00-054007-14887-6)

3M™ Scotchlok™ Electrical IDC 314-BOX, Pigtail, Moisture Resistant and Flame Retardant (UPC: 00-054007-09230-8)



*Clean and polish equipment.*  
**New protective dispenser!**

**3M™ Portable Utility Cloth Roll 314D**

(UPC: 00-051141-20964-7)

*Abrasive roll for general MRO applications, cleaning, blending, polishing, deburring and sanding.*

- Small size; easy to store and carry to the job.
- Easy to tear pieces or strips.
- No frayed edges; reduces wild scratches.



**Also Consider:**

3M™ Novec™ Electronic Degreaser (UPC: 00-051135-71698-4)

3M™ Brake Lube/Anti-Seize, 08945 (UPC: 00-051135-08945-3)



*Prevent vibration loosening and leaks.*  
**Securely locks and seals!**

**Rite-Lok™ Threadlocker TL42-10**

(UPC: 00-048011-62605-5)

*Fast, permanent way to lock and seal threaded metal parts.*

- Reduces need to inventory washers.
- Removable with hand tools for threads up to 3/4".
- Sets up in about five minutes.



**Also Consider:**

3M™ Silicone Lubricant, Aerosol (UPC: 00-021200-85822-2)

3M™ 5-Way Penetrant (UPC: 00-021200-21305-2)



*Seal ducts and plenums.*  
**Maximize efficiency in HVAC systems!**

**Scotch® Foil Tape 3326, Silver**

(UPC: 00-051131-85494-9)

*Minimize air leaks in HVAC systems by sealing duct joints, insulation and blower compartments.*

- Maximize efficiency in HVAC systems.
- Minimize air leaks in HVAC systems.
- Help reduce heating and cooling costs.



**Also Consider:**

Scotch® Foil Tape 3311, Silver (UPC: 00-051131-85493-2)



**Filtrete™ Filters**

**High Performance with Gasket**

- 00-051138-93423-1 24"x24"x2"
- 00-051138-93424-8 20"x20"x2"
- 00-051138-93425-5 12"x24"x2"

- Filtrete™ Commercial High Performance HVAC Filter F976, 5 per case
- Filtrete™ Commercial High Performance HVAC Filter F977, 5 per case
- Filtrete™ Commercial High Performance HVAC Filter F978, 5 per case

**High Performance**

- 00-051138-93784-3 24"x24"x2"
- 00-051138-93780-5 20"x20"x2"
- 00-051138-93769-0 12"x24"x2"

- Filtrete™ Commercial High Performance HVAC Utility Filter E376, 5 per case
- Filtrete™ Commercial High Performance HVAC Utility Filter E372, 5 per case
- Filtrete™ Commercial High Performance HVAC Utility Filter E361, 5 per case

**Mid Performance with Gasket**

- 00-051138-93688-4 24"x24"x2"
- 00-051138-93684-6 20"x20"x2"
- 00-051138-93674-7 12"x24"x2"

- Filtrete™ Commercial Mid Performance HVAC Filter E294, 5 per case
- Filtrete™ Commercial Mid Performance HVAC Filter E290, 5 per case
- Filtrete™ Commercial Mid Performance HVAC Filter E279, 5 per case

**Mid Performance**

- 00-051138-93733-1 24"x24"x2"
- 00-051138-93729-4 20"x20"x2"
- 00-051138-93718-8 12"x24"x2"

- Filtrete™ Commercial Mid Performance HVAC Utility Filter E342, 5 per case
- Filtrete™ Commercial Mid Performance HVAC Utility Filter E338, 5 per case
- Filtrete™ Commercial Mid Performance HVAC Utility Filter E327, 5 per case



# Electrical Maintenance



*Protect splices.*

**Keep the moisture out!**



**Scotch® Linerless Rubber Splicing Tape 130C**  
(UPC: 00-054007-41717-0)

*Protects electrical connections and splices against moisture and heat buildup.*

- Excellent thermal dissipation properties, even when stretched.
- Linerless self-bonding splice.

**Also Consider:**

Scotch® Self-Fusing Silicone Rubber Electrical Tape 70 (UPC: 00-054007-15603-1)  
Scotch® Super 33+ Vinyl Electrical Tape (UPC: 00-054007-06132-8)



*Seal splices.*

**Help seal out moisture!**



**Scotch® Rubber Mastic Tape 2228**  
(UPC: 00-054007-50727-7)

*Self-fusing rubber mastic seals out moisture from splices, bus bars and junction boxes.*

- Excellent adhesion to copper, aluminum and power cable jacket materials.
- Stays flexible and pliable over a wide range of temperatures.

**Also Consider:**

3M™ Scotch-Seal™ Mastic Tape 2229 (UPC: 00-054007-50335-4)

*Install splices.*

**Quickly protect splices without tools!**



**3M™ Cold Shrink Insulator 8423-6, 6-4 AWG**  
(UPC: 00-054007-42146-7)

*Insulates and seals inline electrical connections and splices.*

- Simple installation requires no tools, no torches and no heat.
- Simply position over the connection and pull the core.

**Also Consider:**

3M™ Heat Shrink Tubing FP-301, Color Assortment Kit (UPC: 00-051135-37677-5)  
3M™ Heat Shrink Tubing Assorted Black Kit, FP-301 (UPC: 00-051135-38139-7)

*Mark wires.*

**Fast and convenient!**




**3M™ ScotchCode™ Wire Marking Tape Dispenser STD-0-9**  
(UPC: 00-054007-12174-9)

*System for marking wire, cable or hoses.*

- Operating temperature range from -40° F to 250° F (-40° C to 121° C).
- Special end loop to hook on belt or tool pouch.
- Available in numbers 0-9.

**Also Consider:**

Scotch® Vinyl Electrical Color Coding Tape 35





Connect wires.

### Two connectors replace six!

#### 3M™ Wire Connectors – O/B+ and T/R+

Blue and Orange O/B+ (UPC: 00-054007-43152-7)  
Tan and Red T/R+ (UPC: 00-051128-54454-9)

Electrically connect and insulate conductor ends.

- Quick bite spring saves time and effort.
- O/B+ replaces gray, blue and orange standard connectors.
- T/R+ replaces yellow, tan and red connectors.
- Flame retardant insulator.



**Also Consider:**

3M™ Scotchlok™ Electrical IDC 567-Box, Run and Tap (UPC: 00-054007-14887-6)

3M™ Scotchlok™ Electrical IDC 314-Box, Pigtail, Moisture Resistant and Flame Retardant (UPC: 00-054007-09230-8)



### Clean and prep for electrical connections. Can use on live circuits!

#### 3M™ Novec™ Contact Cleaner Aerosol

(UPC: 00-051135-71699-1)

Effectively removes fluorinated oils and greases, light oil and silicones, dust and particulates.


- Zero ozone depletion and low global warming potential.
- Quick drying and non-flammable.
- Requires no rinsing and leaves no residue.
- Compatible with plastics.



**Also Consider:**

3M™ Novec™ Electronic Degreaser (UPC: 00-051135-71698-4)

3M™ Novec™ Contact Cleaner Plus (UPC: 00-051135-71864-3)



### Modify or install conduit. Pull wires smoothly and quickly!

#### 3M™ Wire Pulling Lubricant – WLQT, WL5

(UPC: 00-054007-50622-5)

Helps smoothly pull cable through conduit with low tension.

- For normal use wire pulling applications.
- Low friction allows easy wire pulling.
- Lubricant can endure freezing and high temp storage.



**Also Consider:**

3M™ Fire Barrier Products

3M™ Cable Ties



# Metal Repair Maintenance

*Gear up.*

## Auto-darkening with extra large viewing area!



### 3M™ Speedglas™ FlexView Helmet with Auto-Darkening Filter 9002X

(UPC: 00-051131-92997-5)

*Reduce stiffness and fogging.*

- FlexView system flips up and stays up without removing your helmet.
- Clear faceshield for grinding and weld prep.

#### Also Consider:

E-A-Rsoft™ Yellow Neons™ Earplugs Uncorded (UPC: 10-080529-12063-9)

3M™ Particulate Welding Respirator 8515, N95 (UPC: 50-051131-07189-1) NIOSH N95 Certified. Can be used up to 10 X PEL.

*Protect surrounding areas.*

## Short term heat resistance to over 2000° F!



### 3M™ High Performance Welding Drape 05919

(UPC: 00-051131-05919-1)

*Protects sensitive surfaces from grinding and welding sparks.*

- Easy to reposition lightweight drape.
- Durable fiber resists heat and flame versus fiberglass blankets and other materials.

#### Also Consider:

3M™ Welding and Spark Deflection Paper 05916 (UPC: 00-051131-05916-0)

3M™ Performance Plus Duct Tape 8979 (UPC: 00-021200-56468-0)

*Cutting.*

## Cut and grind with one wheel!



### 3M™ Green Corps™ Cutting/Grinding Wheel, 4½" x ½" x ⅝"-11, Grade 36

(UPC: 00-051135-92318-4)

*Type 27 wheel for cutting and/or grinding metals, such as stainless and mild steel.*

- Contains 3M™ Cubitron™ Abrasive Grain.
- One product, two uses – cut with edge, grind with face.

#### Also Consider:

3M™ Green Corps™ Cut-Off Wheel, Bulk, 4" x ½" x ⅜" (UPC: 00-051131-01994-2)

3M™ Green Corps™ Cut-Off Wheel, Bulk, 3" x ½" x ¼" (UPC: 00-051144-82238-6)

*Grinding and blending.*

## Cuts fast and cool on stainless!



### 3M™ Fibre Disc 785C, 4½" x ⅞", Grade 36

(UPC: 00-051144-80660-7)

*Abrasive grinding disc for stainless and mild steel.*

- Contains 3M™ Cubitron™ Abrasive Grain, 3M's most aggressive mineral.
- Long life and faster cut on stainless steel.
- Grinding aid for cooler running.

#### Also Consider:

3M™ Fibre Disc 501C, 4½" x ⅞", Grade 36 (UPC: 00-051111-50413-0)

3M™ Green Corps™ Cutting/Grinding Wheel, 4½" x ½" x ⅝"-11, Grade 36 (UPC: 00-051135-92318-4)





## Cleaning and coating removal. Minimizes gouging and scratching!

### Scotch-Brite™ Surface Conditioning Disc, 4½" x NH, A CRS

(UPC: 00-048011-14101-5)

Medium duty non-woven abrasive disc for cleaning, finishing and light deburring.

- Minimize rework from gouges and scratches caused by aggressive abrasives.



#### Also Consider:

Scotch-Brite™ Bristle Disc, 4½", Grade 50 (UPC: 00-048011-24241-5)

Scotch-Brite™ Coating Removal Disc, 4½" x NH, S XCS (use with 9145 backup pad) (UPC: 00-048011-18424-1)



## Alternatives to rivets, bolts, screws and welds.

### High-strength bond can replace metal fasteners!

### 3M™ VHB™ Heavy Duty Mounting Tape 5952 Black

(UPC: 00-051115-25522-9)

Fasten without using rivets, screws or welds.

- Bonds and seals in one step.
- Reclosable plastic storage container keeps tape clean.
- Reduces vibration noise of assembled parts.
- Provides a smooth, attractive finish.



#### Also Consider:

3M™ Dual Lock™ Reclosable Fasteners System MP3560 (UPC: 00-051131-06463-8)

3M™ Scotch-Weld™ Low Odor Acrylic Adhesive DP810 Duo-Pak (UPC: 00-021200-31310-3)



## Choose your substrate

|                       | Stainless Steel   | Aluminum  | Carbon (Mild) Steel Cast Iron   |
|-----------------------|---|---|---|
| Cutting               | 3M™ Green Corps™ Cutting/Grinding Wheel<br>Cut and Grind with One Wheel, 4½" x ½" x ¾"-11",<br>Grade 36<br>UPC: 00-051135-92318-4 | 3M™ Green Corps™ Cutting/Grinding Wheel<br>Cut and Grind with One Wheel, 4½" x ½" x ¾"-11",<br>Grade 36<br>UPC: 00-051135-92318-4 | 3M™ Green Corps™ Cutting/Grinding Wheel<br>Cut and Grind with One Wheel, 4½" x ½" x ¾"-11",<br>Grade 36<br>UPC: 00-051135-92318-4 |
|                       | Also Consider: Green Corps™ Cut-Off Wheel, 4" x ½" x ¾"<br>UPC: 00-051131-01994-2   | Also Consider: Green Corps™ Cut-Off Wheel, 4" x ½" x ¾"<br>UPC: 00-051131-01994-2   | Also Consider: Green Corps™ Cut-Off Wheel, 4" x ½" x ¾"<br>UPC: 00-051131-01994-2   |
| Grinding & Blending   | 3M™ Fibre Disc 785C, 4½" x ¾", Grade 36<br>Cuts Fast and Cool<br>UPC: 00-051144-80660-7   | 3M™ Fibre Disc 785C, 4½" x ¾", Grade 36<br>Cuts Fast and Cool<br>UPC: 00-051144-80660-7   | 3M™ Fibre Disc 501C, 4½" x ¾", Grade 36<br>Cuts Fast<br>UPC: 00-051111-50413-0  |
|                       | Also Consider: 3M™ Fibre Disc 501C, 4½" x ¾", Grade 36<br>UPC: 00-051111-50413-0  | Also Consider: 3M™ Fibre Disc 501C, 4½" x ¾", Grade 36<br>UPC: 00-051111-50413-0  | Also Consider: 3M™ Fibre Disc 281C, 4½" x ¾", Grade 36<br>UPC: 00-051144-85960-3  |
| Coating Removal       | Scotch-Brite™ Coating Removal Disc, 4½" x NH, S x CS<br>Quickly Removes Tough Coatings<br>UPC: 00-048011-18424-1                  | Scotch-Brite™ Coating Removal Disc, 4½" x NH, S x CS<br>Quickly Removes Tough Coatings<br>UPC: 00-048011-18424-1                  | Scotch-Brite™ Coating Removal Disc, 4½" x NH, S x CS<br>Quickly Removes Tough Coatings<br>UPC: 00-048011-18424-1                  |
|                       | Also Consider: Scotch-Brite™ Bristle Disc, 4½", Grade 36<br>UPC: 00-048011-33054-9  | Also Consider: Scotch-Brite™ Bristle Disc, 4½", Grade 50<br>UPC: 00-048011-24241-5  | Also Consider: Scotch-Brite™ Bristle Disc, 4½", Grade 36<br>UPC: 00-048011-33054-9  |
| Cleaning & Paint Prep | Scotch-Brite™ Surface Conditioning Disc,<br>Coarse, 4½" x NH, A CRS<br>Minimizes Gouging and Scratching<br>UPC: 00-048011-14101-5 | Scotch-Brite™ Surface Conditioning Disc,<br>Coarse, 4½" x NH, A MED<br>Minimizes Gouging and Scratching<br>UPC: 00-048011-14100-8 | Scotch-Brite™ Surface Conditioning Disc,<br>Coarse, 4½" x NH, A CRS<br>Minimizes Gouging and Scratching<br>UPC: 00-048011-14101-5 |
|                       | Also Consider: Scotch-Brite™ Bristle Disc, 4½", Grade 36<br>UPC: 00-048011-33054-9  | Also Consider: Scotch-Brite™ Bristle Disc, 4½", Grade 50<br>UPC: 00-048011-24241-5  | Also Consider: Scotch-Brite™ Bristle Disc, 4½", Grade 36<br>UPC: 00-048011-33054-9  |

Choose your job

# Outdoor Maintenance

*Gear up.*

## Patented 3M™ Cool Flow™ Valve!



### 3M™ Particulate Respirator 8511, N95

(UPC: 50-051138-54343-8)

*Use for certain particles such as those from grinding, sweeping and processing minerals.*

- Cool flow valve for long wear comfort.
- Suited for work setting that involves heat and humidity.
- NIOSH N95 Certified; can be used up to 10X PEL.

**Also Consider:**

E-A-Rsoft™ Yellow Neons™ Earplugs Uncorded (UPC: 10-080529-12063-9)

Virtua™ V4 Safety Eyewear (UPC: 10-078371-11674-0)



*Remove crud (knock off the tough stuff).*

## Safe alternative to steel wool and won't rust!



### Scotch-Brite™ General Purpose Hand Pad 7447

(UPC: 00-048011-04029-5)

*General purpose cleaning, blending, finishing and deburring.*

- Reduces the hazard of metal splinters.
- Keeps its shape.
- Outperforms other non-woven hand pads.
- Most universally used.

**Also Consider:**

Scotch-Brite™ Bristle Disc, 4½" 50 Grit (UPC: 00-048011-24241-5)

3M™ Heavy Duty Degreaser Concentrate (UPC: 50-048011-34782-5)



*Contain drips and spills.*

## For use as a boom, pillow, pad or roll!



### 3M™ Maintenance Sorbent Folded M-FL550DD

(UPC: 50-051131-07172-3)

*Absorbs most non-aggressive liquids, including oils, coolants, cutting fluids, aqueous-based liquids and petroleum-based products.*

- Quicker and easier to dispose of versus granules.
- Each roll absorbs 31.5 gallons of liquid.

**Also Consider:**

3M™ Maintenance Sorbent Roll M-RL15150DD (UPC: 50-051131-07166-2)



*Help prevent slip and trip hazards.*

## Quick and easy to apply!



### 3M™ Safety-Walk™ General Purpose Tread 610, Black, 6"x24"

(UPC: 50-048011-19218-0)

*Mineral coated safety tread to help prevent slips and falls.*

- Low-profile, mineral-coated, slip-resistant material features a highly durable surface.
- 3M aggressive and durable adhesive technology.

**Also Consider:**

3M™ Scotch-Weld™ Concrete Repair 600 Gray Self-Leveling (UPC: 00-021200-96596-8)

3M™ Safety-Walk™ General Purpose Tread 610 ¾" (UPC: 50-048011-19217-3)





*Quick repairs and easy cleanup.*  
**Clean removal, leaves no residue!**

### 3M™ Performance Plus Duct Tape 8979

(UPC: 00-021200-56468-0)

*Performance grade duct tape for indoor and outdoor use.*

- Removes cleanly with no residue from most opaque surfaces for up to six months after it's applied.
- For permanent or temporary applications.



#### Also Consider:

3M™ Scotch-Weld™ Concrete Repair 600 Gray Self-Leveling (UPC: 00-021200-96596-8)

3M™ All Purpose Cleaner Concentrate (UPC: 50-048011-34747-4)



*Attach signage.*  
**High-strength bond can replace metal fasteners!**

### 3M™ VHB™ Heavy Duty Mounting Tape 5952 Black

(UPC: 00-051115-25522-9)

*Fasten without using rivets, screws or welds.*

- Reclosable plastic storage container keeps tape clean.
- Replaces screws and studs for various permanent mounting applications.
- Attaches to a variety of wall surfaces.



#### Also Consider:

3M™ Sharpshooter™ Extra Strength No Rinse Mark Remover (UPC: 50-048011-19344-6)

3M™ VHB™ Heavy Duty Mounting Tape 4910 (UPC: 00-051115-25523-6)



### 3M™ Ultrathon™ SRL-MIL Insect Repellent, Lotion

(UPC: 00-051131-67442-4)

*Provides protection against mosquitoes, ticks, biting flies, chiggers, deerflies and gnats.*

- Unique slow release technology developed for military use.
- Splash and sweat resistant.
- Balanced mix between low concentration of DEET and long lasting protection.



*Repel insects.*  
**Lasts 12 hours!**

#### Also Consider:

3M™ Ultrathon™ Insect Repellent Aerosol (UPC: 00-051131-67777-7)





# Warning Information

## WARNING RESPIRATOR WARNING

These respirators help reduce exposures to certain airborne contaminants. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging. A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see package instructions, supervisor, or call 3M OH&ESD Technical Service in the U.S.A. at 1-800-243-4630 and in Canada at 1-800-267-4414.

## WARNING HEARING PROTECTION WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, User Instructions or call 3M in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. **If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.**

## WARNING EYE AND FACE PROTECTION PRODUCTS WARNING

These eye and face protection products help provide limited eye and face protection. **Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death.** For proper use, selection, and applications against flying particles, optical radiation and/or splash, see supervisor, read User Instructions and warnings on the package or call 3M OH&ESD Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

## WARNING HARD HAT WARNING

3M™ Hard Hats provide limited protection only. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, read instructions and warnings on the package, or call 3M OH&ESD Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

## WARNING SORBENT WARNING

**Failure to properly handle and dispose of sorbents contaminated by hazardous materials can result in serious physical injury or death and/or environmental harm.** For proper handling, consult the Material Safety Data Sheet for the material adsorbed. For applicable safety and health standards, contact your supervisor or call 3M OH&ESD Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414. To reduce the risk of serious physical injury or death, always use the appropriate personal protective equipment for handling the material to be absorbed. Transportation and disposal of spent sorbents must comply with all applicable federal, state and local laws and regulations. **Caution:** Sorbents may become slippery when used on flooring. Do not walk on sorbents or place in high traffic areas.

## WARNING WELDING WARNING

These welding safety products must be used only by qualified persons trained in their use and maintenance and only in strict accordance with and adherence to the detailed instruction and precautionary statements provided in the instruction manual which accompanies each product. **Failure to comply with these instructions could result in sickness, serious bodily injury or loss of life.** For proper use of these products read User Instructions and WARNINGS on the package, see your supervisor, on-site training specialist, industrial hygienist or call 3M Occupational Health and Environmental Safety Division (OH&ESD) Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.





---

### Product Use

All statements, technical information and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method of application.

### Warranty and Limited Remedy

Unless stated otherwise in 3M's product literature, packaging inserts or product packaging for individual products, 3M warrants that each 3M product meets the applicable specifications at the time 3M ships the product. Individual products may have additional or different warranties as stated on product literature, package inserts or product packages. **3M MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE.** User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's application. If the 3M product is defective within the warranty period, your exclusive remedy and 3M's and seller's sole obligation will be, at 3M's option, to replace the product or refund the purchase price.

---

### Limitation of Liability

Except where prohibited by law, 3M and seller will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental, or consequential, regardless of the legal theory asserted, including warranty, contract, negligence, or strict liability.



# Distribution Facility Guide

There are many places throughout your facility where 3M Maintenance and Repair Product solutions can help you run an efficient operation.

## 1 Lobby

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Cleaners for Grime and Glue
- Mats and Treads
- Floor Pads and Dusters

## 2 Restrooms

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Concentrated Cleaners

## 3 Cafeteria

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Stainless Steel Cleaners
- Concentrated Cleaners
- Floor Pads and Dusters
- Mats and Treads

## 4 Conveyors and Belts

- Duct Tapes (12 in)
- Lubricants
- Aerosol and Spray Cleaners
- Electrical Products
- Specialty Tapes

## 5 Safety Room

- Respiratory Protection
- Hearing Protection
- Eyewear
- Hard Hats
- Maintenance Sorbents

## 6 Office and Meeting Room

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Mats and Treads
- Office Ergonomic Products

## 7 Facility Grounds/Outdoor

- Concrete Maintenance Products
- Lane Marking Products
- Safety Treads
- Insect Repellents
- Electrical Products

## 8 Loading Dock

- Box Sealing Tapes and Dispensers
- Filament Tapes and Dispensers
- Label Protection Tapes
- Masking Tapes
- Mats and Treads
- Lane Marking Products

## 9 Heating/Air and Power Generation

- Terminals/Connectors
- Electrical Vinyl Tapes
- Wire Marking and Identification
- Duct Tapes
- Safety Marking Tapes
- CUNO Water Filtration Products

## 10 Production Floor/Warehouse

- Lubricants
- Aerosol and Spray Cleaners
- Lane Marking Products
- Concrete Repair Products
- Electrical Products
- Thread Lockers and Sealants
- Duct Tapes and Masking Products


## 11 Maintenance Closet

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Mats and Treads
- Lane Marking Products
- Electrical Products
- Duct Tapes

## 12 Maintenance Shop

- Duct and Masking Tapes
- Sorbents
- Aerosol and Spray Cleaners
- Adhesives for Maintenance Repairs
- Coated Abrasives Sheets, Discs and Wheels
- Surface Conditioning Pads, Belts, Discs and Sponges
- Lane Marking Products
- Electrical Products
- Welding
- Safety
- Mounting Tapes







# Education Facility Guide

There are many places throughout your facility where 3M Maintenance and Repair Product solutions can help you run an efficient operation.

## 1 Lockers and Common Area

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Cleaners for Grime and Glue
- Mats and Treads
- Floor Pads and Dusters

## 2 Restrooms and Wash Area

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Concentrated Cleaners

## 3 Cafeteria/Break Room

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Stainless Steel Cleaners
- Concentrated Cleaners
- Floor Pads and Dusters
- Mats and Treads

## 4 Classrooms and Meeting Area

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Mats and Treads
- Office Ergonomic Products

## 5 Laboratory

- Concentrated Cleaners
- Cleaners for Grime and Glue
- Quat Disinfectants
- Mats and Treads
- Electrical Products

## 6 Safety Room

- Respiratory Protection
- Hearing Protection
- Eyewear
- Hard Hats
- Maintenance Sorbents

## 7 Health Care Station

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Office Ergonomic Products
- Office and Desk Cleaners

## 8 Facility Grounds/Outdoor

- Concrete Maintenance Products
- Lane Marking Products
- Mats and Treads
- Insect Repellents
- Electrical Products

## 9 Gymnasium and Field-House

- Lane Marking Products
- Grime and Glue Aerosol and Spray Cleaners
- Hand Pads and Sponges
- Dusters and Sweepers

## 10 Locker Rooms

- Concentrated Cleaners
- Graffiti Removal Products
- Quat Disinfectants
- Hand Pads and Sponges
- Electrical Products
- Thread Lockers and Sealants
- Floor Pads and Sponges

## 11 Janitorial Closet

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Mats and Treads
- Lane Marking Products
- Electrical Products
- Duct Tapes

## 12 Heating/Air and Power Generation

- Terminals/Connectors
- Electrical Vinyl Tapes
- Wire Marking and Identification
- Duct Tapes
- Safety Marking Tapes
- CUNO Water Filtration Products

## 13 Repair Shop

- Duct and Masking Tapes
- Sorbents
- Aerosol and Spray Cleaners
- Adhesives for Maintenance Repairs
- Coated Abrasives Sheets, Discs and Wheels
- Surface Conditioning Pads, Belts, Discs and Sponges
- Lane Marking Products
- Electrical Products
- Welding
- Safety
- Mounting Tapes

## 14 Loading Dock

- Box Sealing Tapes and Dispensers
- Filament Tapes and Dispensers
- Label Protection Tapes
- Masking Tapes
- Mats and Treads
- Lane Marking Products





# Food Processing Facility Guide



There are many places throughout your facility where 3M Maintenance and Repair Product solutions can help you run an efficient operation.

## 1 Lobby

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Cleaners for Grime and Glue
- Mats and Treads
- Floor Pads and Dusters

## 2 Restrooms

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Concentrated Cleaners

## 3 Cafeteria

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Stainless Steel Cleaners
- Concentrated Cleaners
- Floor Pads and Dusters
- Mats and Treads

## 4 Food Processing Area

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Mats and Treads

## 5 R&D/QC

- Concentrated Cleaners
- Cleaners for Grime and Glue
- Quat Disinfectants
- Mats and Treads
- Electrical Products

## 6 Safety Supplies Room

- Respiratory Protection
- Hearing Protection
- Eyewear
- Hard Hats
- Maintenance Sorbents

## 7 Facility Grounds/Outdoor

- Concrete Maintenance Products
- Lane Marking Products
- Safety Treads
- Insect Repellents
- Electrical Products

## 8 Loading Dock

- Box Sealing Tapes and Dispensers
- Filament Tapes and Dispensers
- Label Protection Tapes
- Masking Tapes
- Mats and Treads
- Lane Marking Products

## 9 Office and Meeting Room

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Concentrated Cleaners (Includes Quat)
- Mats and Treads
- Floor Pads and Dusters
- Office Ergonomic Products
- Office and Desk Cleaners
- Masking and Specialty Tapes

## 10 Stockroom

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Mats and Treads
- Lane Marking Products
- Electrical Products
- Duct Tapes

## 11 Heating/Air and Power Generation

- Terminals/Connectors
- Electrical Vinyl Tapes
- Wire Marking and Identification
- Duct Tapes
- Safety Marking Tapes
- CUNO Water Filtration Products

## 12 Maintenance Shop

- Duct and Masking Tapes
- Sorbents
- Aerosol and Spray Cleaners
- Adhesives for Maintenance Repairs
- Coated Abrasives Sheets, Discs and Wheels
- Surface Conditioning Pads, Belts, Discs and Sponges
- Lane Marking Products
- Electrical Products
- Welding
- Safety
- Mounting Tapes







# Healthcare Facility Guide

There are many places throughout your facility where 3M Maintenance and Repair Product solutions can help you run an efficient operation.

## 1 Lobby

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Cleaners for Grime and Glue
- Mats and Treads
- Floor Pads and Dusters

## 2 Restrooms

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Concentrated Cleaners

## 3 Cafeteria

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Stainless Steel Cleaners
- Concentrated Cleaners
- Floor Pads and Dusters
- Mats and Treads

## 4 Conference Room

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Mats and Treads
- Office Ergonomic Products

## 5 Laboratory

- Concentrated Cleaners
- Cleaners for Grime and Glue
- Quat Disinfectants
- Mats and Treads
- Electrical Products

## 6 Safety Supplies Room

- Respiratory Protection
- Hearing Protection
- Eyewear
- Hard Hats
- Maintenance Sorbents

## 7 Nurse's Station

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Office Ergonomic Products
- Office and Desk Cleaners

## 8 Facility Grounds/Outdoors

- Concrete Maintenance Products
- Lane Marking Products
- Safety Treads
- Insect Repellents
- Electrical Products

## 9 Loading Dock

- Box Sealing Tapes and Dispensers
- Filament Tapes and Dispensers
- Label Protection Tapes
- Masking Tapes
- Mats and Treads
- Lane Marking Products

## 10 Office and Patient Rooms

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Concentrated Cleaners (Includes Quat)
- Mats and Treads
- Floor Pads and Dusters
- Office Ergonomic Products
- Office and Desk Cleaners
- Masking and Specialty Tapes

## 11 Maintenance Closet

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Mats and Treads
- Lane Marking Products
- Electrical Products
- Duct Tapes


## 12 Heating/Air and Power Generation

- Terminals/Connectors
- Electrical Vinyl Tapes
- Wire Marking and Identification
- Duct Tapes
- Safety Marking Tapes
- CUNO Water Filtration Products

## 13 Maintenance Shop

- Duct and Masking Tapes
- Sorbents
- Aerosol and Spray Cleaners
- Adhesives for Maintenance Repairs
- Coated Abrasives Sheets, Discs and Wheels
- Surface Conditioning Pads, Belts, Discs and Sponges
- Lane Marking Products
- Welding
- Safety
- Mounting Tapes







# Manufacturing Facility Guide

There are many places throughout your facility where 3M Maintenance and Repair Product solutions can help you run an efficient operation.

## 1 Lobby

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Cleaners for Grime and Glue
- Mats and Treads
- Floor Pads and Dusters

## 2 Restrooms

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Concentrated Cleaners

## 3 Cafeteria

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Stainless Steel Cleaners
- Concentrated Cleaners
- Floor Pads and Dusters
- Mats and Treads

## 4 Laboratory

- Concentrated Cleaners
- Cleaners for Grime and Glue
- Quat Disinfectants
- Mats and Treads
- Electrical Products

## 5 Cold Storage Product

- Speciality Tapes and Adhesives

## 6 Conveyors and Belts

- Duct Tapes (12 in)
- Lubricants
- Aerosol and Spray Cleaners
- Electrical Products
- Speciality Tapes

## 7 Safety Room

- Respiratory Protection
- Hearing Protection
- Eyewear
- Hard Hats
- Maintenance Sorbents

## 8 Office and Meeting Room

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Graffiti Removal Products
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Mats and Treads
- Office Ergonomic Products

## 9 Facility Grounds/Outdoor

- Concrete Maintenance Products
- Lane Marking Products
- Safety Treads
- Insect Repellents
- Electrical Products

## 10 Loading Dock

- Box Sealing Tapes and Dispensers
- Filament Tapes and Dispensers
- Label Protection Tapes
- Masking Tapes
- Mats and Treads
- Lane Marking Products

## 11 Heating/Air and Power Generation

- Terminals/Connectors
- Electrical Vinyl Tapes
- Wire Marking and Identification
- Duct Tapes
- Safety Marking Tapes
- CUNO Water Filtration Products

## 12 Stainless Steel Equipment

- Stainless Steel Cleaners
- Stainless Steel Scrubbers

## 13 Production Floor/Warehouse

- Lubricants
- Aerosol and Spray Cleaners
- Lane Marking Products
- Concrete Repair Products
- Electrical Products
- Thread Lockers and Sealants
- Duct Tapes and Masking Product


## 14 Maintenance Closet

- Hand Pads and Sponges
- Aerosol and Spray Cleaners
- Concentrated Cleaners (Includes Quat)
- Cleaners for Grime and Glue
- Mats and Treads
- Lane Marking Products
- Electrical Products
- Duct Tapes

## 15 Maintenance Shop

- Duct and Masking Tapes
- Sorbents
- Aerosol and Spray Cleaners
- Adhesives for Maintenance Repairs
- Coated Abrasives Sheets, Discs and Wheels
- Surface Conditioning Pads, Belts, Discs and Sponges
- Lane Marking Products
- Electrical Products
- Welding
- Safety
- Mounting Tapes







## Discs, Bristle Discs

### Scotch-Brite™ Radial Bristle Brush

Durable radial brushes can be used to replace wire brushes. Cleans with minimal pressure. Works on a variety of coatings and is a safe alternative to wire brushes. Abrasive mineral: aluminum oxide and Cubitron™ Abrasive Grain. Package includes a universal benchmotor adaptor.



| UPC Number        | Grade | Extra Desc | Size     | Color      | Case Qty | Units |
|-------------------|-------|------------|----------|------------|----------|-------|
| 00-048011-27603-8 | 36    | TA         | 6"x½"x1" | Dark Brown | 5        | BH    |
| 00-048011-27605-2 | 50    | TA         | 6"x½"x1" | Green      | 5        | BH    |

### Scotch-Brite™ Radial & Roloc™ Radial Bristle Discs, 2" & 3"

For use on most die grinders and small bench motors, 2" & 3" Radial Bristle Discs create an incredibly uniform finish even around protrusions, detail grooves, patterns, and other hard-to-reach areas. TA discs aggressively clean and deburr; TC bristles feature curved bristles for extra conformability. Also available with Roloc™ attachment (3" only) for quick and easy mounting.



| UPC Number        | Grade | Extra Desc | Size     | Color  | Case Qty | Units |
|-------------------|-------|------------|----------|--------|----------|-------|
| 00-048011-24276-7 | 50    | TA         | 3" Roloc | Green  | 40       | EA    |
| 00-048011-24277-4 | 80    | TA         | 3" Roloc | Yellow | 40       | EA    |
| 00-048011-24278-1 | 120   | TA         | 3" Roloc | White  | 40       | EA    |

### Scotch-Brite™ Bristle Disc

Brush-like bristle disc removes coarse coatings from the large, open areas of a work-piece. Works on right angle tools quickly and easily with little or no pressure.



| UPC Number        | Grade | Extra Desc      | Size | Color | Case Qty | Units |
|-------------------|-------|-----------------|------|-------|----------|-------|
| 00-048011-33054-9 | 36    | MOS: 12,000 RPM | 4½"  | Brown | 10       | EA    |
| 00-048011-24241-5 | 50    | MOS: 12,000 RPM | 4½"  | Green | 10       | EA    |
| 00-048011-24243-9 | 120   | MOS: 12,000 RPM | 4½"  | White | 10       | EA    |

## Discs, Bristle Discs, cont'd

### Scotch-Brite™ Roloc™ Bristle Disc

Brush-like bristle disc removes coatings from the large, open areas of a work piece. Works on right angle tools quickly and easily with little or no pressure.



| UPC Number        | Grade | Size    | Color  | Case Qty | Units |
|-------------------|-------|---------|--------|----------|-------|
| 00-048011-18730-3 | 50    | 2"x5/8" | Green  | 40       | EA    |
| 00-048011-18732-7 | 80    | 2"x5/8" | Yellow | 40       | EA    |
| 00-048011-18733-4 | 120   | 2"x5/8" | White  | 40       | EA    |
| 00-048011-18734-1 | 50    | 3"x5/8" | Green  | 40       | EA    |
| 00-048011-18736-5 | 80    | 3"x5/8" | Yellow | 40       | EA    |
| 00-048011-18737-2 | 120   | 3"x5/8" | White  | 40       | EA    |

## Discs, Clean and Strip Discs

### Scotch-Brite™ Clean and Strip Disc

Aggressive, open web disc for cleaning welds, removing rust and paint. May be mounted on a straight shaft tool or bench motor.




| UPC Number        | Grade | Size  | Case Qty | Units |
|-------------------|-------|-------|----------|-------|
| 00-048011-00948-3 | SXCS  | 6"x½" | 15       | DC    |

## Discs, Coating Removal Discs

### Scotch-Brite™ Coating Removal Disc


Heavy duty, semi-open web used to clean rust and paint. Contains a backing that mounts to Hook-and-Loop pads.



| UPC Number        | Grade | Extra Desc      | Size   | Case Qty | Units |
|-------------------|-------|-----------------|--------|----------|-------|
| 00-048011-18424-1 | SXCS  | MOS: 12,000 RPM | 4½"xNH | 20       | DC    |

### Scotch-Brite™ Roloc™ Coating Removal Disc

Heavy duty, semi-open web used to clean rust and paint. A threaded attachment system secures the disc to the holder.



| UPC Number        | Grade | Type | Extra Desc      | Size  | Case Qty | Units |
|-------------------|-------|------|-----------------|-------|----------|-------|
| 00-048011-18350-3 | SXCS  | TR   | MOS: 15,000 RPM | 3"xNH | 40       | DC    |



## Discs, Fibre Discs

### 3M™ Fibre Disc 281C

An aluminum oxide disc constructed on a fibre backing.



| UPC Number        | Grade | Size     | Case Qty | Units |
|-------------------|-------|----------|----------|-------|
| 00-051144-85960-3 | 36    | 4½"x7/8" | 25       | DC    |
| 00-051144-85961-0 | 50    | 4½"x7/8" | 25       | DC    |
| 00-051144-85962-7 | 60    | 4½"x7/8" | 25       | DC    |
| 00-051144-85963-4 | 80    | 4½"x7/8" | 25       | DC    |
| 00-051144-85974-0 | 36    | 7"x7/8"  | 25       | DC    |
| 00-051144-85975-7 | 50    | 7"x7/8"  | 25       | DC    |
| 00-051144-85976-4 | 60    | 7"x7/8"  | 25       | DC    |
| 00-051144-85977-1 | 80    | 7"x7/8"  | 25       | DC    |

### 3M™ Fibre Disc 501C

A versatile alumina zirconia disc constructed on a fibre backing works well on stainless and mild steel.



| UPC Number        | Grade | Size     | Case Qty | Units |
|-------------------|-------|----------|----------|-------|
| 00-051111-50413-0 | 36    | 4½"x7/8" | 100      | DC    |
| 00-051111-50414-7 | 50    | 4½"x7/8" | 100      | DC    |
| 00-051111-50415-4 | 60    | 4½"x7/8" | 100      | DC    |
| 00-051111-50416-1 | 80    | 4½"x7/8" | 100      | DC    |
| 00-051111-50410-9 | 24    | 5"x7/8"  | 100      | DC    |
| 00-051111-50412-3 | 36    | 5"x7/8"  | 100      | DC    |
| 00-051111-50422-2 | 80    | 5"x7/8"  | 100      | DC    |
| 00-051111-50411-6 | 24    | 7"x7/8"  | 100      | DC    |

### 3M™ Fibre Disc 785C

A Cubitron™ Abrasive Grain disc constructed on a fibre backing. Features grinding aid for cooler grinding; great for working on heat-sensitive metals like stainless steel.



| UPC Number        | Grade | Size     | Case Qty | Units |
|-------------------|-------|----------|----------|-------|
| 00-051144-80660-7 | 36    | 4½"x7/8" | 100      | DC    |
| 00-051144-80661-4 | 50    | 4½"x7/8" | 100      | DC    |
| 00-051144-80662-1 | 60    | 4½"x7/8" | 100      | DC    |
| 00-051144-80663-8 | 80    | 4½"x7/8" | 100      | DC    |
| 00-051144-13936-1 | 36    | 7"x7/8"  | 100      | DC    |
| 00-051144-13934-7 | 50    | 7"x7/8"  | 100      | DC    |
| 00-051144-13933-0 | 60    | 7"x7/8"  | 100      | DC    |
| 00-051144-13932-3 | 80    | 7"x7/8"  | 100      | DC    |

## Discs, Fibre Discs, Accessories

### 3M™ Disc Pad Face Plate - Plain

Backup plates for fibre discs. Color coded by density. Ribbed plates result in cooler running discs. Use harder face plates for heavier stock removal applications.




| UPC Number        | Product ID | Extra Desc | Size | Color | Case Qty | Units |
|-------------------|------------|------------|------|-------|----------|-------|
| 00-051144-14270-5 | 14270      | Hard       | 4½"  | Black | 10       | PP    |

## Discs, Flap Discs

### 3M™ Abrasive Flap Disc 747D, Type 27

Contains 3M™ Cubitron™ abrasive grain constructed on a X weight, durable cloth backing. Resin bonded for heat resistance. Features grinding aid for cooler grinding. The new standard for off hand grinding and finishing of metals. Provides a consistent rate of cut for a superior finish and it provides long-life performance that improves quality and lowers cost.



| UPC Number        | Grade | Size     | Case Qty | Units |
|-------------------|-------|----------|----------|-------|
| 00-051111-49613-8 | 36    | 4½"x7/8" | 10       | DC    |
| 00-051111-49614-5 | 50    | 4½"x7/8" | 10       | DC    |
| 00-051111-49615-2 | 60    | 4½"x7/8" | 10       | DC    |
| 00-051111-49616-9 | 80    | 4½"x7/8" | 10       | DC    |
| 00-051111-49608-4 | 36    | 7"x7/8"  | 5        | DC    |
| 00-051111-49609-1 | 50    | 7"x7/8"  | 5        | DC    |
| 00-051111-49610-7 | 60    | 7"x7/8"  | 5        | DC    |
| 00-051111-49611-4 | 80    | 7"x7/8"  | 5        | DC    |

## Discs, Flap Discs, Accessories

### 3M™ Disc Retainer Nut

For use with all 3M™ Disc Pad Hub and Face Plates, non 3M fibre disc holders. Has a 5/8-11 INT thread.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 00-051111-51047-6 | 02618      | 5/16" | 10       | EA    |
| 00-051144-05622-4 | 05622      | 3/8"  | 10       | EA    |
| 00-051144-05621-7 | 05621      | ½"    | 10       | EA    |
| 00-051144-05620-0 | 05620      | 5/8"  | 10       | EA    |

## Discs, PSA Discs

### 3M™ PSA Cloth Disc 248D

An aluminum oxide PSA Disc constructed on a X weight, durable cloth backing. Resin bonded for heat resistance.



| UPC Number        | Grade | Size   | Case Qty | Units |
|-------------------|-------|--------|----------|-------|
| 00-051144-20874-6 | P36   | 8"xNH  | 250      | DC    |
| 00-051144-20873-9 | P40   | 8"xNH  | 250      | DC    |
| 00-051144-20871-5 | P60   | 8"xNH  | 250      | DC    |
| 00-051144-20870-8 | P80   | 8"xNH  | 250      | DC    |
| 00-051144-20868-5 | P120  | 8"xNH  | 250      | DC    |
| 00-051144-88906-8 | P36   | 12"xNH | 10       | DC    |
| 00-051144-88905-1 | P40   | 12"xNH | 10       | DC    |
| 00-051144-88904-4 | P50   | 12"xNH | 10       | DC    |
| 00-051144-88903-7 | P60   | 12"xNH | 10       | DC    |
| 00-051144-88902-0 | P80   | 12"xNH | 10       | DC    |
| 00-051144-88901-3 | P100  | 12"xNH | 10       | DC    |

## Discs, Roloc™ Discs

### 3M™ Roloc™ Cloth Disc 361F

An aluminum oxide Roloc™ Disc constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Can be run wet or dry.



| UPC Number        | Grade | Extra Desc | Size | Case Qty | Units |
|-------------------|-------|------------|------|----------|-------|
| 00-051144-22398-5 | 36    | TR         | 2"   | 200      | DC    |
| 00-051144-22400-5 | 60    | TR         | 2"   | 200      | DC    |
| 00-051144-22401-2 | 80    | TR         | 2"   | 200      | DC    |
| 00-051144-22393-0 | 36    | TR         | 3"   | 200      | DC    |
| 00-051144-22395-4 | 60    | TR         | 3"   | 200      | DC    |
| 00-051144-22404-3 | 80    | TR         | 3"   | 200      | DC    |

### 3M™ Roloc™ Cloth Disc 777F

A Cubitron™ abrasive grain Roloc™ Disc constructed on a YF weight, water resistant polyester cloth backing. Resin bonded for heat resistance. Features grinding aid for cooler grinding. Can be run wet or dry. Works well on heat-sensitive metals.



| UPC Number        | Grade | Extra Desc | Size | Case Qty | Units |
|-------------------|-------|------------|------|----------|-------|
| 00-051144-76629-1 | 36    | TR         | 2"   | 200      | DC    |
| 00-051144-76433-4 | 60    | TR         | 2"   | 200      | DC    |
| 00-051144-14661-1 | 80    | TR         | 2"   | 200      | DC    |
| 00-051144-76631-4 | 36    | TR         | 3"   | 200      | DC    |
| 00-051144-76633-8 | 60    | TR         | 3"   | 200      | DC    |
| 00-051144-76634-5 | 80    | TR         | 3"   | 200      | DC    |

## Discs, Surface Conditioning Discs

### Scotch-Brite™ Roloc™ Surface Conditioning Disc

A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. A metal attachment system screws onto the holder.



| UPC Number        | Grade | Extra Desc | Size  | Color  | Case Qty | Units |
|-------------------|-------|------------|-------|--------|----------|-------|
| 00-048011-05528-2 | ACRS  | TR         | 2"xNH | Brown  | 200      | DC    |
| 00-048011-05527-5 | AMED  | TR         | 2"xNH | Maroon | 200      | DC    |
| 00-048011-05523-7 | AVFN  | TR         | 2"xNH | Blue   | 200      | DC    |
| 00-048011-05532-9 | ACRS  | TR         | 3"xNH | Brown  | 100      | DC    |
| 00-048011-05531-2 | AMED  | TR         | 3"xNH | Maroon | 100      | DC    |
| 00-048011-05530-5 | AVFN  | TR         | 3"xNH | Blue   | 100      | DC    |

### Scotch-Brite™ Surface Conditioning Disc

Scotch-Brite™ Surface Conditioning Discs are best for finishing, cleaning and light deburring on flat metal surfaces.




| UPC Number        | Grade | Extra Desc      | Size   | Color  | Case Qty | Units |
|-------------------|-------|-----------------|--------|--------|----------|-------|
| 00-048011-14101-5 | ACRS  | MOS: 13,000 RPM | 4½"xNH | Brown  | 50       | DC    |
| 00-048011-14100-8 | AMED  | MOS: 13,000 RPM | 4½"xNH | Maroon | 50       | DC    |

## Discs, Surface Conditioning Discs, Accessories

### 3M™ Disc Pad Holder (Hook-and-Loop)

Pads are designed to work with 3M surface conditioning products for better results.



| UPC Number        | Product ID | Extra Desc | Size          | Case Qty | Units |
|-------------------|------------|------------|---------------|----------|-------|
| 00-048011-14111-4 | 9145       | 5/8-11 INT | 4½"x1/8"x3/8" | 1        | EA    |

## Discs, Wetordry™ Disc Rolls

### 3M™ Wetordry™ Cloth Roll 281W

An aluminum oxide Wetordry™ Roll constructed on a fibre backing. Can be run wet or dry.

| UPC Number        | Grade | Size      | Case Qty | Units |
|-------------------|-------|-----------|----------|-------|
| 00-051144-05073-4 | 80    | 1½"x25yds | 5        | RL    |
| 00-051144-05072-7 | 120   | 1½"x25yds | 5        | RL    |
| 00-051144-05071-0 | 180   | 1½"x25yds | 5        | RL    |

## Hand Sanding Products, 3M™ Pro-Pak™ Abrasives

### 3M™ Pro-Pak™ Drywall Sanding Sheets

3M™ Pro-Pak™ Drywall Sanding Sheets are designed for sanding drywall joints, patching compounds and plaster. Made with sharp synthetic mineral for long-lasting performance. Pre-cut 4.1875" x 11.25" and die-cut to fit most drywall sanding tools.



| UPC Number        | Product ID | Grade | Size           | Case Qty | Units |
|-------------------|------------|-------|----------------|----------|-------|
| 00-051144-99433-5 | 99433NA    | 80D   | 4.1875"x11.25" | 10       | PH    |
| 00-051144-99432-8 | 99432NA    | 100C  | 4.1875"x11.25" | 10       | PH    |
| 00-051144-99430-4 | 99430NA    | 120C  | 4.1875"x11.25" | 10       | PH    |
| 00-051144-99431-1 | 99431NA    | 150C  | 4.1875"x11.25" | 10       | PH    |

### 3M™ Pro-Pak™ Drywall Sanding Screens

3M™ Pro-Pak™ Drywall Sanding Screens are waterproof and can be rinsed for reuse. Designed for sanding drywall joints, patching compounds and plaster. Made with sharp silicon carbide mineral for long-lasting performance.



| UPC Number        | Product ID | Grade    | Size         | Case Qty | Units |
|-------------------|------------|----------|--------------|----------|-------|
| 00-051111-11656-2 | 99440      | 100 grit | 4-3/16"x11¼" | 10       | PH    |
| 00-051144-99438-0 | 99438      | 120 grit | 4-3/16"x11¼" | 10       | PH    |
| 00-051144-99437-3 | 99437      | 150 grit | 4-3/16"x11¼" | 10       | PH    |
| 00-051111-11635-7 | 99439      | 180 grit | 4-3/16"x11¼" | 10       | PH    |
| 00-051144-99436-6 | 99436      | 200 grit | 4-3/16"x11¼" | 10       | PH    |

## Hand Sanding Products, Hand Pads

### Scotch-Brite™ General Purpose Hand Pad 7447

Most universally used in a variety of applications. Excellent starting point to clean, finish, grain, denib and defuzz. May be used by hand, with a hand pad block, or on an in-line sander.



| UPC Number        | Product ID | Grade | Extra Desc | Size  | Color  | Case Qty | Units |
|-------------------|------------|-------|------------|-------|--------|----------|-------|
| 00-048011-04029-5 | 7447       | VFIN  | 20/Inr     | 6"x9" | Maroon | 60       | CA    |
| 00-048011-04229-9 | 7447B      | VFIN  | Bulk       | 6"x9" | Maroon | 60       | CA    |

## Hand Sanding Products, Hand Pads, cont'd

### Scotch-Brite™ Heavy Duty Hand Pad 7440

Tight and dense, this pad is the most aggressive and durable web. Excellent for heavy cleaning, deburring, and finishing. May be used by hand, with a hand pad block or on an in-line sander.



| UPC Number        | Product ID | Grade | Extra Desc | Size  | Color | Case Qty | Units |
|-------------------|------------|-------|------------|-------|-------|----------|-------|
| 00-048011-04050-9 | 7440       | MED   | 10/Inr     | 6"x9" | Tan   | 40       | CA    |
| 00-048011-18451-7 | 7440B      | MED   | Bulk       | 6"x9" | Tan   | 40       | CA    |

### Scotch-Brite™ Light Duty Cleansing Pad 7445

Conformable web and fine mineral are excellent for fine finishes, light cleaning. Among our least aggressive abrasive hand pad. May be used by hand, with a hand pad block or on an in-line sander.



| UPC Number        | Product ID | Grade | Extra Desc | Size  | Color | Case Qty | Units |
|-------------------|------------|-------|------------|-------|-------|----------|-------|
| 00-048011-16976-7 | 7445       | SFIN  | 20/Inr     | 6"x9" | White | 60       | CA    |

### Scotch-Brite™ Ultra Fine Hand Pad 7448

Conformable web and finest silicon carbide hand pad available. Excellent for final finishing and light cleaning. May be used by hand, with a hand block, or on an in-line sander.



| UPC Number        | Product ID | Grade | Extra Desc | Size  | Color      | Case Qty | Units |
|-------------------|------------|-------|------------|-------|------------|----------|-------|
| 00-048011-14049-0 | 7448B      | UFIN  | Bulk       | 6"x9" | Light Gray | 60       | CA    |

## Hand Sanding Products, Multi-Flex Products

### Scotch-Brite™ Multi-Flex Abrasive Sheet Roll

Scotch-Brite™ Multiflex Sheets work quickly and economically in sealer sanding, denibbing, defuzzing, highlighting and top coat finishing applications (both solvent- and water-based). Extremely "scrunchable." Can be folded, stacked, or rolled to accommodate application needs. For very fine finish applications.



| UPC Number        | Grade | Size   | Color  | Case Qty | Units |
|-------------------|-------|--------|--------|----------|-------|
| 00-051131-07521-4 | AVFN  | 8"x20" | Maroon | 4        | RL    |
| 00-051131-07522-1 | SULF  | 8"x20" | Gray   | 4        | RL    |



## Hand Sanding Products, Sheets & Rolls, Accessories

### 3M™ Forked Spindle 45121

Forked spindle holder for coated abrasive strips. Dimensions listed as length x slot width x slot length x shaft diameter.



| UPC Number        | Size               | Case Qty | Units |
|-------------------|--------------------|----------|-------|
| 00-051144-45121-0 | 3"x1/16"x3/4"x1/4" | 10       | EA    |

### 3M™ Mini Mandrel 935

Use with 1" wide x 1 1/2" long sheets of Scotch-Brite™ material to fit into tight areas.




| UPC Number        | Size        | Case Qty | Units |
|-------------------|-------------|----------|-------|
| 00-048011-04020-2 | 2-7/8"x1/4" | 5        | EA    |

## Hand Sanding Products, Sheets & Rolls, Rolls

### 3M™ Utility Cloth Roll 314D

An aluminum oxide abrasive product constructed on a durable cloth backing. Grades P60 and coarser are X weight, grades P80 and finer are J weight.



| UPC Number        | Grade | Size         | Case Qty | Units |
|-------------------|-------|--------------|----------|-------|
| 00-051115-19782-6 | P80   | 1"x20yds     | 5        | RL    |
| 00-051115-19781-9 | P120  | 1"x20yds     | 5        | RL    |
| 00-051115-19779-6 | P180  | 1"x20yds     | 5        | RL    |
| 00-051115-19776-5 | P400  | 1"x20yds     | 5        | RL    |
| 00-051115-19793-2 | P60   | 1"x50yds     | 5        | RL    |
| 00-051115-19792-5 | P80   | 1"x50yds     | 5        | RL    |
| 00-051115-19790-1 | P120  | 1"x50yds     | 5        | RL    |
| 00-051115-19788-8 | P180  | 1"x50yds     | 5        | RL    |
| 00-051115-19786-4 | P240  | 1"x50yds     | 5        | RL    |
| 00-051115-19801-4 | P80   | 1 1/2"x20yds | 5        | RL    |
| 00-051115-19800-7 | P120  | 1 1/2"x20yds | 5        | RL    |
| 00-051115-19798-7 | P180  | 1 1/2"x20yds | 5        | RL    |
| 00-051115-19795-6 | P400  | 1 1/2"x20yds | 5        | RL    |
| 00-051115-19812-0 | P60   | 1 1/2"x50yds | 5        | RL    |
| 00-051115-19811-3 | P80   | 1 1/2"x50yds | 5        | RL    |
| 00-051115-19809-0 | P120  | 1 1/2"x50yds | 5        | RL    |
| 00-051115-19807-6 | P180  | 1 1/2"x50yds | 5        | RL    |
| 00-051115-19805-2 | P240  | 1 1/2"x50yds | 5        | RL    |
| 00-051115-19824-3 | P60   | 2"x50yds     | 5        | RL    |

## Hand Sanding Products, Sheets & Rolls, Rolls, cont'd

### 3M™ Utility Cloth Roll 314D (cont.)

| UPC Number        | Grade | Size     | Case Qty | Units |
|-------------------|-------|----------|----------|-------|
| 00-051115-19823-6 | P80   | 2"x50yds | 5        | RL    |
| 00-051115-19821-2 | P120  | 2"x50yds | 5        | RL    |
| 00-051115-19819-9 | P180  | 2"x50yds | 5        | RL    |
| 00-051115-19818-2 | P220  | 2"x50yds | 5        | RL    |
| 00-051115-19817-5 | P240  | 2"x50yds | 5        | RL    |
| 00-051115-19815-1 | P320  | 2"x50yds | 5        | RL    |

### 3M™ Portable Utility Roll 314D

An aluminum oxide abrasive product sheet constructed on a J weight, durable cloth backing.



| UPC Number        | Grade  | Size     | Case Qty | Units |
|-------------------|--------|----------|----------|-------|
| 00-051141-20963-0 | P60 X  | 1"x8yds  | 5        | RL    |
| 00-051141-20964-7 | P80 J  | 1"x12yds | 5        | RL    |
| 00-051141-20965-4 | P120 J | 1"x16yds | 5        | RL    |
| 00-051141-20966-1 | P180 J | 1"x20yds | 5        | RL    |
| 00-051141-20967-8 | P240 J | 1"x20yds | 5        | RL    |

## Hand Sanding Products, Sheets & Rolls, Rolls, cont'd

### 3M™ Portable Utility Roll Kit 314D

Portable Utility Roll Kit 314D contains one of each of the following grades P60X, P80J, P120J, P180J, and P240J.

| UPC Number        | Extra Desc  | Case Qty | Units |
|-------------------|---|----------|-------|
| 00-051141-20968-5 | Kit contains 1 each of the 3M™ Portable Utility Roll 314D | 1        | KT    |



## Hand Sanding Products, Sheets & Rolls, Sheets

### 3M™ Utility Cloth Sheet 314D

An aluminum oxide abrasive product sheet constructed on a durable cloth backing. Grades P60 and coarser are X weight, grades P80 and finer are J weight.



| UPC Number        | Grade | Size   | Case Qty | Units |
|-------------------|-------|--------|----------|-------|
| 00-051115-19773-4 | P60   | 9"x11" | 250      | SH    |
| 00-051115-19772-7 | P80   | 9"x11" | 250      | SH    |
| 00-051115-19770-3 | P120  | 9"x11" | 250      | SH    |
| 00-051115-19768-0 | P180  | 9"x11" | 250      | SH    |
| 00-051115-19767-3 | P220  | 9"x11" | 250      | SH    |
| 00-051115-19766-6 | P240  | 9"x11" | 250      | SH    |
| 00-051115-19764-2 | P320  | 9"x11" | 250      | SH    |

### 3M™ SandBlaster™ Sandpaper WSP150-PP

3M™ SandBlaster™ Wall Sanding Sheets for sanding drywall joint compounds, paint, and plaster to a fine finish. This sharp, non-loading paper delivers a fast, smooth cut.



| UPC Number        | Product ID | Extra Desc | Size    | Color | Case Qty | Units |
|-------------------|------------|------------|---------|-------|----------|-------|
| 00-051111-54150-0 | 06864      | Tube       | 1647 oz | White | 10       | PH    |

## Hand Sanding Products, Sponges

### 3M™ Extra Large Area Sanding Sponge 910-XLA

3M™ Extra Large Area Sanding Sponge is ideal for either dry or wet sanding of wood, paint, metal, plastic and drywall. When finished simply rinse and reuse.



| UPC Number        | Product ID | Grade | Size       | Case Qty | Units |
|-------------------|------------|-------|------------|----------|-------|
| 00-051111-11829-0 | 910-XLA    | MED   | 3.3"x9"x1" | 24       | EA    |

## Hand Sanding Products, Sponges, cont'd

### 3M™ Large Area Drywall Sanding Sponge 9095DCNA

3M™ Drywall Sanding Sponge is ideal for sanding drywall and plaster during spot repair. Two sanding grades on one sponge in a fine/medium combination. Sponge can be rinsed and reused.



| UPC Number        | Product ID | Grade   | Size             | Case Qty | Units |
|-------------------|------------|---------|------------------|----------|-------|
| 00-051144-09095-2 | 9095DCNA   | FIN/MED | 4.875"x2.875"x1" | 24       | EA    |

### 3M™ Small Area Drywall Sanding Sponge 9093DCNA

3M™ Drywall Sanding Sponge is ideal for sanding drywall and plaster during spot repair. Two sanding grades on one sponge in a fine/medium combination. Sponge can be rinsed and reused.



| UPC Number        | Product ID | Grade   | Size            | Case Qty | Units |
|-------------------|------------|---------|-----------------|----------|-------|
| 00-051144-09093-8 | 9093DCNA   | FIN/MED | 3.75"x2.625"x1" | 24       | EA    |

### 3M™ Drywall Sanding Sponge CP042

3M™ Detail Area/Angled Drywall Sanding Sponge is ideal for sanding drywall and plaster during spot repair. When finished, simply rinse and reuse. Available in fine grade.



| UPC Number        | Product ID | Grade | Size             | Case Qty | Units |
|-------------------|------------|-------|------------------|----------|-------|
| 00-051115-07056-3 | CP042      | FIN   | 4.875"x2.875"x1" | 24       | PH    |

## Hand Sanding Products, Sponges, cont'd

### 3M™ Drywall Corner Sanding Sponge 912-CDS

3M™ Drywall Corner Sanding Sponge is ideal for dry or wet sanding of drywall. When finished, simply rinse and reuse. Conformable, comfortable, flexible and convenient.



| UPC Number        | Product ID | Grade | Size       | Case Qty | Units |
|-------------------|------------|-------|------------|----------|-------|
| 00-051111-11992-1 | 912-CDS    | MED   | 3¾"x2-5/8" | 6        | EA    |

### 3M™ SandBlaster™ Dual Angle Sanding Sponge

3M™ SandBlaster™ Dual Angle Sanding Sponge is ideal for preparing bare surfaces (wood, metal, drywall) prior to the first coat of finish.



| UPC Number        | Product ID | Grade | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 00-051111-11967-9 | 9560       | 100   | 12       | EA    |
| 00-051111-50560-1 | 9562       | 150   | 12       | EA    |

## Wheels, Bonded and Coated Wheels, Cut-Off Wheels

### 3M™ Green Corps™ Cut-Off Wheel

Wheel is designed to provide high cut rates and long life on most materials including fiberglass, stainless steel, mild steel and aerospace alloys. Ideal for use on a wide variety of utility type cut off tools. Do not use on tools without guards.



| UPC Number        | Product ID | Extra Desc | Size           | Case Qty | Units |
|-------------------|------------|------------|----------------|----------|-------|
| 00-051144-82238-6 | 82238      | Bulk       | 3"x1/32"x¼"    | 50       | WH    |
| 00-051131-01994-2 | 01994      | Bulk       | 4"x1/32"x3/8"  | 50       | WH    |
| 00-051144-83488-4 | 83488      | Bulk       | 4"x1/16"x3/8"  | 50       | WH    |
| 00-051141-20275-4 | 20275      | Bulk       | 4½"x3/64"x7/8" | 200      | WH    |
| 00-051141-20276-1 | 20276      | Bulk       | 5"x3/64"x7/8"  | 200      | WH    |

## Wheels, Bonded and Coated Wheels, Cut-Off Wheels, cont'd

### 3M™ Green Corps™ Depressed Center Wheel

These ¼" thick bonded wheels contain proprietary 3M™ Cubitron™ abrasive grain and produce very high cut rates on a wide variety of metals.



| UPC Number        | Grade | Extra Desc       | Size        | Case Qty | Units |
|-------------------|-------|------------------|-------------|----------|-------|
| 00-051111-55960-4 | 24    | 5/8-11 INT       | 4½"x¼"      | 60       | WH    |
| 00-051111-55961-1 | 36    | 5/8-11 INT       | 4½"x¼"      | 60       | WH    |
| 00-051111-55991-8 | 24    | With Center Hole | 4½"x¼"x7/8" | 60       | WH    |
| 00-051111-55992-5 | 36    | With Center Hole | 4½"x¼"x7/8" | 60       | WH    |
| 00-051111-55958-1 | 24    | 5/8-11 INT       | 7"x¼"       | 20       | WH    |
| 00-051111-55959-8 | 36    | 5/8-11 INT       | 7"x¼"       | 20       | WH    |
| 00-051111-55989-5 | 24    | With Center Hole | 7"x¼"x7/8"  | 20       | WH    |
| 00-051111-55990-1 | 36    | With Center Hole | 7"x¼"x7/8"  | 20       | WH    |

## Wheels, Bonded and Coated Wheels, Flap Wheels

### 3M™ Cloth Flap Wheel 244E

An aluminum oxide flap wheel constructed on a XE weight, firm rayon cloth backing. Resin bonded for heat resistance.



| UPC Number        | Grade | Size     | Case Qty | Units |
|-------------------|-------|----------|----------|-------|
| 00-051144-35113-8 | 60    | 6"x1"x1" | 5        | WH    |
| 00-051144-35112-1 | 80    | 6"x1"x1" | 5        | WH    |

## Wheels, Bonded and Coated Wheels, Grinding Wheels

### 3M™ Green Corps™ Cutting/Grinding Wheel, Type 27

Bonded wheels contain proprietary Cubitron™ Abrasive Grain and produce very high cut rates on a wide variety of metals. MUST BE USED ON A TOOL WITH A GUARD.



| UPC Number        | Grade | Extra Desc      | Size             | Case Qty | Units |
|-------------------|-------|-----------------|------------------|----------|-------|
| 00-051135-92318-4 | 36    | MOS: 13,300 RPM | 4½"x1/8"x5/8"-11 | 40       | WH    |



## Wheels, Deburring Wheels

### Scotch-Brite™ EXL Deburring Wheel

High performance and durability for deburring and finishing applications. Convolutely wound on a core. Hard, long lasting.



| UPC Number        | Grade | Extra Desc     | Size     | Case Qty | Units |
|-------------------|-------|----------------|----------|----------|-------|
| 00-048011-13617-2 | 8AMED | MOS: 6,000 RPM | 6"x1"x1" | 3        | WH    |
| 00-048011-05132-1 | 9SFIN | MOS: 6,000 RPM | 6"x1"x1" | 3        | WH    |

## Wheels, Depressed Center Wheels

### 3M™ Depressed Center Wheel

Depressed center wheels are an excellent economical solution for general purpose grinding and cutting applications on steel. MUST BE USED ON A TOOL WITH A GUARD.



| UPC Number        | Grade | Extra Desc      | Size              | Case Qty | Units |
|-------------------|-------|-----------------|-------------------|----------|-------|
| 00-051135-92314-6 | 24    | MOS: 13,300 RPM | 4½"x¼"x5/8-11 INT | 40       | WH    |
| 00-051135-92312-2 | 24    | MOS: 13,300 RPM | 4½"x¼"x7/8"       | 40       | WH    |
| 00-051135-92315-3 | 24    | MOS: 8,500 RPM  | 7"x¼"x5/8-11 INT  | 20       | WH    |
| 00-051135-92313-9 | 24    | MOS: 8,500 RPM  | 7"x¼"x7/8"        | 20       | WH    |

## Acrylic Adhesives

### 3M™ Scotch-Weld™ Structural Plastic Adhesive DP8010

Two-part acrylic-based adhesive (10:1 ratio by volume) that can bond many low surface energy plastics, including many grades of polypropylene, polyethylene, and TPO's without special surface preparation. It has a long (up to 10 minutes) open time and good work life (up to 2 hours). To dispense use 3M™ EPX 10:1 plunger and 10:1 mixing nozzles.



| UPC Number        | Size  | Color     | Case Qty | Units |
|-------------------|-------|-----------|----------|-------|
| 00-021200-49110-8 | 35 mL | Off-White | 12       | EA    |

### 3M™ Scotch-Weld™ Low Odor Acrylic Adhesive DP810 Duo-Pak

Toughened structural adhesive with less odor than most acrylic adhesives. Has excellent shear and peel strength along with good impact resistance and durability. Quickly bonds most metals, ceramics, wood and most plastics.



| UPC Number        | Size   | Color | Case Qty | Units |
|-------------------|--------|-------|----------|-------|
| 00-021200-31310-3 | 1.7 oz | Tan   | 12       | EA    |
| 00-021200-49077-4 | 50 mL  | Black | 12       | EA    |

## Aerosols

### 3M™ Hi-Strength 90 Spray Adhesive

High strength, fast contact-like adhesive. Fast contact strength buildup for many decorative laminates.



| UPC Number        | Size     | Net Weight | Case Qty | Units |
|-------------------|----------|------------|----------|-------|
| 00-021200-30023-3 | 24 fl oz | 17.6 oz    | 12       | CN    |

### 3M™ Pressure Sensitive Spray Adhesive Blue 72

It permits wide-area bonds to be made hours after spraying and easy repositioning of bonds. Provides strong bonds for adhering plastic, foam padding, carpet backing, polyethylene, polypropylene and many other materials to fiberglass, plastics, and particle board.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 00-021200-30025-7 | 24 oz | 12       | CN    |

## Aerosols, cont'd

### 3M™ Rubber & Vinyl 80 Spray Adhesive

Neoprene-based contact adhesive in aerosol form. It has exceptional resistance to plasticizing oils. Bonds rubber and supported vinyls better than many typical bulk neoprene contact adhesives.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 00-021200-82618-4 | 24 oz | 6        | CN    |

### 3M™ Super 77™ Multipurpose Adhesive

High tack, high coverage and fast drying for permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt and cloth to painted or unpainted metals, wood and hardboard.



| UPC Number        | Size     | Net Weight | Case Qty | Units |
|-------------------|----------|------------|----------|-------|
| 00-021200-21210-9 | 24 fl oz | 16.75 oz   | 12       | CN    |

## Concrete Repair Products

### 3M™ Concrete Repair 600, Self Leveling

Used as a horizontal grade repair material and adhesive for numerous substrates such as concrete, ceramic, wood, metal and glass. Dispense using standard 10 oz. caulk applicator.



| UPC Number        | Product ID | Extra Desc              | Size   | Color | Case Qty | Units |
|-------------------|------------|-------------------------|--------|-------|----------|-------|
| 00-021200-56602-8 | 600        | Syringe                 | 50 mL  | Gray  | 12       | EA    |
| 00-021200-96596-8 | 600        | Cartridge/2 Mix Nozzles | 8.4 oz | Gray  | 6        | CQ    |

### 3M™ Concrete Repair DP600 Gray Non-Sag

Used as a rapid setting two-component polyurethane for building and construction, maintenance and repair, pool maintenance and repair, and manufacturing and assembly.



| UPC Number        | Product ID | Extra Desc | Size  | Color | Case Qty | Units |
|-------------------|------------|------------|-------|-------|----------|-------|
| 00-021200-56606-6 | DP600      | Syringe    | 50 mL | Gray  | 12       | EA    |
| 00-021200-56603-5 | DP600      | Cartridge  | 12 oz | Gray  | 6        | CQ    |

## Concrete Repair Products, cont'd

### 3M™ Concrete Repair DP600, Self Leveling

Used as a horizontal grade repair material and adhesive for numerous substrates such as concrete, ceramic, wood, metal and glass.



| UPC Number        | Product ID | Extra Desc | Size  | Color | Case Qty | Units |
|-------------------|------------|------------|-------|-------|----------|-------|
| 00-021200-56599-1 | DP600      | Cartridge  | 12 oz | Gray  | 6        | CQ    |

### 3M™ Scotch-Weld™ Polyurethane Sealant DP5001

3M™ Scotch-Seal™ DP5001 is a black, fast setting, two-component polyurethane sealant.



| UPC Number        | Extra Desc | Size  | Color | Case Qty | Units |
|-------------------|------------|-------|-------|----------|-------|
| 00-021200-96414-5 | Duo-Pak    | 50 mL | Black | 12       | EA    |

## Concrete Repair Products, Concrete Repair Accessories and Dispensers

### 3M™ Blunt End Mix Tip for 12 oz Cartridge (356cc)

Produces heavy bead used for most repair and bonding situations. 12 tips/bag.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 00-051131-04901-7 | 12 oz | 3        | BG    |

### 3M™ Manual Dispenser

A heavy-duty applicator for 3M™ Concrete Repair and urethane products.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 00-021200-96200-4 | 4943       | 12 oz | 1        | EA    |

### 3M™ Pneumatic Dispenser

Applicator for high volume jobs when using 3M™ Concrete Maintenance and Repair Urethane Adhesives.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 00-021200-96206-6 | 6985-1     | 12 oz | 1        | EA    |

## Concrete Repair Products, Concrete Repair Accessories and Dispensers, cont'd

### 3M™ Scotch-Weld™ EPX Plus II Applicator W 2:1 and 1:1 Plunger

This Plunger is for the Scotch-Weld™ EPX Plus II Applicator. The Scotch-Weld™ EPX Plus II Applicator is used to dispense 3M™ Scotch-Weld™ Adhesives in Duo-Pak Cartridges. The applicator is a low-cost portable, self contained metering, mixing and dispensing machine that simultaneously meters and mixes two-part adhesives as the material is applied.



| UPC Number        | Product ID | Extra Desc          | Size  | Case Qty | Units |
|-------------------|------------|---------------------|-------|----------|-------|
| 00-021200-50004-6 | 9170       | 2:1 and 1:1 plunger | 50 mL | 48       | EA    |

### 3M™ Scotch-Weld™ EPX Plus II Mixing Square Nozzle Gold

Features a unique design that allows the two parts of the adhesive to cascade through the nozzle with low pressure. Mix ratio: 1:1 or 2:1. 12 per bag.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 00-021200-50008-4 | 50 mL | 72       | EA    |

### 3M™ Tapered Mixer Tip 04902

Applies a fine bead for use in bonding impact strips and sealing small seams as well as many other applications where a fine bead is required. Tip can be cut for desired bead thickness. Mix ratio: 1:1 or 2:1. 12 tips/bag.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 00-051131-04902-4 | 12 oz | 3        | BG    |

## Contact Adhesive Products

### 3M™ Scotch-Weld™ Industrial Adhesive 4799

A brushable, heat resistant adhesive that develops strength rapidly and provides good creep resistance and low soak-in on porous surfaces. Bond rubber (including EPDM) and many materials such as canvas and linoleum to metal, wood and concrete.



| UPC Number        | Size | Color | Case Qty | Units |
|-------------------|------|-------|----------|-------|
| 00-021200-21354-0 | 5 oz | Black | 36       | TB    |



## Epoxy Adhesives

### 3M™ Scotch-Weld™ Epoxy Adhesive DP100 Plus Duo-Pak

Exhibits much higher shear and peel strengths compared to DP100 Adhesive. It has a 1:1 mix ratio, a 4 minute work life, and is slightly flexible when cured.



| UPC Number        | Size   | Color | Case Qty | Units |
|-------------------|--------|-------|----------|-------|
| 00-021200-87195-5 | 1.7 oz | Clear | 12       | EA    |

### 3M™ Scotch-Weld™ Epoxy Adhesive DP125 Duo-Pak

Two-part epoxy adhesive with a 1:1 mix ratio, 25 minute work life and exhibits very high peel strength.

Moderately flexible and the gray version has exceptional shear adhesion. Use to bond rubber, metal, wood, plastics, and masonry products.



| UPC Number        | Size   | Color | Case Qty | Units |
|-------------------|--------|-------|----------|-------|
| 00-021200-87215-0 | 1.7 oz | Gray  | 12       | EA    |

## Epoxy Adhesives, Scotch-Weld™ EPX™ Applicators and Accessories

### 3M™ Scotch-Weld™ EPX 10:1 Mixing Nozzle

10:1 mixing ratio. Designed for the 3M™ Scotch-Weld™ EPX Plus Applicator.



| UPC Number        | Case Qty | Units |
|-------------------|----------|-------|
| 00-021200-31381-3 | 72       | EA    |

### 3M™ Scotch-Weld™ EPX Plus II 10:1 Plunger

This plunger is for the 3M™ Scotch-Weld™ EPX Plus II Applicator. The EPX Plus II Applicator is used to dispense 3M™ Scotch-Weld™ adhesives in duo-pak cartridges.



| UPC Number        | Case Qty | Units |
|-------------------|----------|-------|
| 00-021200-50007-7 | 10       | EA    |

## Instant Adhesives

### 3M™ Scotch-Weld™ Instant Adhesive CA4

One-part, high strength, fast setting, multi-purpose cyanoacrylate adhesive cures at room temperature.



| UPC Number        | Extra Desc | Size | Case Qty | Units |
|-------------------|------------|------|----------|-------|
| 00-021200-96600-2 | Bottle     | 1 oz | 12       | BO    |

### 3M™ Scotch-Weld™ Instant Adhesive CA40

One-part, high strength, fast setting adhesive cures at room temperature. Adheres to difficult to bond substrates such as EPDM rubber, aluminum, and flexible vinyl.



| UPC Number        | Extra Desc | Size | Case Qty | Units |
|-------------------|------------|------|----------|-------|
| 00-021200-74290-3 | Bottle     | 1 oz | 12       | BO    |

### 3M™ Scotch-Weld™ Instant Adhesive CA40H

One-part, high strength, very fast setting adhesive cures at room temperature. Adheres to difficult to bond substrates such as EPDM rubber, aluminum, and flexible vinyl.



| UPC Number        | Extra Desc | Size | Case Qty | Units |
|-------------------|------------|------|----------|-------|
| 00-021200-21073-0 | Bottle     | 1 oz | 12       | BO    |

## Plastic Adhesives

### 3M™ Scotch-Weld™ Nitrile High Performance Plastic Adhesive 1099

A light tan, fast drying adhesive with good resistance to plasticizer migration. Air dried bonds have high strength; resist weathering, water, oil and fuel. It is excellent for bonding most vinyl extrusions and sheeting.



| UPC Number        | Size | Color | Case Qty | Units |
|-------------------|------|-------|----------|-------|
| 00-021200-19808-3 | 5 oz | Tan   | 36       | TB    |

## Plastic Adhesives, cont'd

### 3M™ Scotch-Weld™ High Performance Industrial Plastic Adhesive 4693H

A clear, elastomeric adhesive with exceptional adhesion to metal and plastic. This adhesive is unique in its ability to bond hard-to-hold materials like polypropylene, polyethylene, and high-impact polystyrene.



| UPC Number        | Size | Color | Case Qty | Units |
|-------------------|------|-------|----------|-------|
| 00-021200-30088-2 | 5 oz | Clear | 36       | TB    |

## Polyurethane Adhesives, Sealants

### 3M™ Scotch-Weld™ Control Joint Sealant DP5106 Gray, Self-Leveling

Used as horizontal grade sealants for stress-relieving large segments of concrete floors.



| UPC Number        | Size  | Color | Case Qty | Units |
|-------------------|-------|-------|----------|-------|
| 00-021200-56611-0 | 12 oz | Gray  | 6        | CQ    |

### 3M™ Scotch-Weld™ Expansion Joint Sealant DP5105

Rapid setting two-component polyurethane for expansion joints.



| UPC Number        | Extra Desc    | Size  | Color | Case Qty | Units |
|-------------------|---------------|-------|-------|----------|-------|
| 00-021200-56618-9 | Self-Leveling | 12 oz | Gray  | 6        | CQ    |

## Rite-Lok™ Adhesives, Cyanoacrylate Adhesives

### Rite-Lok™ Rapid Flash Cyanoacrylate Accelerator Activator

Rite-Lok™ accelerators for cyanoacrylates adhesives enhance cure speeds on porous and acidic surfaces, and difficult to bond polyethylene and polypropylene. Rite-Lok™ primers have been designed to accelerate the cure speed of anaerobic threadlockers, retainers, sealants, and gasketing compounds & are used on inactive substrates such as anodized metal, stainless steel, zinc and cadmium.



| UPC Number        | Product ID | Extra Desc  | Size  | Case Qty | Units |
|-------------------|------------|-------------|-------|----------|-------|
| 00-048011-62685-7 | AC452-2    | Bottle      | 2 oz  | 10       | BO    |
| 00-048011-62687-1 | AC452-12A  | Aerosol Can | 12 oz | 12       | CN    |

## Rite-Lok™ Adhesives, Cyanoacrylate Adhesives, cont'd

### Rite-Lok™ Low Odor Instant Adhesive

Rite-Lok™ low odor cyanoacrylates are low blooming/frosting products formulated for cosmetically critical applications. White residues (chlorosis) of the joint area are eliminated. Rite-Lok™ low odor products also reduce the requirement for sophisticated ventilation systems.



| UPC Number        | Product ID | Extra Desc | Size | Case Qty | Units |
|-------------------|------------|------------|------|----------|-------|
| 00-048011-62732-8 | LO100-28   | Bottle     | 1 oz | 10       | BO    |
| 00-051115-25188-7 | LO100-454  | Bottle     | 1 lb | 1        | BO    |

### Rite-Lok™ Cyanoacrylate Debonder/Cleaner

Debonding. Clean up solvent for instant adhesives.



| UPC Number        | Product ID | Extra Desc | Size | Case Qty | Units |
|-------------------|------------|------------|------|----------|-------|
| 00-048011-62692-5 | AC68-2     | Bottle     | 2 oz | 10       | BO    |

## Rite-Lok™ Adhesives, Anaerobic Adhesives

### Rite-Lok™ Threadlockers

Rite-Lok™ Threadlockers prevent vibration loosening and seal against leakage and corrosion.



| UPC Number        | Product ID | Extra Desc | Size  | Case Qty | Units |
|-------------------|------------|------------|-------|----------|-------|
| 00-048011-62605-5 | TL42-10    | Bottle     | 10 mL | 10       | BO    |
| 00-048011-62606-2 | TL42-50    | Bottle     | 50 mL | 10       | BO    |
| 00-048011-62609-3 | TL62-10    | Bottle     | 10 mL | 10       | BO    |
| 00-048011-62610-9 | TL62-50    | Bottle     | 50 mL | 10       | BO    |
| 00-051115-25133-7 | TL72-10    | Bottle     | 10 mL | 10       | BO    |
| 00-051115-25137-5 | TL72-50    | Bottle     | 50 mL | 10       | BO    |
| 00-048011-62615-4 | TL90-10    | Bottle     | 10 mL | 10       | BO    |
| 00-048011-62616-1 | TL90-50    | Bottle     | 50 mL | 10       | BO    |

## Rite-Lok™ Adhesives, Anaerobic Adhesives, cont'd

### Rite-Lok™ Hydraulic/Pneumatic Sealants

Rite-Lok™ hydraulic and pipe sealants are designed for thread and pipe sealing, replacing traditional PTFE tapes and dopes. Products seal instantly and will not shred, evaporate or shrink. Rite-Lok™ hydraulic and pipe sealants resist pressure, vibration and temperature cycling as well as hydraulic fluids, oil, fuel and lubricants.



| UPC Number        | Product ID | Extra Desc | Size  | Case Qty | Units |
|-------------------|------------|------------|-------|----------|-------|
| 00-048011-62720-5 | HP45-1     | Pipette    | 1 mL  | 100      | EA    |
| 00-048011-62721-2 | HP45-50    | Bottle     | 50 mL | 10       | BO    |

### Rite-Lok™ Stainless Steel Hi Temperature Pipe Sealants

Rite-Lok™ hydraulic and pipe sealants are designed for thread and pipe sealing, replacing traditional PTFE tapes and dopes. Products seal instantly and will not shred, evaporate or shrink. Rite-Lok™ hydraulic and pipe sealants resist pressure, vibration and temperature cycling as well as hydraulic fluids, oil, fuel and lubricants.



| UPC Number        | Product ID | Extra Desc | Size   | Case Qty | Units |
|-------------------|------------|------------|--------|----------|-------|
| 00-048011-62714-4 | PS67-50    | Tube       | 50 mL  | 10       | TB    |
| 00-048011-62715-1 | PS67-250   | Bottle     | 250 mL | 2        | BO    |

### Rite-Lok™ General Purpose Retaining Compound

Rite-Lok™ retaining compounds are used in the assembly of coaxial components such as bearings, gears, shafts bushes, pulleys, cylinder liners and rotors. They increase the load bearing characteristics of cylindrical joints, reducing assembly stresses, assembly costs and preventing fretting and corrosion.



| UPC Number        | Product ID | Extra Desc | Size  | Case Qty | Units |
|-------------------|------------|------------|-------|----------|-------|
| 00-048011-62661-1 | RT09-10    | Bottle     | 10 mL | 10       | BO    |
| 00-048011-62662-8 | RT09-50    | Bottle     | 50 mL | 10       | BO    |

### Rite-Lok™ Slip Fit/Hi Strength Retaining Compound

Rite-Lok™ retaining compounds are used in the assembly of coaxial components such as bearings, gears, shafts bushes, pulleys, cylinder liners and rotors. They increase the load bearing characteristics of cylindrical joints, reducing assembly stresses, assembly costs and preventing fretting and corrosion.



| UPC Number        | Product ID | Extra Desc | Size  | Case Qty | Units |
|-------------------|------------|------------|-------|----------|-------|
| 00-048011-62672-7 | RT80-10    | Bottle     | 10 mL | 10       | BO    |
| 00-048011-62673-4 | RT80-50    | Bottle     | 50 mL | 10       | BO    |

## Rite-Lok™ Adhesives, Anaerobic Adhesives, cont'd

### Rite-Lok™ Gasket Makers

Rite-Lok™ gasket makers create formed-in-place gaskets on flanges and housings, eliminates the need for large inventories of pre-cut gaskets. Rite-Lok™ gasket makers will not relax or shrink and have exceptional pressure and solvent resistance.



| UPC Number        | Product ID | Extra Desc | Size   | Case Qty | Units |
|-------------------|------------|------------|--------|----------|-------|
| 00-048011-62655-0 | GM15-50    | Tube       | 50 mL  | 10       | TB    |
| 00-048011-62656-7 | GM15-250   | Tube       | 250 mL | 2        | TB    |

## Rubber & Gasket Adhesives

### 3M™ Scotch-Weld™ Neoprene High Performance Rubber and Gasket Adhesive 1300

A premium quality, versatile, brushable, heat resistant adhesive that develops strength rapidly. Has excellent adhesion to metal, baked enamel, wood, most plastics, neoprene, reclaim, SBR, and butyl rubber. Not for EPDM rubber.



| UPC Number        | Size | Color  | Case Qty | Units |
|-------------------|------|--------|----------|-------|
| 00-021200-19868-7 | 5 oz | Yellow | 36       | TB    |

### 3M™ Scotch-Weld™ Nitrile High Performance Rubber and Gasket Adhesive 847

A premium quality, reddish brown, multi-purpose adhesive. Develops strong flexible bonds very rapidly to a wide variety of substrates, including many plastics and rubbers, gasketing materials and leather. Has exceptional resistance to most fuels and oil.



| UPC Number        | Size | Color         | Case Qty | Units |
|-------------------|------|---------------|----------|-------|
| 00-021200-19718-5 | 5 oz | Reddish-Brown | 36       | TB    |

## Solvents

### 3M™ Adhesion Promoter 86A

Use with 3M™ Polyurethane Protective Tape to enhance initial adhesion in demanding situations. Promotes faster ultimate adhesion to certain surface types (polyurethane paint, epoxy primers, epoxy composites).

| UPC Number        | Size | Color       | Case Qty | Units |
|-------------------|------|-------------|----------|-------|
| 00-021200-31592-3 | 1 pt | Transparent | 12       | PT    |



## Air Filtration Products

### Filtrete™ Commercial High Performance HVAC Filter

Filtrete™ Commercial High Performance HVAC Filters combine excellent filtration performance with low airflow resistance and long filter life. Additional characteristics include integral seals, lightweight rigid frame, 100% synthetic media.



| UPC Number        | Product ID | Size       | Case Qty | Units |
|-------------------|------------|------------|----------|-------|
| 00-051138-93426-2 | F979       | 16"x20"x2" | 5        | EA    |
| 00-051138-93427-9 | F980       | 16"x25"x2" | 5        | EA    |
| 00-051138-93424-8 | F977       | 20"x20"x2" | 5        | EA    |
| 00-051138-93429-3 | F982       | 20"x25"x2" | 5        | EA    |
| 00-051138-93425-5 | F978       | 24"x12"x2" | 5        | EA    |
| 00-051138-93423-1 | F976       | 24"x24"x2" | 5        | EA    |

### Filtrete™ Commercial High-Performance HVAC Utility Filter

Filtrete™ Commercial High Performance HVAC Utility Filters combine excellent filtration performance with low airflow resistance and long filter life in a cost effective construction.



| UPC Number        | Product ID | Size       | Case Qty | Units |
|-------------------|------------|------------|----------|-------|
| 00-051138-93769-0 | E361       | 12"x24"x2" | 5        | EA    |
| 00-051138-93780-5 | E372       | 20"x20"x2" | 5        | EA    |
| 00-051138-93784-3 | E376       | 24"x24"x2" | 5        | EA    |

### Filtrete™ Commercial Mid-Performance HVAC Filter

Filtrete™ Commercial Mid Performance HVAC Filters (MERV 8) combine effective filtration performance with long filter life. Additional characteristics include integral seals, lightweight rigid frame, 100% synthetic media.



| UPC Number        | Product ID | Size       | Case Qty | Units |
|-------------------|------------|------------|----------|-------|
| 00-051138-93674-7 | E279       | 12"x24"x2" | 5        | EA    |
| 00-051138-93684-6 | E290       | 20"x20"x2" | 5        | EA    |
| 00-051138-93688-4 | E294       | 24"x24"x2" | 5        | EA    |

### Filtrete™ Commercial Mid-Performance HVAC Utility Filter

Filtrete™ Commercial Mid Performance HVAC Utility Filters provide a cost effective filtration alternative-with the performance you've come to expect from 3M.



| UPC Number        | Product ID | Size       | Case Qty | Units |
|-------------------|------------|------------|----------|-------|
| 00-051138-93718-8 | E327       | 12"x24"x2" | 5        | EA    |
| 00-051138-93729-4 | E338       | 20"x20"x2" | 5        | EA    |
| 00-051138-93733-1 | E342       | 24"x24"x2" | 5        | EA    |

## Car Care Products, Cleaners, Lubricants, & Degreasers

### 3M™ Brake Lube/Anti-Seize

Blend of fine, particle-size metals dispersed in a synthetic grease, designed to withstand very high temperatures and extreme pressures. It is particularly effective for use on bolts both for assembly and disassembly and where metal parts rub together.



| UPC Number        | Product ID | Size | Color  | Case Qty | Units |
|-------------------|------------|------|--------|----------|-------|
| 00-051135-08945-3 | 089656     | 9 oz | Copper | 6        | CN    |

## Supplies

### 3M™ Professional Caulking Gun 08993

A high performance gun, designed for the professional. Used for dispensing 11 oz. cartridges.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-051135-08993-4 | 08993      | 1        | EA    |

## Welding Products

### 3M™ High Performance Welding Drape, 05919

Unique fabric that provides the ultimate protection from welding spatter and grinding sparks. Unlike other fire resistant blankets the 3M™ High Performance Welding Drape can take extreme heat, sparks and spatter, and not burn through.



| UPC Number        | Product ID | Size    | Case Qty | Units |
|-------------------|------------|---------|----------|-------|
| 00-051131-05919-1 | 05919      | 57"x80" | 1        | EA    |

### 3M™ Welding and Spark Deflection Paper

A fire retardant paper used to keep welding spatter and grinding sparks from damaging glass and painted surfaces.



| UPC Number        | Product ID | Size      | Case Qty | Units |
|-------------------|------------|-----------|----------|-------|
| 00-051131-05916-0 | 05916      | 610mmx46m | 2        | RL    |

## Industrial Cleaners

### 3M™ Adhesive Remover

3M™ Adhesive Remover bites in and dissolves the sticky overspray of many aerosol adhesives, plus grease, oil, grime, tape residue, tar, wax, and more.



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-021200-49048-4 | 24 fl oz | 6        | CN    |

### Scotch® Sticker & Marker Remover

Use for removing adhesives, marker and crayon from walls, lockers, desks, glass and folders; photo-safe and easy-to-control; ideal for crafts and memorybooks; lift grime and grease from garage areas or work sites.



| UPC Number        | Product ID | Size    | Net Weight | Case Qty | Units |
|-------------------|------------|---------|------------|----------|-------|
| 00-021200-50021-3 | 6042       | 0.33 oz | 0.29 oz    | 12       | EA    |

### 3M™ Citrus Base Cleaner

A liquid cleaner/degreaser that can be used to dissolve and remove dirt, grease, tar, and many non-curing type adhesives. It can also be used to degrease substrates for adhesive bonding in place of many chlorinated or petroleum-based solvents.



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-021200-76394-6 | 24 fl oz | 12       | CN    |

### 3M™ Novec™ Contact Cleaner Plus

3M™ Novec™ Contact Cleaner Plus has extra cleaning power to effectively remove oils greases and silicones, fluorinated oils and greases such as Krytox® oil, dust and particulates from sensitive electrical equipment, including connectors, printed circuit boards, electro-mechanical devices, scales, contacts, relays, switches, instrumentation and circuit breakers. Novec Contact Cleaner Plus is compatible with plastics and other materials of construction. Based on proprietary 3M solvent technology; it is non-flammable, non-ozone depleting and contains no HCFC's, HFC's, nPB or HAPs.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 00-051135-71864-3 | 11 oz | 6        | CN    |

## Lubricants

### 3M™ 5-Way Penetrant

Multi-purpose product that is effective as a demineralant - displaces moisture and "dries out" electrical apparatus.



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-021200-21305-2 | 24 fl oz | 12       | CN    |

### 3M™ Silicone Lubricant

Dries fast to eliminate squeaks, prevent sticking, and seal out moisture, protecting against rust and corrosion. Preserves plastic, rubber and leather. It prolongs machine and cutting tool life by helping to prevent glue, wax, ink and paint buildup. Does 101 tasks. The silicone polymer is effective between -28°F and 350°F. Adheres to parts exceptionally well, reducing reapplication. Ingredients FDA listed. Comes with a handy snorkel tube for small, hard-to-reach areas.



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-021200-85822-2 | 24 fl oz | 12       | CN    |



## Tapes, Vinyl Electrical Tapes

### Scotch® Premium Vinyl Electrical Tape Super 88

Scotch® Super 88 Premium Vinyl Electrical Tape offers better mechanical/abrasion resistance, and is thicker for quicker buildup. For professional use, this 8.5 mil tape combines the flexibility of a PVC backing with excellent electrical insulating properties to provide primary electrical insulation for splices up to 600V and protective jacketing. UL Listed and CSA Certified. Excellent resistance to UV rays, abrasion, moisture, copper corrosion, alkalis and acids. Excellent all-weather performance in cold to 0°F (-18°C) or hot to 221°F (105°C).



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-054007-06143-4 | ¾" x 66' | 20       | RL    |

### Scotch® Super 33+™ Vinyl Electric Tape

Scotch® Super 33+™ Vinyl Electric Tape, a black, 7 mil tape, on a 1" core, combines the flexibility of a PVC backing with excellent electrical insulating properties to provide primary electrical insulation for splices up to 600V. Abrasion, corrosion, and UV-resistant, it makes an excellent protective jacketing for high-voltage cables and wire harnessing. UL Listed and CSA Certified, it resists alkalis and acids, and is flame-retardant. Excellent all-weather performance in cold to 0°F (-18°C) or hot to 221°F (105°C).



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-054007-06130-4 | ¾" x 20' | 100      | RL    |
| 00-054007-10075-1 | ¾" x 44' | 100      | RL    |
| 00-054007-06133-5 | ¾" x 52' | 100      | RL    |
| 00-054007-06132-8 | ¾" x 66' | 20       | RL    |

### Scotch® Vinyl Electrical Tape 35

Identify wires, leads, splices and terminations. Abrasion and weather resistant 7 mil tape. Excellent mechanical and electrical insulation properties. Wraps smoothly and holds tightly over a wide range of temperatures. Mark safety areas. UL listed. CSA approved.



| UPC Number        | Size     | Color  | Case Qty | Units |
|-------------------|----------|--------|----------|-------|
| 00-054007-10836-8 | ¾" x 66' | Blue   | 100      | RL    |
| 00-054007-10885-6 | ¾" x 66' | Brown  | 100      | RL    |
| 00-054007-00072-3 | ¾" x 66' | Gray   | 100      | RL    |
| 00-054007-10851-1 | ¾" x 66' | Green  | 100      | RL    |
| 00-054007-10869-6 | ¾" x 66' | Orange | 100      | RL    |
| 00-054007-10810-8 | ¾" x 66' | Red    | 100      | RL    |
| 00-054007-11271-6 | ¾" x 66' | Violet | 100      | RL    |
| 00-054007-10828-3 | ¾" x 66' | White  | 100      | RL    |
| 00-054007-10844-3 | ¾" x 66' | Yellow | 100      | RL    |

## Tapes, Vinyl Electrical Tapes, Dispensers

### Scotch® Super 33+D Vinyl Electrical Tape Dispenser Pack

A premium grade vinyl electrical insulating tape, its aggressive adhesive and elastic backing ensure easy, water-resistant conformation to irregular surfaces in low temperatures, yet will not ooze or melt in high temperatures.



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-054007-10216-8 | ¾" x 66' | 100      | RL    |

## Tapes, Insulating and Splicing Tapes

### Scotch® Linerless Rubber Splicing Tape 130C

Scotch® Linerless Rubber Splicing Tape 130C is high voltage, insulating, thermally conductive and self-bonding. Typical applications include primary electrical insulation for splicing all solid dielectric cables through 69kV.



| UPC Number        | Size      | Case Qty | Units |
|-------------------|-----------|----------|-------|
| 00-054007-41717-0 | ¾" x 30'  | 24       | RL    |
| 00-054007-41753-8 | 1" x 30'  | 24       | RL    |
| 00-054007-41718-7 | 1½" x 30' | 12       | RL    |
| 00-054007-41754-5 | 2" x 30'  | 12       | RL    |

### Scotch® Rubber Splicing Tape 23

This is a highly conformable, self-fusing Ethylene Propylene Rubber (EPR) base high-insulating voltage tape. Comes on an easy-release liner.



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-054007-13061-1 | 1" x 20' | 100      | RL    |

### Scotch® Self-Fusing Silicone Rubber Electrical Tape 70

This is a high-temperature, arc- and track-resistant tape composed of self-fusing, inorganic silicone rubber with an easy-tear and easy-strip liner.



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-054007-15603-1 | 1" x 30' | 50       | RL    |

**Tapes, Insulating and Splicing Tapes, cont'd**

**3M™ Scotchfil™ Electrical Insulation Putty**

Wrap and stretch this electrical insulation putty around low-voltage connections (up to 600V). Moisture seal ground wires or smooth out irregularities. Electrical grade, rubber-based, elastic putty in a tape form is self-fusing. 125 mil thick for quick insulation buildup. Overwrap with Scotch® Super 33+ for best erosion protection. Use up to 176°F.



| UPC Number        | Size    | Case Qty | Units |
|-------------------|---------|----------|-------|
| 00-054007-41750-7 | 1½"x60" | 12       | RL    |

**Scotch® Electrical Insulating Varnished Cambric Tape 2520**

This is an 8 mil, yellow, varnish coated cotton cloth with a pressure sensitive adhesive, used as base layer for easy reentry of connections.



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-054007-04835-0 | ¾"x36yds | 48       | RL    |
| 00-054007-04833-6 | 1"x36yds | 36       | RL    |

**Scotch® 24 Electrical Shielding Tape**

This Scotch® 24 Shielding Tape is used to continue electrostatic shielding across splice.



| UPC Number        | Size   | Case Qty | Units |
|-------------------|--------|----------|-------|
| 00-054007-15041-1 | 1"x15' | 50       | RL    |

**Scotch® Self-Fusing, Silicone Heavy Duty Triangular Electrical Tape 70 HDT**

Scotch® Silicone 70 HDT is a high-temperature, arc-and-track resistant tape with a triangular tapered edge profile and a blue guideline to make half-lapping application easier.



| UPC Number        | Size   | Case Qty | Units |
|-------------------|--------|----------|-------|
| 00-051128-56030-3 | 1"x30' | 50       | RL    |

**Tapes, Sealing and Insulating**

**Scotch® Rubber Mastic Tape 2228**

This is a black 65 mil conformable self-fusing rubber electrical insulating and sealing tape. Bonded to a moisture sealing mastic; all weather.



| UPC Number        | Size   | Case Qty | Units |
|-------------------|--------|----------|-------|
| 00-054007-50727-7 | 1"x10' | 12       | RL    |
| 00-054007-09656-6 | 2"x10' | 10       | RL    |

**3M™ Scotch-Seal™ Mastic Tape 2229**

Designed for quick and easy insulating, padding and sealing of electrical connections. It is conformable, durable, tacky mastic with an easy release liner for easy applications over irregular surfaces and provides excellent moisture resistance. It features superior self-healing characteristics after being punctured or cut. 125 mil.



| UPC Number        | Product ID | Size    | Color | Case Qty | Units |
|-------------------|------------|---------|-------|----------|-------|
| 00-054007-50335-4 | 2229       | 1"x10'  | Black | 1        | EA    |
| 00-054007-49702-8 | 2229       | 3¾"x10' | Black | 1        | EA    |

**Tapes, Corrosion Protection Tapes**

**3M™ Scotchrap™ All-Weather Corrosion Protection Tape 50**

This 10 mil polyvinyl chloride (PVC) tape with a high tack adhesive provides a corrosion and impact resistant seal for all-weather protection of metal piping systems above and below ground.



| UPC Number        | Size    | Case Qty | Units |
|-------------------|---------|----------|-------|
| 00-054007-11156-6 | 2"x100' | 10       | RL    |
| 00-054007-10638-8 | 2"x100' | 24       | RL    |

**3M™ Scotchrap™ Pipe Primer**

A quick-drying, non-sag rubber base primer that permeates metal surface pits and irregularities, preparing the surface for tape application. Must use Scotchrap™ Pipe Primer as the base coat for all pipewrap tapes.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 00-054007-42768-1 | 1 gal | 4        | GA    |

## Tapes, Special Use Tapes

### 3M™ Glass Cloth Electrical Tape 27

Insulate hot spots. Provides heat-stable insulation for switches, oven and furnace controls and motor leads. 7 mil tape with pressure sensitive adhesive. Thermosetting and heat stable to 266°F. (Class B temperatures) CSA Certified for 130°F and UL Recognized Component listing for 150°F.



| UPC Number        | Product ID | Size      | Case Qty | Units |
|-------------------|------------|-----------|----------|-------|
| 00-054007-27478-0 | 27         | 1½"x60yds | 24       | RL    |

### Scotch® Glass Cloth Tape 69

This is a 7 mil woven glass cloth tape with a silicone pressure sensitive adhesive. Thermosetting and heat stable to 356°F. UL Recognized 180°C. Printable. Sold on a 1" core.



| UPC Number        | Extra Desc        | Size   | Color | Case Qty | Units |
|-------------------|-------------------|--------|-------|----------|-------|
| 00-054007-09910-9 | Silicone Adhesive | ¾"x66' | White | 50       | RL    |

### 3M™ Temflex™ Friction Tape 1755

Buy this versatile friction tape when you need to protect connections or bundle cables and wires. Thicker than vinyl or glass cloth tape. Splice connections with abrasion resistant cotton tape that has insulating rubber adhesive. Designed to provide protection against abrasion and cut-through.



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-054007-50217-3 | 1½"x82½' | 30       | RL    |

## Wire Connectors, Spring Connectors and Tools

### 3M™ "Performance Plus" Wire Connectors

Because of their increased wire range, just four "Performance Plus" Wire Connectors handle the work of seven standard connectors. T/R+ replaces the yellow, tan and red connectors in the majority of field applications. O/B+ replaces the orange, blue and gray wire nut style connectors, as well as 70% of the yellow wire nut and wing style connectors. R/Y+ replaces both red and yellow wing style connectors. B/G+ covers both the large blue and gray connectors. This simplifies selection of the right connector for a wide range of wiring jobs. There's also less inventory to manage, and a better chance you'll have the connector you need to do every job.



| UPC Number        | Product ID | Extra Desc | Color       | Case Qty | Units |
|-------------------|------------|------------|-------------|----------|-------|
| 00-054007-43150-3 | B/G+       | Box        | Blue/Gray   | 100      | CK    |
| 00-054007-43153-4 | O/B+       | Jug        | Orange/Blue | 1000     | CK    |
| 00-054007-43152-7 | O/B+       | Box        | Orange/Blue | 100      | CK    |
| 00-054007-43154-1 | R/Y+       | Box        | Red/Yellow  | 100      | CK    |
| 00-051128-54454-9 | T/R+       | Box        | Tan/Red     | 100      | CK    |

### 3M™ Scotchlok™ Electrical Spring Connectors

Insulated with a color-coded, pliable, vinyl skirt. They feature a "live spring" which assures a tight grip, even on small wire combinations. These premium grade connectors can be "backed off" to allow maintenance or modification of electrical systems.



| UPC Number        | Extra Desc   | Color  | Case Qty | Units |
|-------------------|--------------|--------|----------|-------|
| 00-054007-42033-0 | B Electrical | Blue   | 100      | CK    |
| 00-054007-21346-8 | G Electrical | Gray   | 100      | CK    |
| 00-054007-20058-1 | R Electrical | Red    | 100      | CK    |
| 00-054007-20041-3 | Y Electrical | Yellow | 100      | CK    |

### 3M™ Electrical Spring and Grounding Connectors

The quick-spin, wing-torque design of Electrical Spring and Grounding Connectors 312, 412 and 512 is easy on your fingers. The day's last connection will feel almost as good as the first. Generous expansion room



accommodates a wide range of solid or stranded wire. Use the 312 (yellow) connector for wire combinations from 3 #20 to 3 #12 AWG, the 412 (tan) connector for 2 #20 to 3 #10 AWG and the 512 (red) connector for 2 #18 to 5 #12 AWG. The 512G (green) is used for grounding connections.

| UPC Number        | Product ID | Color  | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 00-054007-08159-3 | 312        | Yellow | 100      | CK    |
| 00-051128-54451-8 | 412        | Tan    | 100      | EA    |
| 00-054007-08161-6 | 512        | Red    | 100      | CK    |



## Wire Connectors, IDC Connectors and Tools

### 3M™ Scotchlok™ Insulation Displacement Connector (IDC)

3M™ IDC's are fast and easy alternatives for connecting wires. No wire stripping is necessary. Perfect for wire harnesses and/or maintenance applications.



| UPC Number        | Product ID | Extra Desc        | Color      | Wire Range | Case Qty | Units |
|-------------------|------------|-------------------|------------|------------|----------|-------|
| 00-054007-21494-6 | 557        | Pigtail           | Red        | 22-16 AWG  | 100      | CK    |
| 00-054007-11032-3 | 562        | Double Run or Tap | Yellow     | 12-10 AWG  | 100      | CK    |
| 00-054007-09230-8 | 314        | Pigtail           | Blue       | 22-14 AWG  | 100      | CK    |
| 00-054007-00839-2 | 560        | Double Run or Tap | Light Blue | 18-16 AWG  | 100      | CK    |
| 00-054007-14887-6 | 567        | Run and Tap       | Brown      | 18-14 AWG  | 100      | CK    |

## Terminals, Female Disconnects

### 3M™ Scotchlok™ T-Tap Nylon Insulated Self-Stripping Female QuickSlide Disconnect

Self-stripping T-Tap female disconnect for mid-span disconnectible tap.



| UPC Number        | Product ID | Extra Desc | Wire Range | Case Qty | Units |
|-------------------|------------|------------|------------|----------|-------|
| 00-054007-12312-5 | 951        | Box        | 22-18 AWG  | 100      | EA    |
| 00-054007-08427-3 | 952        | Box        | 18-14 AWG  | 100      | EA    |
| 00-054007-12314-9 | 953        | Box        | 12 AWG     | 100      | EA    |

## Terminals, Kits

### 3M™ Scotchlok™ Terminal Kit STK-1

Filled with 3M's most frequently purchased low voltage termination products. Kit is constructed of durable metal with individual product compartments. While the compartments keep you organized, the rugged metal frame protects the contents even in the harshest conditions. Also includes crimping tool, Scotchcode™ Tape Dispenser and Cable Ties.



| UPC Number        | Product ID | Color | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 00-051138-25348-6 | STK-1      | Red   | 1        | EA    |

## Fastening Products, Assortment Packs

### 3M™ Cable Tie Assortment Pack 06220

Secure wire bundles and harness components quickly, without slipping. Self-locking head with heavy double teeth on the one-piece lock mechanism assures the 3M reliability you've come to expect. Will meet a wide range of temperatures from -40°F (-40°C) to 185°F (85°C). Cable tie assortment pack contains 100 of the most commonly used ties. Contains three sizes, four lengths and two colors.



| UPC Number        | Case Qty | Units |
|-------------------|----------|-------|
| 00-054007-06220-2 | 100      | EA    |

## Wire Marking and Identifying Products

### 3M™ ScotchCode™ SDR Wire Marker Tape Refill Roll

The SDR Tape can be used for the following applications involving operating temperatures ranging from -40°F to 250°F (-40°C to 121°C):

Marking all types of wire and cable including power, control, fiber optic, electronic, telecommunication and instrumentation; Phase identification on large or small gauge wire or cable; Identification of terminal blocks, terminal strips, and wire in panel boards or a piece of switchgear; Automotive applications on tubing, hoses and replacement parts.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-054007-09404-3 | SDR-MC     | 50       | RL    |

### 3M™ ScotchCode™ STD-C Wire Marker Tape Dispenser

The 3M™ ScotchCode™ STD Tape Dispenser is a compact, carry-along dispenser with ten refillable compartments that hold eight-foot rolls of non-smear polyester tape. Used for marking binder groups, wire or cable, the tapes' high tack, acrylic adhesive resists solvents, oil and water, and adheres firmly to insulation surfaces. An end-loop hooks the dispenser easily to a tool pouch or belt.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-054007-12175-6 | STD-C      | 25       | EA    |

### 3M™ ScotchCode™ Wire Marking Tape Dispenser

Provides a fast, convenient system for marking wire, cable, or vacuum hoses and spark plug wires. Special end loop to hook on belt or tool pouch. Small size makes it easy to carry. Filled dispenser.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-054007-12174-9 | STD-0-9    | 25       | EA    |

## Aerosols, Novec™ Cleaners

### 3M™ Novec™ Contact Cleaner Aerosol

3M™ Novec™ Contact Cleaner effectively removes light oils, greases, silicones, dust and particulates from sensitive electrical equipment, including connectors, printed circuit boards, electro-mechanical devices, scales, relays and circuit breakers. Novec Contact Cleaner is compatible with plastics and other materials of construction. Based on proprietary 3M solvent technology, it is non-flammable, non-ozone depleting and contains no HCFC's, HFC's, nPB or HAPs.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 00-051135-71699-1 | 11 oz | 6        | CN    |

### 3M™ Novec™ Electronic Degreaser

3M™ Novec™ Electronic Degreaser effectively removes oils, greases and handling soils from electric motors, electrical equipment, precision devices and other electro-mechanical or sensitive devices. This industrial strength cleaner is suitable for use on metals and many plastics, with the exception of acrylics, polycarbonates, ABS and PS. Based on proprietary 3M solvent technology, it is non-flammable, non-ozone depleting and contains no HCFC's, HFC's, nPB or HAPs.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 00-051135-71698-4 | 12 oz | 6        | CN    |

## Lubricants and Coatings, Lubricants

### Scotch® Wire Pulling Lubricant Gel

Not only does 3M™ Wire Pulling Lubricant Gel make wire pulling jobs smoother and safer, it also wipes off the cable quickly and cleanly before terminating or splicing. The consistent gel does not liquefy, or separate with hot or cold aging. It stays thick, smooth and ready to apply. Temperature use range is 20°F to 110°F.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 00-054007-50622-5 | WL-QT      | 1 qt  | 12       | QT    |
| 00-054007-50623-2 | WL-1       | 1 gal | 4        | GA    |
| 00-054007-50624-9 | WL-5       | 5 gal | 1        | PA    |

## Lubricants and Coatings, Lubricants, cont'd

### Scotch® Wire Pulling Lubricant Wax

The thick, consistent lubricant does not liquefy or separate with hot aging; it scoops and applies easily to wire and cable without runs or drips in hot temperatures; and it will not evaporate too soon after pulls. The lubricant's low friction coefficient lessens the chance of wire damage from high pulling forces, wipes off the cable quickly and cleanly and leaves less residue in the conduit to block future pulls or prevent removal. Because Wire Pulling Lubricant Wax can be immersed in water for 30 minutes with minimal weight loss, it is also the choice for wet weather applications.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 00-054007-41742-2 | WLX-QT     | 1 qt  | 12       | QT    |
| 00-054007-41743-9 | WLX-1      | 1 gal | 4        | GA    |

## Lubricants and Coatings, Coating and Protectants

### 3M™ Scotchkote™ Electrical Coating

Brush onto vinyl tape for an extra protective layer of flexible material. Fast drying sealant resists oil, moisture and corrosion. Works great on electrical applications when a little extra protection is needed.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 00-054007-43906-6 | 4 oz  | 10       | CN    |
| 00-054007-14853-1 | 15 oz | 10       | CN    |

## Diagnostic and Detection Products, Infrared Thermometer

### 3M™ IR-500 Infrared Thermometer

The IR-500 features single spot laser sighting, a 6:1 distance-to-spot ratio, fixed emissivity and a temperature range of 0°F (-18°C) to 500°F (260°C).



| UPC Number        | Case Qty | Units |
|-------------------|----------|-------|
| 00-054007-43556-3 | 20       | EA    |

## Splices, Direct Bury Products

### 3M™ DBR and DBY Direct Bury Splice Kits

These 3M™ underground electrical wire connectors splice and effectively moisture-seal two or more conductors for remote-control circuits in irrigation and landscape lighting systems.



| UPC Number        | Product ID | Extra Desc                         | Case Qty | Units |
|-------------------|------------|------------------------------------|----------|-------|
| 00-054007-09964-2 | DBR        | 2 Tubes, 2 Scotchlok™ R Connectors | 1        | KT    |
| 00-054007-09053-3 | DBY        | 2 Tubes, 2 Scotchlok™ Y Connectors | 1        | KT    |

## Splices, Cold Shrink Splices

### 3M™ 8420 Series Cold Shrink Insulators

3M™ Cold Shrink Tubes are designed using a unique Cold Shrink delivery system. Products are supplied prestretched on a removable core for efficiency and ease of installation. Removal of the core (unwind) after positioning allows the product to shrink into position forming a moisture-tight seal. The live memory action of the specially formulated material ensures a permanent, durable environmental seal and insulation.



| UPC Number        | Product ID | Size  | Wire Range        | Case Qty | Units |
|-------------------|------------|-------|-------------------|----------|-------|
| 00-054007-42146-7 | 8423-6     | 6.0"  | 6-4 AWG           | 10       | EA    |
| 00-054007-42390-4 | 8424-8     | 8.0"  | 10-1/0 AWG        | 10       | EA    |
| 00-054007-42391-1 | 8425-8     | 8.0"  | 2-1/0 AWG         | 10       | EA    |
| 00-054007-34457-5 | 8426-9     | 9.0"  | 2/0 AWG-250 kcmil | 10       | EA    |
| 00-054007-34458-2 | 8426-11    | 11.0" | 2/0 AWG-252 kcmil | 10       | EA    |
| 00-054007-34459-9 | 8427-12    | 12.0" | 250-400 kcmil     | 10       | EA    |
| 00-054007-34460-5 | 8427-16    | 16.0" | 250-400 kcmil     | 10       | EA    |
| 00-054007-09056-4 | 8428-12    | 12.0" | 500-800 kcmil     | 10       | EA    |
| 00-054007-34461-2 | 8428-18    | 18.0" | 500-800 kcmil     | 10       | EA    |
| 00-054007-34462-9 | 8429-18    | 18.0" | 900-1000 kcmil    | 10       | EA    |

## Heat Shrinkable Products, Thin-Wall Tubings

### 3M™ Heat Shrink Tubing Kit FP-301

3M™ FP-301 Heat Shrink Tubing offers an outstanding balance of electrical, physical and chemical properties for a wide variety of applications. Color kit contains 133 pieces in black, red, white, yellow, blue, green and clear. 3/32" (35 pieces), 1/8" (28 pieces), 3/16" (21 pieces), 1/4" (21 pieces), 3/8" (14 pieces), 1/2" (14 pieces). Black kit contains 102 black pieces; 3/16" (30 pieces), 1/4" (28 pieces), 3/8" (20 pieces), 1/2" (14 pieces), 3/4" (6 pieces), 1" (4 pieces).



| UPC Number        | Size | Color    | Case Qty | Units |
|-------------------|------|----------|----------|-------|
| 00-051135-37677-5 | 6"   | Assorted | 5        | EA    |
| 00-051135-38139-7 | 6"   | Black    | 5        | EA    |



## 3M™ Easy Clean System

### 3M™ Easy Scrub Flat Mop

Flat mops for 3M™ Easy Scrub and 3M™ Easy Scrub Express Flat Mop Systems.



| UPC Number        | Product ID | Product                 | Size | Case Qty | Units |
|-------------------|------------|-------------------------|------|----------|-------|
| 50-048011-59029-0 | 59029      | 3M™ Easy Scrub Flat Mop | 12"  | 1        | CA    |
| 00-048011-55594-2 | 55594      | 3M™ Easy Scrub Flat Mop | 18"  | 10       | CA    |
| 50-048011-59023-8 | 59023      | 3M™ Easy Scrub Flat Mop | 24"  | 1        | CA    |

### 3M™ Easy Scrub Express Flat Mop Tool

Fast, efficient, lightweight cleaning. Changing chemicals and cleaning products is a snap with the 3M™ Easy Scrub Express Flat Mop System. Interchangeable bottles fit quickly into a lightweight handle to dramatically reduce waste and ensure precise dispensing of solutions to the work site.

| UPC Number        | Product ID | Product  | Extra Desc                     | Case Qty | Units |
|-------------------|------------|--|--------------------------------|----------|-------|
| 00-048011-59188-9 | 59188      | 3M™ Easy Scrub Express Flat Mop Tool with 10" pad holder | Adjustable, 38" - 59-1/2"      | 1        | CA    |
| 00-048011-59051-6 | 59051      | 3M™ Easy Scrub Express Flat Mop Tool with 16" pad holder | Adjustable tool, 38" - 59-1/2" | 1        | CA    |
| 00-048011-59189-6 | 59189      | 3M™ Easy Scrub Express Flat Mop Tool with 22" pad holder | Adjustable, 38" - 59-1/2"      | 1        | CA    |



### 3M™ Easy Scrub Express Bottles

Squeezable bottles allow precise dispensing of chemicals and cleaners.

| UPC Number        | Product ID | Product                        | Extra Desc               | Size    | Case Qty | Units |
|-------------------|------------|--------------------------------|--------------------------|---------|----------|-------|
| 50-048011-59056-6 | 59056      | 3M™ Easy Scrub Express Bottles | 12 empty bottles per bag | 11.5 oz | 6        | CA    |



### 3M™ Easy Scrub Express Caddy

Handy caddy holds up to 12 bottles of cleaning solution.



| UPC Number        | Product ID | Product                      | Case Qty | Units |
|-------------------|------------|------------------------------|----------|-------|
| 50-048011-59054-2 | 59054      | 3M™ Easy Scrub Express Caddy | 6        | EA    |

## Cleaning Chemicals, 3M™ Dose 'n Fill Cleaning System, Starter Kits

### 3M™ Dose 'n Fill Cleaning System, All-Purpose Cleaner & Degreaser Starter Kit

Versatile cleaner that removes heavy dirt buildup, food soils, greases and oils from washable surfaces such as walls, desks, lockers, doors, machinery, stainless steel countertops and plastic. Each kit contains one ready-to-use quart, one dosing cartridge with concentrate for making eight more quarts and one free storage caddy.



| UPC Number        | Product ID | Size   | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 50-048011-54109-4 | 54109      | 136 mL | 4        | CA    |

## Cleaning Chemicals, 3M™ Dose 'n Fill Cleaning System, Starter Kits, cont'd

### 3M™ Dose 'n Fill Cleaning System, Glass Cleaner Starter Kit

Fast-drying, non-streaking cleaner. For cleaning windows, glass and mirrors as well as stainless steel, chrome, aluminum, ceramic, marble and plastic. Non-ammoniated formula is compatible with Plexiglas™ and most other plastics. Each kit contains one ready-to-use quart, one dosing cartridge with concentrate for making six more quarts and one free storage caddy.



| UPC Number        | Product ID | Size   | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 50-048011-54111-7 | 54111      | 139 mL | 4        | CA    |

### Cleaning Chemicals, 3M™ Dose 'n Fill Cleaning System, Refill Cartridges

#### 3M™ Dose 'n Fill Cleaning System, All-Purpose Cleaner & Degreaser Refill Cartridge

Versatile cleaner that removes heavy dirt buildup, food soils, greases and oils from washable surfaces such as walls, desks, lockers, doors, machinery, stainless steel countertops and plastic. Refill cartridge yields 8 ready-to-use gallons per container.



| UPC Number        | Product ID | Size   | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 50-048011-54110-0 | 54110      | 136 mL | 6        | CA    |

### Cleaning Chemicals, General and Specialty Cleaners

#### 3M™ Sharpshooter™ Extra Strength No-Rinse Mark Remover

This no-rinse cleaner removes tough stains such as grease, lipstick, crayon, black heel marks, pencil marks and smoke film from most washable hard surfaces.



| UPC Number        | Product ID | Extra Desc         | Size       | Case Qty | Units |
|-------------------|------------|--------------------|------------|----------|-------|
| 50-048011-16861-1 | 16861      |                    | 1 qt       | 12       | CA    |
| 50-048011-19344-6 |            | w/Trigger Sprayers | 1 qt       | 1        | CA    |
| 50-048011-13702-0 | 13702      |                    | 5 gal/pail | 1        | CA    |

#### 3M™ Stainless Steel Cleaner and Polish

Ideally suited for stainless steel, chrome, laminated plastics and aluminum surfaces. With a high-gloss formula, it wipes clean with no streaks or buildup, resists fingerprints and masks surface blemishes. Pleasant lime fragrance. Contains no petroleum distillates.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 50-048011-14002-0 | 14002      | 21 oz | 12       | CA    |
| 50-048011-19927-1 | 19927      | 1 qt  | 6        | CA    |

## Cleaning Chemicals, Degreasers

### 3M™ Heavy Duty Degreaser Concentrate

A powerful degreaser concentrate developed for extremely tough jobs. Ideal for cleaning machinery, engines, factory floors, tools, trucks and metal parts. Quickly penetrates grease, oil and a variety of soils.



| UPC Number        | Size  | Case Qty | Units |
|-------------------|-------|----------|-------|
| 50-048011-34782-5 | 1 gal | 4        | CA    |

## Cleaning Chemicals, Disinfectant Cleaners

### 3M™ Neutral Quat Disinfectant Cleaner Concentrate

Rinse-free, EPA-registered, hospital-grade quaternary disinfectant cleaner kills HBV, HIV-1, MRSA, VRE, herpes simplex I and II, and other pathogens. Low-foaming, neutral pH formula. Dilution rate 1:256



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 50-048011-34746-7 | 34746      | 1 gal | 4        | CA    |

## Cleaning Chemicals, Carpet Care Products

### Scotchgard™ Spot Remover and Upholstery Cleaner

Designed to clean carpets and upholstery. Releases both oil- and water-based soils from carpet and upholstery. Aerosol foam is sprayed directly on spot with minimum of overspray. Requires no rinsing. Wipe or blot area with a clean, absorbent cloth.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 50-048011-14003-7 | 14003      | 17 oz | 12       | CA    |

### Scotchgard™ Heavy Duty Stain Remover

Ready-to-use aerosol formulated to remove the toughest stains from carpet. Includes a regular spray tip for surface applications and an extension tube spray tip for deeper applications.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 50-048011-14004-4 | 14004      | 21 oz | 12       | CA    |

## Cleaning Chemicals, Carpet Care Products, cont'd

### 3M™ Gum Remover Ready-to-Use

Removes gum from carpet, walk-off mats, fabric and other surfaces.



| UPC Number        | Product ID | Size | Case Qty | Units |
|-------------------|------------|------|----------|-------|
| 50-048011-34854-9 | 34854      | 8 oz | 6        | CA    |

## Floor Care Products, Floor and Baseboard Strippers

### 3M™ TroubleShooter™ Liquid Finish Remover

Sprayable foam formula removes soil and finish buildup. Use on baseboards, floor edges, corners, stairways and ceramic tile. Ready-to-use quarts.



| UPC Number        | Product ID | Extra Desc        | Size | Case Qty | Units |
|-------------------|------------|-------------------|------|----------|-------|
| 50-048011-29524-9 | 29524      | 1 trigger sprayer | 1 qt | 6        | CA    |

### 3M™ TroubleShooter™ Baseboard Stripper

Heavy-duty aerosol cleaner removes soil, grease and finish buildup. Upside down spray feature for hard-to-reach places. Use on baseboards, floor edges, corners, stairways and ceramic tile. Contains no ozone-depleting chemicals.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 00-048011-14001-8 | 14001      | 21 oz | 12       | CA    |

## Floor Care Products, Floor Pads

### 3M™ High Productivity Stripper Pad 7300

Quickly and thoroughly removes old floor finish, dirt and buildup. Unique, open web construction allows stripping solution to flow through pad to rinse out dirt and reduce loading for increased pad-to-floor contact and more efficient stripping.




| UPC Number        | Product ID | Size | Case Qty | Units |
|-------------------|------------|------|----------|-------|
| 50-048011-08275-7 | 7300       | 17"  | 5        | CA    |
| 50-048011-08278-8 | 7300       | 20"  | 5        | CA    |

## Floor Care Products, Floor Pads, cont'd

### 3M™ Blue Cleaner Pad 5300

For heavy-duty scrubbing prior to recoating. Can also be used for heavy-duty spray cleaning or foam scrubbing. Removes dirt, spills, and scuffs, leaving a clean surface ready for recoating.



| UPC Number        | Product ID | Size | Case Qty | Units |
|-------------------|------------|------|----------|-------|
| 50-048011-08410-2 | 5300       | 17"  | 5        | CA    |
| 50-048011-08412-6 | 5300       | 19"  | 5        | CA    |
| 50-048011-08413-3 | 5300       | 20"  | 5        | CA    |

### 3M™ Red Buffer Pad 5100

Specially designed for spray buffing. Cleans when damp; buffs when dry. Quickly cleans and removes scuff marks and enhances floor appearance.



| UPC Number        | Product ID | Size | Case Qty | Units |
|-------------------|------------|------|----------|-------|
| 50-048011-08388-4 | 5100       | 13"  | 5        | CA    |
| 50-048011-08391-4 | 5100       | 16"  | 5        | CA    |
| 50-048011-08392-1 | 5100       | 17"  | 5        | CA    |
| 50-048011-08394-5 | 5100       | 19"  | 5        | CA    |
| 50-048011-08395-2 | 5100       | 20"  | 5        | CA    |

## Floor Care Products, Hard Floor Maintenance Products, Floor Cleaners and Maintenance Products

### 3M™ All Purpose Cleaner Concentrate

For daily cleaning of medium soiled floors. Also applicable for cleaning walls, counters, desks and painted surfaces.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 50-048011-34747-4 | 34747      | 1 gal | 4        | CA    |

**Floor Care Products, Hard Floor Maintenance Products, Floor Sweepers**

**3M™ Floor Sweeper 6000**

Super-efficient, dual eight-bladed rotoblades easily pick up both large and small debris. Works on virtually any floor surface. Lightweight and compact.



| UPC Number        | Product ID | Extra Desc | Size        | Color | Case Qty | Units |
|-------------------|------------|------------|-------------|-------|----------|-------|
| 50-048011-15498-0 | 6000       | Large      | 12½"x12"x4" | Red   | 1        | CA    |

**Floor Care Products, Hard Floor Maintenance Products, 3M™ Doodlebug™ Products**

**3M™ Doodlebug™ Pad Holder with Pads 6472 - Kit**

Orange plastic holder with special grippers that hold 4-5/8"x10" 3M™ Doodlebug™ Cleaning Pads (sold separately). Holder swivels in all directions. The threaded socket attaches to any standard threaded handle. 4 kits per case. Each kit includes one 8440 pad and one 8541 pad.



| UPC Number        | Product ID | Extra Desc      | Size   | Color  | Case Qty | Units |
|-------------------|------------|-----------------|--------|--------|----------|-------|
| 50-048011-08542-0 | 6472       | 2 Pads Included | 3¾"x9" | Orange | 4        | CA    |

**3M™ Doodlebug™ Pad Holder 6472**

Durable swivel lets holder twist and turn to reach hard-to-get-at places. Orange plastic holder features special grippers that hold pads firmly in place and provide for easy attachment and changing of pads.



| UPC Number        | Product ID | Extra Desc | Size   | Color  | Case Qty | Units |
|-------------------|------------|------------|--------|--------|----------|-------|
| 50-048011-20511-8 | 6472       | Bulk       | 3¾"x9" | Orange | 10       | CA    |

**3M™ Doodlebug™ Handblock 6473**

Convenient built-in handle puts cleaning versatility in the palm of your hand. Unique hook-and-loop bottom holds 3M™ Doodlebug™ Pads without the use of adhesives or fasteners.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 50-048011-08548-2 | 6473       | 4"x9" | 4        | CA    |

**Floor Care Products, Hard Floor Maintenance Products, 3M™ Doodlebug™ Products, cont'd**

**3M™ Doodlebug™ White Cleansing Pad 8440**

For cleaning delicate surfaces. Fits pad holder 6472. 4-5/8"x10".



| UPC Number        | Product ID | Size       | Color | Case Qty | Units |
|-------------------|------------|------------|-------|----------|-------|
| 50-048011-08003-6 | 8440       | 4-5/8"x10" | White | 20       | CA    |

**3M™ Doodlebug™ Brown Scrub 'n Strip Pad 8541**

Designed for tough jobs like removing finish and wax buildup from baseboards and floor edges. A great way to strip stairs. Brown.



| UPC Number        | Product ID | Size       | Color | Case Qty | Units |
|-------------------|------------|------------|-------|----------|-------|
| 50-048011-08004-3 | 8541       | 4-5/8"x10" | Brown | 20       | CA    |

**Floor Care Products, Hard Floor Maintenance Products, 3M™ Doodleduster™ Products**

**3M™ Doodleduster™ Cloth White**

Untreated, microfiber disposable cloth that leaves no slippery, sticky residue. Ideal for dusting floors before and after burnishing or prior to recoating.



| UPC Number        | Product ID | Size     | Color | Case Qty | Units |
|-------------------|------------|----------|-------|----------|-------|
| 50-048011-19152-7 | 19152      | 7"x13.8" | White | 1        | CA    |

**3M™ Doodleduster™ Holder**

Rugged, yet lightweight holders for 3M™ Doodleduster™ Cloth. Flexible swivel and low profile for easy maneuverability. Convenient clips for easy cloth attachment and removal.



| UPC Number        | Product ID | Extra Desc | Size            | Case Qty | Units |
|-------------------|------------|------------|-----------------|----------|-------|
| 50-048011-19150-3 | 19150      | Small      | 25"x3-15/16"x3" | 1        | CA    |



## Sponges & Pads, Scrubbing Sponges

### Scotch-Brite™ Medium Duty Scrubbing Sponge No. 74

Dual action green cleaning pad/yellow sponge works well on walls, tables, fixtures, countertops and floors.



| UPC Number        | Product ID | Size           | Case Qty | Units |
|-------------------|------------|----------------|----------|-------|
| 50-048011-20688-7 | 74         | 6.1"x3.6"x0.7" | 20       | CA    |

### Scotch-Brite™ Power Sponge No. 3000

Two cleaning tools in one. Scotch-Brite™ Power Pad combined with a sponge. Patented antimicrobial protection is locked in to resist odors in the sponge.




| UPC Number        | Product ID | Size          | Case Qty | Units |
|-------------------|------------|---------------|----------|-------|
| 50-048011-23163-6 | 3000       | 2.8"x4½"x0.6" | 20       | CA    |

## Sponges & Pads, Light-Duty Hand Pads

### Scotch-Brite™ Doodlebug™ Easy Erasing Pad 4610

The Scotch-Brite™ Doodlebug™ Easy Erasing Pad 4610 is an innovative spot cleaning tool that is designed to erase marks without scouring or scratching. Fits the Scotch-Brite™ Doodlebug Pad Holder 6472.



| UPC Number        | Product ID | Size       | Case Qty | Units |
|-------------------|------------|------------|----------|-------|
| 50-048011-59154-9 | 4610       | 10"x4.625" | 5        | CA    |

## Sponges & Pads, Medium-Duty Hand Pads

### Scotch-Brite™ General Purpose Scouring Pad No. 96

Ideal for most common cleaning jobs. Typical applications: kitchen and cooking equipment, walls, railings, floors, desks, stairways, counters, maintenance equipment.



| UPC Number        | Product ID | Size  | Color | Case Qty | Units |
|-------------------|------------|-------|-------|----------|-------|
| 50-048011-08293-1 | 96         | 6"x9" | Green | 60       | CA    |

## Sponges & Pads, Heavy-Duty Hand Pads

### Scotch-Brite™ Heavy Duty Commercial Scouring Pad No. 86

Use in the kitchen to replace scrapers, steel wool and metal sponges. Tough fibers and abrasives clean grills and ovens and remove baked-on food from pots and pans.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 50-048011-05509-6 | 86         | 6"x9" | 36       | CA    |

### Scotch-Brite™ Purple Scour Pad 2020

The power of purple will scour messy pans twice as fast as conventional heavy-duty scouring with less scratching. The open design allows food debris to rinse out easily, while the unique web construction increases durability.



| UPC Number        | Product ID | Size      | Case Qty | Units |
|-------------------|------------|-----------|----------|-------|
| 50-048011-59033-7 | 2020       | 2.8"x4.5" | 1        | CA    |

## Fire Barrier Caulks & Sealants

### 3M™ Fire Barrier Sealant CP 25WB+ Caulk

Our premium firestop sealant for use in up to 4-hour tested & listed systems. Water-based for easy clean-up. Intumescent and endothermic.



| UPC Number        | Extra Desc | Size    | Color     | Case Qty | Units |
|-------------------|------------|---------|-----------|----------|-------|
| 00-051115-11638-4 | Cartridge  | 10.1 oz | Red-Brown | 12       | CQ    |

### 3M™ Fire Barrier Sealant IC 15WB+ Caulk

General purpose firestop sealant for up to 2-hour rated tested & listed systems.



| UPC Number        | Extra Desc | Size    | Color  | Case Qty | Units |
|-------------------|------------|---------|--------|----------|-------|
| 00-051115-16557-3 | Cartridge  | 10.1 oz | Yellow | 12       | CQ    |

## Insect Repellents

### 3M™ Ultrathon Insect Repellent

Unique, time-release technology allows you to enjoy the outdoors longer. Provides lasting protection up to twelve hours against mosquitoes, gnats, chiggers, biting flies and ticks. Helps reduce the risk of contracting West Nile Virus and Lyme Disease.



| UPC Number        | Extra Desc | Size | Case Qty | Units |
|-------------------|------------|------|----------|-------|
| 00-051131-67442-4 | Lotion     | 2 oz | 12       | EA    |
| 00-051131-67777-7 | Aerosol    | 6 oz | 6        | EA    |

## Matting Products

### 3M™ Clean-Walk Mat 5830

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back.



| UPC Number        | Product ID | Size    | Color | Case Qty | Units |
|-------------------|------------|---------|-------|----------|-------|
| 00-021200-55730-9 | 5830       | 18"x36" | White | 4        | CA    |

### 3M™ Clean-Walk Mat 5836

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back.



| UPC Number        | Product ID | Size    | Color | Case Qty | Units |
|-------------------|------------|---------|-------|----------|-------|
| 00-021200-55727-9 | 5836       | 18"x36" | White | 1        | CA    |

### 3M™ Clean-Walk Framed Mat 5840

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back.



| UPC Number        | Product ID | Size      | Color       | Case Qty | Units |
|-------------------|------------|-----------|-------------|----------|-------|
| 00-021200-55723-1 | 5840       | 31½"x25½" | White/White | 1        | CA    |

### 3M™ Clean-Walk Replacement Pad 5842

An adhesive-coated mat that is used in removing dirt from the bottom of shoes, wheels or any passing objects. To expose an adhesive surface, just peel the top sheet back.



| UPC Number        | Size    | Color | Case Qty | Units |
|-------------------|---------|-------|----------|-------|
| 00-021200-55722-4 | 30"x24" | White | 2        | CA    |

### 3M™ Nomad™ Carpet Matting 4000

Entrance carpet matting designed for light traffic applications. The dual fiber construction traps, holds and hides dirt and moisture.



| UPC Number        | Product ID | Size  | Color      | Case Qty | Units |
|-------------------|------------|-------|------------|----------|-------|
| 50-048011-23769-0 | 4000       | 3'x5' | Light Gray | 1        | CA    |
| 50-048011-23793-5 | 4000       | 4'x6' | Light Gray | 1        | CA    |

## Matting Products, cont'd

### 3M™ Nomad™ Carpet Matting 5000

Attractively styled, durable matting designed for high performance in light to medium traffic areas from 50,000 to 100,000 people per year. Unique cross rib dual fiber design provides excellent dirt and water removal.



| UPC Number        | Product ID | Size  | Color      | Case Qty | Units |
|-------------------|------------|-------|------------|----------|-------|
| 00-048011-59229-9 | 5000       | 3'x5' | Black-Gray | 1        | CA    |
| 00-048011-59220-6 | 5000       | 3'x5' | Gray       | 1        | CA    |
| 00-048011-59230-5 | 5000       | 3'x5' | Brown      | 1        | CA    |
| 00-048011-59222-0 | 5000       | 4'x6' | Black-Gray | 1        | CA    |
| 00-048011-59221-3 | 5000       | 4'x6' | Gray       | 1        | CA    |
| 00-048011-59227-5 | 5000       | 4'x6' | Brown      | 1        | CA    |

### 3M™ Nomad™ Medium Traffic Scraper Matting 6050

Resilient vinyl loop construction traps, holds and hides dirt and sand, so the surface stays neat and clean. Foam backing reduces creeping and provides added foot comfort.



| UPC Number        | Product ID | Size   | Color | Case Qty | Units |
|-------------------|------------|--------|-------|----------|-------|
| 50-048011-26445-0 | 6050       | 3'x5'  | Slate | 1        | CA    |
| 00-048011-26239-0 | 6050       | 3'x20' | Slate | 1        | CA    |
| 50-048011-26452-8 | 6050       | 4'x6'  | Slate | 1        | CA    |
| 00-048011-26276-5 | 6050       | 4'x20' | Slate | 1        | CA    |

### 3M™ Safety-Walk™ Cushion Matting 3270E

Spring-coiled vinyl foam compresses uniformly and continually, providing greater comfort and less fatigue. Suitable for medium-duty foot traffic. With edging.




| UPC Number        | Product ID | Extra Desc  | Size   | Color | Case Qty | Units |
|-------------------|------------|-------------|--------|-------|----------|-------|
| 00-048011-34826-1 | 3270E      | 0.55" thick | 3'x5'  | Black | 1        | CA    |
| 00-048011-34828-5 | 3270E      | 0.55" thick | 3'x10' | Black | 1        | CA    |
| 00-048011-34827-8 | 3270E      | 0.55" thick | 4'x6'  | Black | 1        | CA    |
| 00-048011-34829-2 | 3270E      | 0.55" thick | 4'x10' | Black | 1        | CA    |



## Treads

### 3M™ Safety-Walk™ Conformable Treads 500 Series

High-friction, slip-resistant material has a special aluminum backing that conforms around corners and adheres to irregular surfaces.



| UPC Number        | Product ID | Size   | Color | Case Qty | Units |
|-------------------|------------|--------|-------|----------|-------|
| 50-048011-19281-4 | 510        | 4"x60' | Black | 1        | CA    |
| 50-048011-19279-1 | 510        | 6"x24" | Black | 50       | CA    |
| 50-048011-19282-1 | 510        | 6"x60' | Black | 1        | CA    |

### 3M™ Safety-Walk™ General Purpose Treads 600 Series

This mineral-coated, slip-resistant material features a highly durable surface. Low-profile design reduces trip hazard.



| UPC Number        | Product ID | Size   | Color | Case Qty | Units |
|-------------------|------------|--------|-------|----------|-------|
| 50-048011-19217-3 | 610        | ¾"x24" | Black | 50       | CA    |
| 50-048011-19221-0 | 610        | 2"x60' | Black | 2        | CA    |
| 50-048011-19223-4 | 610        | 4"x60' | Black | 1        | CA    |
| 50-048011-19218-0 | 610        | 6"x24" | Black | 50       | CA    |
| 50-048011-19224-1 | 610        | 6"x60' | Black | 1        | CA    |

**Adhesives/Sealants**

**3M™ Marine Adhesive/Sealant Fast Cure 4000 UV**

Resistant to weathering, saltwater, and stresses caused by joint movement. Seals between mechanically fastened joints on wood, fiberglass, metal and most plastics above and below the waterline. Applications include sealing deck to hull joints, thru-hull fittings, window and door frames, deck hardware, navigation lights, hatches and porthole frames. It is also paintable.



| UPC Number        | Product ID | Extra Desc | Size     | Color | Case Qty | Units |
|-------------------|------------|------------|----------|-------|----------|-------|
| 00-051135-06580-8 | 06580      | Cartridge  | 1/10 gal | White | 12       | EA    |

## Filtering Facepiece Particulate Respirators, Class 95 Particulate Respirators

### 3M™ Particulate Respirator 8210, N95

Is designed to help provide comfortable, reliable worker protection against certain non-oil based particles. Its lightweight construction helps promote greater worker acceptance and comfort and increased wear time.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051138-46457-3 | 8210       | 160      | CA    |

### 3M™ Particulate Respirator 8210PlusPro, N95

Designed to help provide quality, reliable worker protection against certain non-oil based particles.



| UPC Number        | Product ID  | Case Qty | Units |
|-------------------|-------------|----------|-------|
| 50-051135-89171-6 | 8210PlusPro | 1        | CA    |

### 3M™ Particulate Respirator 8511, N95

Is uniquely designed to help provide protection against certain non-oil based particles. It is ideally suited for work settings that involve heat, humidity, or long periods of wear.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051138-54343-8 | 8511       | 80       | CA    |
| 50-051135-89172-3 | 8511Pro    | 1        | CA    |

### 3M™ Particulate Respirator 9210, N95

Is a breakthrough in comfort and convenience. This three-panel respirator with innovative design is uniquely designed to help provide comfortable, reliable worker protection against non-oil based particles.



| UPC Number        | Product ID | Extra Desc | Case Qty | Units |
|-------------------|------------|------------|----------|-------|
| 50-051131-37021-5 | 9210/37021 | Flat Fold  | 240      | CA    |

## Filtering Facepiece Particulate Respirators, Class 95 Particulate Respirators, cont'd

### 3M™ Particulate Respirator 9211, N95


Is a breakthrough in comfort and convenience. This three-panel respirator with innovative design is ideally suited for work settings that involve heat, humidity, or long periods of wear.



| UPC Number        | Product ID | Extra Desc | Case Qty | Units |
|-------------------|------------|------------|----------|-------|
| 50-051131-37022-2 | 9211/37022 | Flat Fold  | 120      | CA    |

### 3M™ Particulate Welding Respirator 8515, N95

Is designed to help provide comfortable, reliable worker protection for applications such as welding, soldering, cutting, grinding, and sanding.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051131-07189-1 | 8515/07189 | 80       | CA    |

### 3M™ Particulate Respirator 8577, P95, with Nuisance Level\* Organic Vapor Relief

Is designed to help provide comfortable, reliable worker protection against certain oil and non-oil based particles including those present with nuisance levels\* of organic vapors such as solvents, degreasers and resins.



- \*Nuisance level refers to concentrations not exceeding OSHA PEL or other applicable government occupational exposure limits, whichever is lower.

| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051138-54371-1 | 8577       | 80       | CA    |

Please see pages 39-41 for additional warning information.

## Elastomeric Facepiece Respirators, Filters & Cartridges, Respirator Facepieces 6000 Series, Facepieces 6000 Series Reusable

### 3M™ Half Facepiece 6000 Series

Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, 7093C, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



| UPC Number        | Product ID | Size   | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 50-051131-07024-5 | 6100       | Small  | 24       | CA    |
| 50-051131-07025-2 | 6200       | Medium | 24       | CA    |
| 50-051131-07026-9 | 6300       | Large  | 24       | CA    |

### 3M™ Half Facepiece 6262

Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, 7093C, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



| UPC Number        | Product ID | Size   | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 50-051135-89223-2 | 6262       | Medium | 1        | CA    |

### 3M™ Half Facepiece 6363

Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, 7093C, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 50-051135-89224-9 | 6363       | Large | 1        | CA    |

### 3M™ Full Facepiece 6862

Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, 7093C, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



| UPC Number        | Product ID | Size   | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 50-051135-89225-6 | 6862       | Medium | 1        | CA    |

## Elastomeric Facepiece Respirators, Filters & Cartridges, Respirator Facepieces 6000 Series, Facepieces 6000 Series Reusable, cont'd

### 3M™ Full Facepiece 6963

Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, 7093C, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 50-051135-89226-3 | 6963       | Large | 1        | CA    |

## Elastomeric Facepiece Respirators, Filters & Cartridges, Respirator Facepieces 6000 Series, Cartridges 6000 Series

### 3M™ Cartridge/Filter Multi Gas/Vapor/ P100, 60926

NIOSH approved against certain organic vapors, acid gases, ammonia, methylamine, formaldehyde\* and particulates. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders.



- OSHA regulations require gas proof goggles be worn with half facepiece respirators when used against formaldehyde.

| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051138-54187-8 | 60926      | 60       | CA    |

## Elastomeric Facepiece Respirators, Filters & Cartridges, Respirator Facepieces 6000 Series, Replacement Parts and Accessories 6000 Series

### 3M™ Respirator Supply Kit 6001K

Kit includes one set of 3M™ Cartridge 6001, OV, two sets of 3M™ Filter 5P71, P95 and one set of 3M™ Filter Retainer 501. Offers protection against certain organic vapors and certain oil and non-oil based particulates.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051135-89219-5 | 6001K      | 1        | CA    |

Please see pages 39-41 for additional warning information.



## Elastomeric Facepiece Respirators, Filters & Cartridges, Respirator Facepieces 6000 Series, Replacement Parts and Accessories 6000 Series, cont'd

### 3M™ Respirator Supply Kit 6006K

Kit includes one set of 3M™ Cartridge 6006, Multi Gas/Vapor, two sets of 3M™ Filter 5P71, P95 and one set of 3M™ Filter Retainer 501. Offers protection against certain organic vapors, acid gases, ammonia, methylamine, formaldehyde\* and certain oil and non-oil based particles.



\*OSHA regulations require gas proof goggles be worn with half facepiece respirators when used against formaldehyde.

| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051135-89220-1 | 6006K      | 1        | CA    |

## Elastomeric Facepiece Respirators, Filters & Cartridges, Respirator Facepieces 6000 Series, Particulate Filters 6000 Series

### 3M™ Particulate Filter 2091, P100

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or Cartridges 6000 Series with 3M™ Adapter 502.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051131-07000-9 | 2091       | 100      | CA    |

### 3M™ Particulate Filter with Nuisance Level Organic Vapor Relief\*\* 2097, P100

NIOSH approved for environments containing certain oil and non-oil based particles. 3M recommended for relief against nuisance levels of organic vapors\*\* and ozone protection up to 10 times OSHA PEL. Not NIOSH certified for use against ozone.



\*\*Nuisance level organic vapor refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against organic vapors.

| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051131-07184-6 | 2097       | 100      | CA    |

## Elastomeric Facepiece Respirators, Filters & Cartridges, Respirator Facepieces 7000 Series, Half Facepiece 7500 Series, Ultimate Reusable

### 3M™ Half Facepiece 7500 Series, Ultimate Reusable

This half facepiece was designed with the wearer in mind. Its soft sealing surface, along with a uniquely designed, 3M™ Cool Flow™ Exhalation Valve, enhances wearer comfort and face fit.



| UPC Number        | Product ID | Size   | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 50-051131-37081-9 | 7501/37081 | Small  | 10       | CA    |
| 50-051131-37082-6 | 7502/37082 | Medium | 10       | CA    |
| 50-051131-37083-3 | 7503/37083 | Large  | 10       | CA    |

### 3M™ Professional Series Half Facepiece 7572

Contains one 3M(TM) Half Facepiece 7502 Respirator, Medium. Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, 7093C, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals



| UPC Number        | Product ID | Size   | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 50-051135-89221-8 | 7572       | Medium | 1        | CA    |

### 3M™ Professional Series Half Facepiece 7573

Contains one 3M(TM) Half Facepiece 7503 Respirator, Large. Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, 7093C, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



| UPC Number        | Product ID | Size  | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 50-051135-89222-5 | 7573       | Large | 1        | CA    |

## Elastomeric Facepiece Respirators, Filters & Cartridges, Respirator Facepieces 7000 Series, Cartridges 7000 Series

### 3M™ Particulate Filter 2071PK, P95

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series with 3M™ Adapter 502.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051135-89228-7 | 2071PK     | 20       | CA    |

Please see pages 39-41 for additional warning information.

## Elastomeric Facepiece Respirators, Filters & Cartridges, Respirator Facepieces 7000 Series, Cartridges 7000 Series, cont'd

### 3M™ Particulate Filter 2097PK, P100, with Nuisance Level Organic Vapor Relief\*

NIOSH approved for environments containing certain oil and non-oil based particles. 3M recommended for relief against nuisance levels of organic vapors\* and ozone protection up to 10 times OSHA Permissible Exposure Level (PEL). Not NIOSH certified against ozone.



\*Nuisance level refers to concentrations below current OSHA PELs or applicable government occupational exposure limits, whichever is lower.

| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051135-89229-4 | 2097PK     | 1        | CA    |

## Welding Products, 3M™ Speedglas™ Helmets 9000 Series

### 3M™ Speedglas™ Helmet 9000 with Auto-Darkening Filter 9002V, 04-0012-31

The 9002V ("V" for "Variable" dark shades) is a highly versatile auto-darkening filter able to handle a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents for reduced stuffiness.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-051131-92988-3 | 04-0012-31 | 1        | CA    |

### 3M™ Speedglas™ Helmet 9000 with Auto-Darkening Filter 9002X, 04-0012-21

Extra large 4.09" x 2.13" (104 mm x 54 mm) viewing area and advanced electronics to handle a variety of welding processes, including extremely stable, low amp TIG arcs. Helmet has four exhaust vents for reduced stuffiness.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-051131-92993-7 | 04-0012-21 | 1        | CA    |

## Welding Products, 3M™ Speedglas™ Helmets 9000 Series, cont'd

### 3M™ Speedglas™ Helmet 9000 with SideWindows and Auto-Darkening Filter 9002V, 04-0012-31SW

9002V ("V" for Variable dark shades) handles a variety of arc welding processes, including extremely stable, low amp TIG. Helmet has four exhaust vents for reduced stuffiness. Shade 5 SideWindows increase peripheral view.



| UPC Number        | Product ID   | Case Qty | Units |
|-------------------|--------------|----------|-------|
| 00-051131-92991-3 | 04-0012-31SW | 1        | CA    |

## Welding Products, 3M™ Speedglas™ Variable Shade Auto-Darkening Filters and Helmets, 3M™ Speedglas™ Helmet SL with Auto-Darkening Filter shades 8-12

### 3M™ Speedglas™ Helmet SL 05-0013-41, with Auto-Darkening Filter, Shades 8-12

Welders always ask for two things in personal protection: lighter weight and more comfort. This 3M™ Speedglas™ SL Helmet is 25% lighter than our current auto-darkening welding helmets while maintaining the performance and protection that welders worldwide have come to expect in every Speedglas product. Its reduced weight feels lighter on your head and neck, and is easily adjusted to personal settings. The headband can be adjusted in size, allowing for an excellent fit for each individual user. Easy back and forth adjustments of helmet add to the comfort. The user can also tilt the helmet to the preferred angle.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-051131-98564-3 | 05-0013-41 | 1        | CA    |

## Welding Products, 3M™ Speedglas™ Flexview System, Flexview Variable

### 3M™ Speedglas™ FlexView Helmet with Auto-Darkening Filter 9002X, 04-0016-21

The 3M™ Speedglas™ FlexView System features a spring-mounted filter assembly that can be lifted to expose a clear 4.75" x 3.6" (120 mm x 90 mm) faceshield for precision weld prep and grinding.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-051131-92997-5 | 04-0016-21 | 1        | CA    |

Please see pages 39-41 for additional warning information.

## Welding Products, 3M™ Adflo™ Respiratory Protection Systems, 3M™ Adflo™ HEPA Respirator Systems, 3M™ Adflo™ HEPA Respiratory Systems, Variable

### 3M™ Adflo™ Powered Air Purifying Respirator High Efficiency System, 15-1101-21

Powered respiratory protection for welders. Lightweight, slim design eliminates external batteries and cables. Constant airflow rate regardless of battery charge and filter loading. Battery charges in 3 hours. System includes: Helmet 9000HWR, Auto Darkening Filter 9002X (variable 9-13 shade), and High Efficiency Particulate Filter.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-051131-92580-9 | 15-1101-21 | 1        | CA    |

## Hearing Protection Products, Foam Ear Plugs

### 3M™ Corded Foam Ear Plug 1110

The comfortable fit of soft foam ear plugs with the convenience of a cord. Recommended for moderate to high noise (up to 100 dBA TWA). NRR 29 dB\*.

- \*The NRR may overestimate the protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051138-29009-7 | 1110       | 500      | CA    |

### 3M™ Foam Ear Plug 1100

Soft, comfortable and unobtrusive hearing protection. Recommended for moderate to high noise (up to 100dBA TWA). NRR 29 dB\*.

- \*The NRR may overestimate the protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051138-29008-0 | 1100       | 1000     | CA    |

## Hearing Protection Products, Foam Ear Plugs, cont'd

### E-A-R™ UltraFit™ Plugs with Cord

Comfortable, reusable earplugs feature a triple-flange design to fit a wide range of ear sizes. NRR 25 dB. Breakaway cord. Soft, smooth washable earplugs can be reused many times.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-080529-40003-1 | 340-4004   | 100      | CA    |

### E-A-Rsoft™ Yellow Neons™ ,Regular Size, Corded in Poly Bag

Our softest foam earplugs conform to the unique shape of each ear for outstanding fit and comfort. NRR 33 dB --the highest NRR earplugs available. Flexible breakaway cord.



| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-080529-11033-6 | 311-1250   | 200      | CA    |

## Eye, Head and Face Protection Products, Head Protection Products, Hard Hats

### 3M™ Glo-Mega™ Hard Hat 1910GL, Ratchet Suspension

Unique formulation is designed to glow-in-the-dark after being exposed to a light source. Excellent for use in dark environments. Illumination visible for ~48 hrs. when properly charged. Comfort features include brow pad, 6-point ratchet suspension.

| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 50-051135-89212-6 | 1910GL     | 1        | CA    |

## Environmental Safety Products, Petroleum Sorbents, Petroleum Sorbents, High Capacity

### 3M™ Petroleum Sorbent Pad, High Capacity, HP-156

The highly sorbent pad features a low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas.



| UPC Number        | Product ID | Size    | Case Qty | Units |
|-------------------|------------|---------|----------|-------|
| 50-051138-28911-4 | HP-156     | 17"x19" | 100      | CA    |

Please see pages 39-41 for additional warning information.

**Environmental Safety Products, Petroleum Sorbents, Petroleum Sorbents, High Capacity, cont'd**

**3M™ Petroleum Sorbent Folded P-FL550DD/T-F2001/07073**

Four sorbents in one. It can be used as a boom, pillow, pad, or roll, which means fewer products need to be stocked to meet your sorbent needs. The folded sorbent is perforated every 16 inches to allow you to select the length required, so there's less waste.



| UPC Number        | Product ID              | Case Qty | Units |
|-------------------|-------------------------|----------|-------|
| 50-051131-07173-0 | P-FL550DD/T-F2001/07073 | 3        | EA    |

**Environmental Safety Products, Maintenance Sorbents, Maintenance Sorbents, High Capacity**

**3M™ Maintenance Sorbent Pad M-PD1520DD, High Capacity**

Used to clean up small spills and wipe down oily tools and equipment. Designed to be placed on machinery to catch leaks at the source.



| UPC Number        | Product ID | Size      | Case Qty | Units |
|-------------------|------------|-----------|----------|-------|
| 50-051138-28995-4 | M-PD1520DD | 15½"x20½" | 100      | CA    |

**3M™ Maintenance Sorbent Drum Cover M-DC22DD, High Capacity**

The sorbent drum cover is designed to be used on a 55 gallon drum to catch drips and spills that occur during the dispensing of all types of non-aggressive liquids used in daily operations. Contains 25 covers per case and sorbs 12 gallons/case.



| UPC Number        | Product ID | Size | Case Qty | Units |
|-------------------|------------|------|----------|-------|
| 50-051138-28998-5 | M-DC22DD   | 22"  | 25       | CA    |

**3M™ Maintenance Sorbent Rug M-RG36300E**

This rug is designed for use in industrial maintenance applications where foot and vehicle traffic is a concern, and will sorb most non-aggressive liquids.



| UPC Number        | Product ID | Size     | Case Qty | Units |
|-------------------|------------|----------|----------|-------|
| 00-051138-29002-3 | M-RG36300E | 36"x300' | 1        | CA    |

**Environmental Safety Products, Maintenance Sorbents, Maintenance Sorbents, High Capacity, cont'd**

**3M™ Maintenance Sorbent Roll M-RL15150DD/M-B2001/07166**

Designed to cover large surfaces and may be easily cut to fit tight corners. Can also be used to cover large spills or as a precaution in areas where large spills may occur. Each roll is 15.5 inches by 150 feet and sorbs 31 gallons.



| UPC Number        | Product ID                | Case Qty | Units |
|-------------------|---------------------------|----------|-------|
| 50-051131-07166-2 | M-RL15150DD/M-B2001/07166 | 1        | RL    |

**3M™ Maintenance Sorbent Folded M-FL550DD/M-F2001/07172**

This high capacity sorbent has a scrim on one side to increase strength and help eliminate linting. It is dispensed from a carrying/dispenser box in the form of a continuous roll with perforations every 16 inches.



| UPC Number        | Product ID              | Case Qty | Units |
|-------------------|-------------------------|----------|-------|
| 50-051131-07172-3 | M-FL550DD/M-F2001/07172 | 3        | EA    |

**Detection Products, Handheld Thermal Imaging Cameras**

**3M™ Camera FF131-1IR, NTSC/110V Transmitter**

Thermal imaging camera equipped with 4-channel transmitter, NTSC video, four display modes, radiometry temperature reading feature, two interchangeable NiMH batteries, single bay charger and 110V charger, DC power cord, shoulder strap and carry case.

| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-051131-98651-0 | FF131-1IR  | 1        | CA    |

**3M™ Camera FF131-2IR, NTSC/110V**

Thermal imaging camera equipped with NTSC video, four display modes, radiometry temperature reading feature, two interchangeable NiMH batteries, single bay charger and 110V charger, DC power cord, shoulder strap and carry case.

| UPC Number        | Product ID | Case Qty | Units |
|-------------------|------------|----------|-------|
| 00-051131-98652-7 | FF131-2IR  | 1        | CA    |

Please see pages 39-41 for additional warning information.





## SAFETY PRODUCT WARNINGS



### PROTECTIVE EYEWEAR WARNING

These eye and face protection products help provide limited eye and face protection against flying particles. **Misuse or failure to follow warnings and instructions may result in serious personal injury, including blindness, or death.** For proper use, see supervisor, read instructions and warnings on the package, or call 3M OH&FSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.



### HEAD PROTECTION PRODUCTS WARNING

These hardhats provide limited protection only. **Misuse or failure to follow warnings and instructions may result in serious personal injury or death.** For proper use, see supervisor, read instructions and warnings on the package, or call 3M OH&ESD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

Bumpcaps do not provide protection against impact from falling or glancing objects. They do not protect against electrical hazards. Bumpcaps do not meet the requirements of the American National Standard for Industrial Head Protection ANSI Z89.1-2003. When head protection is required, wear a protective hardhat or helmet that meets the requirements of ANSI Z89.1-2003.



### HEARING PROTECTION PRODUCTS WARNING

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. **Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury.** For proper use, see supervisor, **User Instructions**, or call 3M in U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414. If there is any drainage from your ear or if you have a hole in your eardrum, consult with your physician before wearing ear plugs. Failure to do so may result in hearing loss or injury.



### AIR MONITORING SYSTEMS WARNING

Do Not Use For:

- Ammonia; Carbon Monoxide; Ethylene Oxide<sup>1</sup>; Formaldehyde<sup>2</sup>; Hydrogen Sulfide; Isocyanates; Methane; Ethane; Propane; Methyl Alcohol (Methanol); Methyl Chloride; Methyl, Dimethyl, Trimethyl Amines; Organic Solids; Sulfur Dioxide
- Reactive or polar compounds such as amines, phenols, aldehydes and low molecular weight alcohols
- Extremely low concentrations within a sampling period of less than 8 hours
- Particulates

<sup>1</sup> Ethylene Oxide can be monitored using 3M™ 3550/3551 Ethylene Oxide Monitor.

<sup>2</sup> Formaldehyde can be monitored using 3M™ 3720/3721 Formaldehyde Monitor.



## SAFETY PRODUCT WARNINGS



### PARTICULATE RESPIRATORS WARNING



These respirators help reduce exposure to certain particles. **Misuse may result in sickness or death.** Before use, the wearer must read and understand **User Instructions** provided as a part of product packaging. Time use limitations may apply. For proper use, see package instructions, supervisor or call 3M OH&ESD Technical Service in U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

**Important:** Before using these respirators, you must determine the following:

1. If there is sufficient oxygen present.
2. The type of contaminant(s) for which the respirator is being selected.
3. The concentration level of contaminant(s).
4. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use.

Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training, fit testing and medical evaluation.



### SUPPLIED AIR RESPIRATORS WARNING



These respirators help reduce exposure to certain airborne contaminants. **Misuse may result in sickness or death.** Before use, the wearer must read and understand **User Instructions** provided as a part of product packaging. Time use limitations may apply. For proper use, see package instructions, supervisor or call 3M OH&ESD Technical Service in U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

**Important:** Before using these respirators, you must determine the following:

1. If there is sufficient oxygen present.
2. The type of contaminant(s) for which the respirator is being selected.
3. The concentration level of contaminant(s).
4. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use.

Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training, fit testing and medical evaluation.



### POSITIVE PRESSURE RESPIRATORS WARNING



These respirators help reduce exposure to certain airborne contaminants. Use of 3M™ Positive Pressure Respirators by untrained or unqualified persons, or use not in accordance with the instructions, may adversely affect product performance and **result in sickness or death.** Positive pressure respirators are to be used only by qualified persons who are properly trained in their use and maintenance, and only in accordance with their operating and maintenance manuals. Each person using these products must first read and understand the operator's manual. See supervisor for assistance or call 3M OH&ESD Technical Service in U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

**Important:** Before using these respirators, you must determine the following:

1. If there is sufficient oxygen present.
2. The type of contaminant(s) for which the respirator is being selected.
3. The concentration level of contaminant(s).
4. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use.

Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training, fit testing and medical evaluation.



## SAFETY PRODUCT WARNINGS



### **PARTICULATE FILTER 2000 SERIES, 5N11, 5P71 AND 7093 WARNING**

This filter helps protect against certain particles. **Misuse may result in sickness or death.** Before use, the wearer must read and understand **User Instructions** provided as a part of product packaging. Time use limitations may apply. For proper use, see package instructions, supervisor or call 3M OH&ESD Technical Service in U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

**Important:** Before using these respirators, you must determine the following:

1. If there is sufficient oxygen present.
2. The type of contaminant(s) for which the respirator is being selected.
3. The concentration level of contaminant(s).
4. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use.

Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training, fit testing and medical evaluation.



### **CARTRIDGE/FILTER WARNING**

This cartridge helps protect against certain airborne contaminants. **Misuse may result in sickness or death.** Before use, the wearer must read and understand **User Instructions** provided as a part of product packaging. Time use limitations may apply. For proper use, see package instructions, supervisor or call 3M OH&ESD Technical Service in U.S.A. at 1-800-243-4630. In Canada, call 1-800-267-4414.

**Important:** Before using these respirators, you must determine the following:

1. If there is sufficient oxygen present.
2. The type of contaminant(s) for which the respirator is being selected.
3. The concentration level of contaminant(s).
4. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use.

Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training, fit testing and medical evaluation.



### **SORBENTS WARNING**

**FAILURE TO PROPERLY HANDLE AND DISPOSE OF SORBENTS CONTAMINATED BY HAZARDOUS MATERIALS CAN RESULT IN SERIOUS PHYSICAL INJURY OR DEATH AND/OR ENVIRONMENTAL HARM.** 3M Maintenance Sorbents must not be used with aggressive liquids, including caustics, acids, oxidizers, and reactive chemicals.

For proper handling, consult the Material safety Data Sheet for the material absorbed, applicable safety and health standards, contact your supervisor, or call 3M at 1-800-243-4630.

To reduce the risk of serious physical injury or death, adequate precautions should be taken when handling or storing sorbents contaminated by hazardous materials and appropriate personal protective equipment should be worn.

Transportation and disposal of container and its contents must comply with applicable federal, state and local laws and regulations.



### **WELDING HELMETS**

These welding safety products must be used only by qualified persons trained in their use and maintenance and only in strict accordance with and adherence to the detailed instruction and precautionary statements provided in the instruction manual which accompanies each product. **Failure to comply with these instructions could result in sickness, serious bodily injury or loss of life.**

For proper use of these products read **User Instructions** and **WARNINGS** on the package. Any questions concerning proper use should be directed to your supervisor, on-site training specialist, industrial hygienist or 3M Occupational Health and Environmental Safety Division (OH&ESD) Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.

## Duct Tapes, Cloth Tapes

### 3M™ Value Duct Tape 1900

Utility cloth duct tape. Typical physical and performance properties include, adhesion to steel: 58 oz./in. width, tensile strength: 16 lbs/in width, elongation at break: 12%, thickness: 5.8 mils, temperature use range: up to 200°F 93°C.



| UPC Number        | Extra Desc           | Size        | Color  | Case Qty | Units |
|-------------------|----------------------|-------------|--------|----------|-------|
| 00-051115-23421-7 | Individually Wrapped | 1.88"x50yds | Silver | 24       | RL    |
| 00-051115-23422-4 | Individually Wrapped | 2.83"x50yds | Silver | 12       | RL    |

### Scotch® Transparent High Performance Duct Tape

Scotch® Transparent Duct Tape virtually disappears when applied, making repairs less obvious. This product resists drying, cracking, and peeling from the damaging effects of UV rays in sunlight.



| UPC Number        | Product ID | Extra Desc           | Size        | Case Qty | Units |
|-------------------|------------|----------------------|-------------|----------|-------|
| 00-051131-83260-2 | 2120       | Individually Wrapped | 1.88"x20yds | 12       | RL    |

### 3M™ Multi-Purpose Duct Tape 3900

Polyethylene coated cloth with rubber adhesive. Economy grade duct tape. A good choice for general maintenance, repair holding poly carpet and other materials, secures PVC pipes, protects surfaces from abrasion.



| UPC Number        | Extra Desc           | Size       | Color  | Case Qty | Units |
|-------------------|----------------------|------------|--------|----------|-------|
| 00-021200-49833-6 | Individually Wrapped | 48mmx54.8m | Black  | 24       | RL    |
| 00-021200-49832-9 |                      | 48mmx54.8m | Blue   | 24       | RL    |
| 00-021200-49831-2 | Individually Wrapped | 48mmx54.8m | Olive  | 24       | RL    |
| 00-021200-49830-5 | Individually Wrapped | 48mmx54.8m | Red    | 24       | RL    |
| 00-051131-06976-3 | Individually Wrapped | 48mmx54.8m | Silver | 24       | RL    |
| 00-021200-49829-9 | Individually Wrapped | 48mmx54.8m | White  | 24       | RL    |
| 00-021200-49828-2 | Individually Wrapped | 48mmx54.8m | Yellow | 24       | RL    |

### 3M™ Heavy Duty Duct Tape 3939

Construction strength duct tape. Polyethylene coated cloth backing with rubber adhesive. Holds securely, sticks and stays in place. Ideal for moisture sealing, holding poly sheeting for containment and abatement and other tough protection job sites.



| UPC Number        | Extra Desc           | Size       | Color  | Case Qty | Units |
|-------------------|----------------------|------------|--------|----------|-------|
| 00-051131-06975-6 | Individually Wrapped | 48mmx54.8m | Silver | 24       | RL    |

## Duct Tapes, Cloth Tapes, cont'd

### 3M™ Performance Plus Duct Tape 8979

8979 is designed for both permanent and temporary applications both indoors and outdoors. 8979 provides clean removal with little or no adhesive residue from most opaque surfaces up to 6 months after application. It offers sunlight UV resistance for up to 1-Year without the backing deteriorating or delaminating. Typical physical and performance characteristics include: thickness: 13 mils, adhesion to steel: 52 oz. in width, tensile strength: 36 lbs. in width, elongation at break: 21%, temperature use range: Up to 200°F (93°C).



| UPC Number        | Extra Desc           | Size       | Color      | Case Qty | Units |
|-------------------|----------------------|------------|------------|----------|-------|
| 00-048011-53851-8 | Individually Wrapped | 48mmx22.8m | Slate Blue | 12       | RL    |
| 00-021200-56468-0 | Individually Wrapped | 48mmx54.8m | Slate Blue | 24       | RL    |
| 00-048011-53920-1 | Bulk                 | 12"x60yds  | Slate Blue | 2        | RL    |
| 00-048011-53919-5 | Bulk                 | 22"x60yds  | Slate Blue | 1        | RL    |
| 00-048011-53916-4 | Individually Wrapped | 48mmx54.8m | Olive      | 24       | RL    |
| 00-048011-53918-8 | Individually Wrapped | 48mmx54.8m | Black      | 24       | RL    |

### 3M™ Performance Plus Duct Tape 8979N

High Performance Duct Tape Nuclear Grade. A unique construction of high tensile cloth and aggressive adhesive. Designed for applications in the shipbuilding, nuclear power plant and stainless steel industries. Sunlight/UV Resistance for up to 6 months.



| UPC Number        | Extra Desc | Size       | Color | Case Qty | Units |
|-------------------|------------|------------|-------|----------|-------|
| 00-048011-53914-0 | Bulk       | 48mmx54.8m | Red   | 24       | RL    |

## Fasteners, Reclosable Fasteners

### 3M™ Dual Lock™ Reclosable Fasteners

3M™ Dual Lock™ Reclosable Fasteners have been used extensively in transportation, electronics, business equipment, machinery, medical and sign and display markets. When the mushroom-shaped stems interlock, tensile strength is high enough to replace mechanical fasteners in many applications, yet you can readily open and close Dual Lock reclosable fasteners hundreds of times. High temperature and solvent resistant. The mix and match program allows a customer to match their adhesive requirements with the reclosable strength required to meet their needs.



| UPC Number        | Product ID | Extra Desc | Size     | Color | Case Qty | Units |
|-------------------|------------|------------|----------|-------|----------|-------|
| 00-021200-86282-3 | SJ3560     | Type 250   | 1"x50yds | Clear | 2        | RL    |



## Fasteners, Reclosable Fasteners, cont'd

### 3M™ Dual Lock™ Reclosable Fastener System MP3560

3M™ Dual Lock™ Reclosable Fasteners have been used extensively in transportation, electronics, business equipment, machinery, medical and sign and display markets. When the mushroom-shaped stems interlock, tensile strength is high enough to replace mechanical fasteners in many applications, yet you can readily open and close Dual Lock reclosable fasteners hundreds of times. High temperature and solvent resistant. Clear, polypropylene reclosable fastener with an acrylic pressure sensitive tape with 250 stems per square inch. Now in a convenient 2 roll mini-pack version to simplify storage and dispensing.



| UPC Number        | Product ID | Size      | Color | Case Qty | Units |
|-------------------|------------|-----------|-------|----------|-------|
| 00-051131-06463-8 | MP3560     | 1"x4.9yds | Clear | 5        | PH    |

### 3M™ Scotchmate™ Hook-and-Loop Reclosable Fastener SJ3526N/SJ3527N

It's as simple as pressing together and pulling apart. When your product calls for thousands of easy openings and closings, 3M™ Scotchmate™ Reclosable Fasteners pull through for you. Tiny, stiff hooks mesh through for quick secure fastening. In addition, Scotchmate reclosable fasteners are backed with 3M adhesive technology expertise which range from rubber adhesives to high performance, double-coated foam tape which can be adhered to most surfaces to provide a solution as strong as you need. High performance adhesive is designed for great temperature, solid shear and peel performance.



| UPC Number        | Product ID | Extra Desc | Size     | Color | Case Qty | Units |
|-------------------|------------|------------|----------|-------|----------|-------|
| 00-021200-86243-4 | SJ3526N    | Hook       | 1"x50yds | Black | 3        | RL    |
| 00-021200-86244-1 | SJ3526N    | Hook       | 1"x50yds | White | 3        | RL    |
| 00-021200-86252-6 | SJ3527N    | Loop       | 1"x50yds | Black | 3        | RL    |
| 00-021200-86253-3 | SJ3527N    | Loop       | 1"x50yds | White | 3        | RL    |

### 3M™ Scotchmate™ Reclosable Fastener MP3526/MP3527

General purpose PSA rubber adhesive back with nylon Hook-and-Loop Fastener and white polypropylene film liner. Medium temperature resistance, medium shear and peel strength, high HSE and LSE. 100 mil to 160 mil engaged thickness, 3 mil printed liner. Now in a convenient 2 roll mini-pack version to simplify storage and dispensing.



| UPC Number        | Extra Desc | Size      | Color | Case Qty | Units |
|-------------------|------------|-----------|-------|----------|-------|
| 00-051131-06488-1 | Hook/Loop  | 1"x4.9yds | White | 5        | PH    |

## Masking Products, Masking System Products

### 3M™ Hand-Masker™ Pre-Folded Contractor's Plastic CP6

Pre-folded, non treated high density plastic dispenses on M3000 and folds out to 6'. for draping and covering large areas, dust containment and overspray protection.



| UPC Number        | Product ID | Size   | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 00-051131-79683-6 | CP6        | 6'x90' | 12       | RL    |

### 3M™ Hand-Masker™ Pre-Folded Contractors Plastic CP9

Pre-folded, non treated high density plastic dispenses on M3000 and folds out to 9'. for draping and covering large areas, dust containment and overspray protection.



| UPC Number        | Product ID | Size   | Case Qty | Units |
|-------------------|------------|--------|----------|-------|
| 00-051131-79684-3 | CP9        | 9'x90' | 12       | RL    |

### 3M™ Hand-Masker™ Pre-Folded Contractors Plastic CP12

Pre-folded, non treated high density plastic dispenses on M3000 and folds out to 12'. for draping and covering large areas, dust containment and overspray protection.



| UPC Number        | Product ID | Size    | Case Qty | Units |
|-------------------|------------|---------|----------|-------|
| 00-051131-79778-9 | CP12       | 12'x60' | 12       | RL    |

### 3M™ Hand-Masker™ Pre-Taped Drop Cloth w/2090

3M™ Hand-Masker™ Pre-Taped Plastic Drop Cloth with Dispenser PTD2090-48 is a pre-folded high density plastic drop cloth pre-taped with Scotch® 2090 Long-Mask™ tape. The plastic drop cloth folds out to 48".




| UPC Number        | Size    | Case Qty | Units |
|-------------------|---------|----------|-------|
| 00-051131-80058-8 | 48"X90' | 6        | RL    |

## Masking Products, Masking Tapes

### Scotch® High Performance Masking Tape 232

A high performance paper masking tape to be used in the medium temperature paint bake operation. 250°F (121°C).



| UPC Number        | Size     | Color   | Case Qty | Units |
|-------------------|----------|---------|----------|-------|
| 00-021200-02854-0 | 24mmx55m | Natural | 36       | RL    |
| 00-021200-04240-9 | 48mmx55m | Natural | 24       | RL    |

### Scotch® General Purpose Masking Tape 234

A very high temperature resistant tape for use in masking and holding applications where temperatures reach 250°F (121°C) for up to 1 hour. A general purpose paper masking tape designed to be used in medium temperature paint bake operation.



| UPC Number        | Size     | Color   | Case Qty | Units |
|-------------------|----------|---------|----------|-------|
| 00-021200-02982-0 | 24mmx55m | Natural | 36       | RL    |
| 00-021200-04244-7 | 48mmx55m | Natural | 24       | RL    |

### Scotch® Painters' Masking Tape for Hard-to-Stick Surfaces 2060

This tape features very high adhesion designed specifically for use with lacquer coatings. It sticks aggressively, making it ideal for rough surfaces such as stucco, concrete and wood. This tape is for interior and exterior use and can be cleanly removed for up to three days.



| UPC Number        | Extra Desc      | Size     | Color | Case Qty | Units |
|-------------------|-----------------|----------|-------|----------|-------|
| 00-021200-71132-9 | Individual Wrap | 24mmx55m | Green | 36       | RL    |

### 3M™ Paper Masking Tape 2209

A general purpose paper tape for holding, bundling, sealing, non-critical masking and a vast number of other jobs where a pressure-sensitive tape is needed.



| UPC Number        | Extra Desc | Size     | Color   | Case Qty | Units |
|-------------------|------------|----------|---------|----------|-------|
| 00-051115-24804-7 | Bulk       | 24mmx55m | Natural | 36       | RL    |
| 00-051115-24807-8 | Bulk       | 48mmx55m | Natural | 24       | RL    |

## Packaging Products, Box Sealing Tapes

### Scotch® Box Sealing Tape 373

Polypropylene tape for single and double wall cartons with high value contents. Rubber resin adhesive instantly seals with more than 8,000 minutes adhesion. Tensile strength of 30 lb/in in machine direction; 60 lb/in cross direction.



| UPC Number        | Size     | Color | Case Qty | Units |
|-------------------|----------|-------|----------|-------|
| 00-021200-72368-1 | 48mmx50m | Clear | 36       | RL    |
| 00-021200-72390-2 | 72mmx50m | White | 24       | RL    |

## Packaging Products, Box Sealing Tapes, Dispensers

### Scotch® Box Sealing Tape Dispenser H180

Portable, lightweight, easy to operate hand held tape dispenser. Accommodates up to a 60 yard roll of tape and up to 2" wide. It features an adjustable tape brake allowing control of tension and delivery.



| UPC Number        | Size | Case Qty | Units |
|-------------------|------|----------|-------|
| 00-021200-96818-1 | 2"   | 40       | EA    |

### Scotch® Box Sealing Tape Dispenser H183

Hand-held portable dispenser features an adjustable tape break allowing the operator to chose comfortable tape tension and unwind. Provides a quick and easy method for dispensing up to 3" wide roll tape. Plastic and metal construction.



| UPC Number        | Size | Case Qty | Units |
|-------------------|------|----------|-------|
| 00-021200-61850-5 | 3"   | 5        | EA    |

## Packaging Products, Filament Tapes

### Scotch® Filament Tape 898

High performance. Polypropylene backing reinforced with continuous glass yarn with stain resistant finish. Typical 380 lb/in width tensile strength with aggressive high shear adhesive for heavy duty closure, reinforcing, and banding.



| UPC Number        | Extra Desc | Size     | Color | Case Qty | Units |
|-------------------|------------|----------|-------|----------|-------|
| 00-051131-06896-4 | Bulk       | 12mmx55m | Clear | 72       | RL    |
| 00-051131-06898-8 | Bulk       | 24mmx55m | Clear | 36       | RL    |
| 00-021200-39869-8 | Bulk       | 48mmx55m | Clear | 24       | RL    |

## Specialty Tapes, Aluminum Foil Tapes

### 3M™ Aluminum Foil Tape 425

3M™ Aluminum Foil Tape 425, dead-soft aluminum foil backing, excellent heat and light reflection to protect against high temperatures and U.V. degradation. The foil also serves as an excellent barrier against moisture, dust, flame, and certain chemicals as used in aircraft paint stripping masking. Acrylic adhesive supplies superior temperature, U.V. and solvent resistance. It provides excellent age life and is ideal for harsh, long-term outdoor environments. Meets F.A.R 25.853(a), 0447



| UPC Number        | Size      | Case Qty | Units |
|-------------------|-----------|----------|-------|
| 00-021200-60574-1 | 2"x60yds  | 24       | RL    |
| 00-021200-60599-4 | 2½"x60yds | 12       | RL    |
| 00-021200-83419-6 | 4"x60yds  | 2        | RL    |

### 3M™ Damping Foil 2552

3M™ Damping Foil Tape 2552 helps damp vibrations on metal and plastic surfaces vibrating at their natural (resonant) frequency, consists of a pressure-sensitive viscoelastic polymer and aluminum foil constraining layer that effectively converts vibrational energy to negligible heat to reducing irritating noises and decreasing wear and tear on parts. Optimal temperature range from 32°F to 140°F (0°C to 60°C).



| UPC Number        | Size     | Color  | Case Qty | Units |
|-------------------|----------|--------|----------|-------|
| 00-021200-38395-3 | 2"x36yds | Silver | 5        | RL    |

### Scotch® Foil Tape 3311

Ideal for general duct sealing and MRO repair applications. Shorter roll is designed for use in tight duct work spaces. Meets UL 723 standard.



| UPC Number        | Size     | Color  | Case Qty | Units |
|-------------------|----------|--------|----------|-------|
| 00-051131-85493-2 | 2"x50yds | Silver | 12       | RL    |

### Scotch® Foil Tape 3326

Scotch® Foil Tape 3326, Ideal for sealing fiberglass duct work and flexible duct systems. Meets UL 181 A/B-FX Standard.



| UPC Number        | Size      | Color  | Case Qty | Units |
|-------------------|-----------|--------|----------|-------|
| 00-051131-85494-9 | 2½"x60yds | Silver | 12       | RL    |

## Specialty Tapes, Anti-Slip/Anti-Stick Tapes

### 3M™ Anti-Slip/Anti-Stick Tape 5461

High friction roller tape. Unique rubber backing allows web to release easily from the roll for easy clean up, while still providing a friction surface which allows for the traction needed to drive and guide the web.



| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-021200-26835-9 | 1"x18yds | 12       | RL    |
| 00-021200-24884-9 | 2"x18yds | 6        | RL    |

## Specialty Tapes, Cloth Tapes

### 3M™ Cloth Gaffers Tape 6910

A vinyl coated cloth tape for use in the entertainment industry as "gaffers" tape where light reflection is a concern. Matte finish.



| UPC Number        | Size       | Color | Case Qty | Units |
|-------------------|------------|-------|----------|-------|
| 00-051131-06843-8 | 48mmx54.8m | Black | 24       | RL    |

## Specialty Tapes, Cloth Tapes, Glass Cloth Tapes

### 3M™ General Purpose PTFE Glass Cloth Tape 5151

Light Brown, 3.5 mils (0.11 mm) glass cloth impregnated with PTFE and coated with a silicone adhesive.



| UPC Number        | Extra Desc | Size     | Color       | Case Qty | Units |
|-------------------|------------|----------|-------------|----------|-------|
| 00-021200-45632-9 | Bulk       | 2"x36yds | Light Brown | 24       | RL    |

### 3M™ Traction Tape 5401

Glass Cloth with silicone backing and silicone adhesive, unique properties of bring a premium release surface while also having a high coefficient of friction for traction.




| UPC Number        | Size     | Case Qty | Units |
|-------------------|----------|----------|-------|
| 00-051115-25027-9 | 2"x36yds | 12       | RL    |
| 00-051115-25089-7 | 1"x36yds | 12       | RL    |

## Specialty Tapes, Double Coated Tapes, Foam Tapes

### 3M™ Double Coated Urethane Foam Tape 4026, Square

Open cell urethane foam flexible carrier with high shear, High temperature resistant acrylic adhesive. Use to fill gaps and bond irregular surfaces. Distributes stress uniformly over bonded area.




| UPC Number        | Size  | Color     | Case Qty | Units |
|-------------------|-------|-----------|----------|-------|
| 00-021200-10225-7 | 1"x1" | Off-White | 1000     | CA    |

## Specialty Tapes, Double Coated Tapes, Very High Bond (VHB) Tapes

### 3M™ VHB™ Tape 5952

3M™ VHB™ Tape 5952, bonds to wide variety of high, medium, and medium low surface energy substrates (including most powder paints). UL 746C - File MH17478.



| UPC Number        | Size     | Color | Case Qty | Units |
|-------------------|----------|-------|----------|-------|
| 00-021200-56229-7 | 1"x36yds | Gray  | 9        | RL    |

## Specialty Tapes, Film Tapes

### 3M™ UHMW Film Tape 5423


Transparent, 11.7 mil (0.28 mm) UHMW polyethylene film with rubber adhesive. Thicker version of 5421. Low coefficient of friction combined with abrasion resistance make this tape an effective solution for many noise and vibration problems.



| UPC Number        | Size      | Case Qty | Units |
|-------------------|-----------|----------|-------|
| 00-021200-14456-1 | 1½"x18yds | 6        | RL    |
| 00-021200-11992-7 | 3"x18yds  | 3        | RL    |

### 3M™ PTFE Film Tape 5480

3M™ PTFE Skived Tape 5480, used for wrapping rollers in manufacturing processes to create a release surface to help minimize clean-up. High temperature, conformable and chemical resistant for sealing and masking.




| UPC Number        | Extra Desc | Size     | Color | Case Qty | Units |
|-------------------|------------|----------|-------|----------|-------|
| 00-021200-16168-1 | Boxed      | 2"x36yds | Gray  | 6        | RL    |

## Specialty Tapes, Film Tapes, cont'd

### 3M™ PTFE Film Tape 5491

Gray, 6.5 mil (0.17 mm) PTFE extruded film with silicone adhesive. Smooth and layflat backing. Provides an exceptionally smooth surface when applied and resists curling during unwind. Chemical resistant surface for sealing and masking.



| UPC Number        | Extra Desc | Size      | Case Qty | Units |
|-------------------|------------|-----------|----------|-------|
| 00-021200-16147-6 | Boxed      | 1½"x36yds | 6        | RL    |
| 00-021200-16149-0 | Boxed      | 3"x36yds  | 3        | RL    |

## Specialty Tapes, Foam Tapes

### 3M™ VHB™ Tape 4950

45.0 mil thick, white closed cell acrylic foam carrier with all purpose acrylic adhesive and paper liner. High strength, handling convenience, cushioning, damping and impact resistance. UL listing 746C.



| UPC Number        | Extra Desc | Size     | Color | Case Qty | Units |
|-------------------|------------|----------|-------|----------|-------|
| 00-021200-18092-7 | Bulk       | 1"x36yds | White | 9        | RL    |

## Specialty Tapes, Mounting Tapes

### 3M™ VHB™ Heavy Duty Clear Outdoor/Indoor Mounting Tape 4910

General purpose adhesive bonds to most higher surface energy substrates including metal, glass and high surface energy plastics.



| UPC Number        | Size     | Color | Case Qty | Units |
|-------------------|----------|-------|----------|-------|
| 00-051115-25523-6 | ¾"x15yds | Clear | 12       | RL    |

### 3M™ VHB™ Heavy Duty Outdoor/Indoor Mounting Tape 5952

A very conformable foam that bonds and seals simultaneously to withstand vibration, impact and weathering.



| UPC Number        | Size     | Color | Case Qty | Units |
|-------------------|----------|-------|----------|-------|
| 00-051115-25522-9 | ¾"x15yds | Black | 12       | RL    |



## Specialty Tapes, Safety Tapes, Aisle Marking & Identification Tapes

### 3M™ Hazard Marking Vinyl Tape 766


A general purpose hazard marking vinyl tape for use in non-critical applications. Can be used to mark equipment pinch points, and temporary floor marking around equipment or spills.



| UPC Number        | Size     | Color        | Case Qty | Units |
|-------------------|----------|--------------|----------|-------|
| 00-021200-43181-4 | 2"x36yds | Black/Yellow | 24       | RL    |

### 3M™ Safety Stripe Tape 5700


Tape resists most common chemicals and solvents. Used to identify or mark traffic areas and physical hazards. The sharp, contrasting colors readily identify hazardous areas. The clear vinyl over the colored stripes help protect stripes from abrasion. The 5.4 mil total tape thickness resists snagging often associated with thicker products.



| UPC Number        | Size     | Color       | Case Qty | Units |
|-------------------|----------|-------------|----------|-------|
| 00-021200-04367-3 | 2"x36yds | Black/White | 24       | RL    |

### 3M™ Safety Stripe Tape 5702

Tape resists most common chemicals and solvents. Used to identify or mark traffic areas and physical hazards. The sharp, contrasting colors readily identify hazardous areas. The clear vinyl over the colored stripes help protect stripes from abrasion. The 5.4 mil total tape thickness resists snagging often associated with thicker products. Meet requirements of CID-A-A-1689.



| UPC Number        | Size     | Color        | Case Qty | Units |
|-------------------|----------|--------------|----------|-------|
| 00-021200-04585-1 | 2"x36yds | Black/Yellow | 24       | RL    |
| 00-021200-03951-5 | 3"x36yds | Black/Yellow | 12       | RL    |

## Specialty Tapes, Safety Tapes, Aisle Marking & Identification Tapes, cont'd

### 3M™ Vinyl Tape 471

3M™ Vinyl Tape 471, ideal for masking, wrapping or sealing many curved or irregular surfaces, excellent for many lane and safety marking applications, ideal for color coding, abrasion protection, decoration and splicing applications. Meet requirements of CID-A-A-1689.



| UPC Number        | Size     | Color  | Case Qty | Units |
|-------------------|----------|--------|----------|-------|
| 00-021200-61192-6 | ¼"x36yds | Blue   | 144      | RL    |
| 00-021200-03105-2 | ½"x36yds | Red    | 72       | RL    |
| 00-021200-03121-2 | 1"x36yds | Blue   | 36       | RL    |
| 00-021200-03107-6 | 1"x36yds | Red    | 36       | RL    |
| 00-021200-04308-6 | 2"x36yds | Blue   | 24       | RL    |
| 00-021200-04313-0 | 2"x36yds | Green  | 24       | RL    |
| 00-021200-04312-3 | 2"x36yds | Orange | 24       | RL    |
| 00-021200-04305-5 | 2"x36yds | Red    | 24       | RL    |
| 00-021200-04311-6 | 2"x36yds | White  | 24       | RL    |
| 00-021200-04310-9 | 2"x36yds | Yellow | 24       | RL    |

## Specialty Tapes, Safety Tapes, Aisle Marking & Identification Tapes, Dispensers

### 3M™ Lane Marking Applicator M-77

Dispenser on wheels. Use to apply tape while walking along area to be marked. Use with lane marking tapes such as 3M™ Vinyl Tape 471 and 3M™ Safety Stripe Tape 5700 and 5702 in rolls up to 4" x 36yds.



| UPC Number        | Case Qty | Units |
|-------------------|----------|-------|
| 00-021200-12951-3 | 1        | EA    |

## Specialty Tapes, Thread Sealant Tapes

### Scotch® 48 Thread Sealant Tape

2 mil, high temperature stable (PTFE) pipe thread sealant that provides a leak-proof seal with a temperature rated to 500°F (260°C).



| UPC Number        | Size    | Case Qty | Units |
|-------------------|---------|----------|-------|
| 00-054007-06195-3 | ½"x260" | 12       | RL    |

## 3M™ Command™ Products

### 3M™ Command™ Large Hook Value Pack 17003-VP-3PK

The mounting solution that holds firmly and removes cleanly. They leave no surface damage and are reusable, creating an easy and affordable way to organize and decorate! Each hook holds up to 5 lbs.



| UPC Number        | Product ID   | Extra Desc        | Case Qty | Units |
|-------------------|--------------|-------------------|----------|-------|
| 00-051131-94941-6 | 17003-VP-3PK | 3 Hooks, 6 Strips | 12       | PH    |

### 3M™ Command™ Medium Hook Value Pack 17001-VP-6PK

The mounting solution that holds firmly and removes cleanly. They leave no surface damage and are reusable, creating an easy and affordable way to organize and decorate! Each hook holds 3 lbs.



| UPC Number        | Product ID   | Extra Desc         | Case Qty | Units |
|-------------------|--------------|--------------------|----------|-------|
| 00-051131-94937-9 | 17001-VP-6PK | 6 Hooks, 12 Strips | 12       | PH    |

### 3M™ Command™ Medium Picture Hanging Strips 17204

Command™ Picture hanging strips hold on strongly, come off cleanly, leave no nail holes, repositions for easy leveling and picture locks in place. Each set holds 3 lbs.



| UPC Number        | Product ID | Extra Desc  | Case Qty | Units |
|-------------------|------------|-------------|----------|-------|
| 00-051131-94927-0 | 17204      | 6 Sets/Pack | 24       | PH    |

### 3M™ Command™ Small Hook Value Pack 17002-VP-6PK

The mounting solution that holds firmly and removes cleanly. They leave no surface damage and are reusable, creating an easy and affordable way to organize and decorate! Each hook holds up to 1 lb.



| UPC Number        | Product ID   | Extra Desc         | Case Qty | Units |
|-------------------|--------------|--------------------|----------|-------|
| 00-051131-94943-0 | 17002-VP-6PK | 6 Hooks, 12 Strips | 12       | PH    |

## 3M™ Command™ Products, cont'd

### 3M™ Command™ Small Wire Hooks Value Pack 17067-VP

The mounting solution that holds firmly and removes cleanly. It leaves no surface damage, creating an easy and affordable way to organize and decorate! Each hook holds ½ lb.



| UPC Number        | Product ID | Extra Desc         | Case Qty | Units |
|-------------------|------------|--------------------|----------|-------|
| 00-051131-94949-2 | 17067-VP   | 9 Hooks, 12 Strips | 12       | PH    |

# UPC Number Index

## UPC Number.....Page

|                        |    |
|------------------------|----|
| 00-021200-02854-0..... | 44 |
| 00-021200-02982-0..... | 44 |
| 00-021200-03105-2..... | 47 |
| 00-021200-03107-6..... | 47 |
| 00-021200-03121-2..... | 47 |
| 00-021200-03951-5..... | 47 |
| 00-021200-04240-9..... | 44 |
| 00-021200-04244-7..... | 44 |
| 00-021200-04305-5..... | 47 |
| 00-021200-04308-6..... | 47 |
| 00-021200-04310-9..... | 47 |
| 00-021200-04311-6..... | 47 |
| 00-021200-04312-3..... | 47 |
| 00-021200-04313-0..... | 47 |
| 00-021200-04367-3..... | 47 |
| 00-021200-04585-1..... | 47 |
| 00-021200-10225-7..... | 46 |
| 00-021200-11992-7..... | 46 |
| 00-021200-12951-3..... | 47 |
| 00-021200-14456-1..... | 46 |
| 00-021200-16147-6..... | 46 |
| 00-021200-16149-0..... | 46 |
| 00-021200-16168-1..... | 46 |
| 00-021200-18092-7..... | 46 |
| 00-021200-19718-5..... | 13 |
| 00-021200-19808-3..... | 11 |
| 00-021200-19868-7..... | 13 |
| 00-021200-21073-0..... | 11 |
| 00-021200-21210-9..... | 9  |
| 00-021200-21305-2..... | 16 |
| 00-021200-21354-0..... | 10 |
| 00-021200-24884-9..... | 45 |
| 00-021200-26835-9..... | 45 |
| 00-021200-30023-3..... | 9  |
| 00-021200-30025-7..... | 9  |
| 00-021200-30088-2..... | 12 |
| 00-021200-31310-3..... | 9  |
| 00-021200-31381-3..... | 11 |
| 00-021200-31592-3..... | 13 |
| 00-021200-38395-3..... | 45 |
| 00-021200-39869-8..... | 44 |
| 00-021200-43181-4..... | 47 |
| 00-021200-45632-9..... | 45 |
| 00-021200-49048-4..... | 16 |
| 00-021200-49077-4..... | 9  |
| 00-021200-49110-8..... | 9  |
| 00-021200-49828-2..... | 42 |
| 00-021200-49829-9..... | 42 |
| 00-021200-49830-5..... | 42 |
| 00-021200-49831-2..... | 42 |
| 00-021200-49832-9..... | 42 |
| 00-021200-49833-6..... | 42 |
| 00-021200-50004-6..... | 10 |
| 00-021200-50007-7..... | 11 |
| 00-021200-50008-4..... | 10 |
| 00-021200-50021-3..... | 16 |
| 00-021200-55722-4..... | 30 |
| 00-021200-55723-1..... | 30 |
| 00-021200-55727-9..... | 30 |
| 00-021200-55730-9..... | 30 |
| 00-021200-56229-7..... | 46 |
| 00-021200-56468-0..... | 42 |
| 00-021200-56599-1..... | 10 |
| 00-021200-56602-8..... | 9  |
| 00-021200-56603-5..... | 9  |
| 00-021200-56606-6..... | 9  |
| 00-021200-56611-0..... | 12 |
| 00-021200-56618-9..... | 12 |
| 00-021200-60574-1..... | 45 |

## UPC Number.....Page

|                        |    |
|------------------------|----|
| 00-021200-60599-4..... | 45 |
| 00-021200-61192-6..... | 47 |
| 00-021200-61850-5..... | 44 |
| 00-021200-71132-9..... | 44 |
| 00-021200-72368-1..... | 44 |
| 00-021200-72390-2..... | 44 |
| 00-021200-74290-3..... | 11 |
| 00-021200-76394-6..... | 16 |
| 00-021200-82618-4..... | 9  |
| 00-021200-83419-6..... | 45 |
| 00-021200-85822-2..... | 16 |
| 00-021200-86243-4..... | 43 |
| 00-021200-86244-1..... | 43 |
| 00-021200-86252-6..... | 43 |
| 00-021200-86253-3..... | 43 |
| 00-021200-86282-3..... | 42 |
| 00-021200-87195-5..... | 11 |
| 00-021200-87215-0..... | 11 |
| 00-021200-96200-4..... | 10 |
| 00-021200-96206-6..... | 10 |
| 00-021200-96414-5..... | 10 |
| 00-021200-96596-8..... | 9  |
| 00-021200-96600-2..... | 11 |
| 00-021200-96818-1..... | 44 |
| 00-048011-00948-3..... | 1  |
| 00-048011-04020-2..... | 5  |
| 00-048011-04029-5..... | 4  |
| 00-048011-04050-9..... | 4  |
| 00-048011-04229-9..... | 4  |
| 00-048011-05132-1..... | 8  |
| 00-048011-05523-7..... | 3  |
| 00-048011-05527-5..... | 3  |
| 00-048011-05528-2..... | 3  |
| 00-048011-05530-5..... | 3  |
| 00-048011-05531-2..... | 3  |
| 00-048011-05532-9..... | 3  |
| 00-048011-13617-2..... | 8  |
| 00-048011-14001-8..... | 25 |
| 00-048011-14049-0..... | 4  |
| 00-048011-14100-8..... | 3  |
| 00-048011-14101-5..... | 3  |
| 00-048011-14111-4..... | 3  |
| 00-048011-16976-7..... | 4  |
| 00-048011-18350-3..... | 1  |
| 00-048011-18424-1..... | 1  |
| 00-048011-18451-7..... | 4  |
| 00-048011-18730-3..... | 1  |
| 00-048011-18732-7..... | 1  |
| 00-048011-18733-4..... | 1  |
| 00-048011-18734-1..... | 1  |
| 00-048011-18736-5..... | 1  |
| 00-048011-18737-2..... | 1  |
| 00-048011-24241-5..... | 1  |
| 00-048011-24243-9..... | 1  |
| 00-048011-24276-7..... | 1  |
| 00-048011-24277-4..... | 1  |
| 00-048011-24278-1..... | 1  |
| 00-048011-26239-0..... | 30 |
| 00-048011-26276-5..... | 30 |
| 00-048011-27603-8..... | 1  |
| 00-048011-27605-2..... | 1  |
| 00-048011-33054-9..... | 1  |
| 00-048011-34826-1..... | 30 |
| 00-048011-34827-8..... | 30 |
| 00-048011-34828-5..... | 30 |
| 00-048011-34829-2..... | 30 |
| 00-048011-53851-8..... | 42 |
| 00-048011-53914-0..... | 42 |
| 00-048011-53916-4..... | 42 |

## UPC Number.....Page

|                        |    |
|------------------------|----|
| 00-048011-53918-8..... | 42 |
| 00-048011-53919-5..... | 42 |
| 00-048011-53920-1..... | 42 |
| 00-048011-55594-2..... | 23 |
| 00-048011-59051-6..... | 23 |
| 00-048011-59188-9..... | 23 |
| 00-048011-59189-6..... | 23 |
| 00-048011-59220-6..... | 30 |
| 00-048011-59221-3..... | 30 |
| 00-048011-59222-0..... | 30 |
| 00-048011-59227-5..... | 30 |
| 00-048011-59229-9..... | 30 |
| 00-048011-59230-5..... | 30 |
| 00-048011-62605-5..... | 12 |
| 00-048011-62606-2..... | 12 |
| 00-048011-62609-3..... | 12 |
| 00-048011-62610-9..... | 12 |
| 00-048011-62615-4..... | 12 |
| 00-048011-62616-1..... | 12 |
| 00-048011-62655-0..... | 13 |
| 00-048011-62656-7..... | 13 |
| 00-048011-62661-1..... | 13 |
| 00-048011-62662-8..... | 13 |
| 00-048011-62672-7..... | 13 |
| 00-048011-62673-4..... | 13 |
| 00-048011-62685-7..... | 12 |
| 00-048011-62687-1..... | 12 |
| 00-048011-62692-5..... | 12 |
| 00-048011-62714-4..... | 13 |
| 00-048011-62715-1..... | 13 |
| 00-048011-62720-5..... | 13 |
| 00-048011-62721-2..... | 13 |
| 00-048011-62732-8..... | 12 |
| 00-051111-11635-7..... | 4  |
| 00-051111-11656-2..... | 4  |
| 00-051111-11829-0..... | 6  |
| 00-051111-11967-9..... | 7  |
| 00-051111-11992-1..... | 7  |
| 00-051111-49608-4..... | 2  |
| 00-051111-49609-1..... | 2  |
| 00-051111-49610-7..... | 2  |
| 00-051111-49611-4..... | 2  |
| 00-051111-49613-8..... | 2  |
| 00-051111-49614-5..... | 2  |
| 00-051111-49615-2..... | 2  |
| 00-051111-49616-9..... | 2  |
| 00-051111-50410-9..... | 2  |
| 00-051111-50411-6..... | 2  |
| 00-051111-50412-3..... | 2  |
| 00-051111-50413-0..... | 2  |
| 00-051111-50414-7..... | 2  |
| 00-051111-50415-4..... | 2  |
| 00-051111-50416-1..... | 2  |
| 00-051111-50422-2..... | 2  |
| 00-051111-50560-1..... | 7  |
| 00-051111-51047-6..... | 2  |
| 00-051111-54150-0..... | 6  |
| 00-051111-55958-1..... | 7  |
| 00-051111-55959-8..... | 7  |
| 00-051111-55960-4..... | 7  |
| 00-051111-55961-1..... | 7  |
| 00-051111-55989-5..... | 7  |
| 00-051111-55990-1..... | 7  |
| 00-051111-55991-8..... | 7  |
| 00-051111-55992-5..... | 7  |
| 00-051115-07056-3..... | 6  |
| 00-051115-11638-4..... | 28 |
| 00-051115-16557-3..... | 28 |
| 00-051115-19764-2..... | 6  |

## UPC Number Index

| UPC Number.....Page      | UPC Number.....Page      | UPC Number.....Page      |
|--------------------------|--------------------------|--------------------------|
| 00-051115-19766-6.....6  | 00-051131-92988-3.....36 | 00-051144-22393-0.....3  |
| 00-051115-19767-3.....6  | 00-051131-92991-3.....36 | 00-051144-22395-4.....3  |
| 00-051115-19768-0.....6  | 00-051131-92993-7.....36 | 00-051144-22398-5.....3  |
| 00-051115-19770-3.....6  | 00-051131-92997-5.....36 | 00-051144-22400-5.....3  |
| 00-051115-19772-7.....6  | 00-051131-94927-0.....48 | 00-051144-22401-2.....3  |
| 00-051115-19773-4.....6  | 00-051131-94937-9.....48 | 00-051144-22404-3.....3  |
| 00-051115-19776-5.....5  | 00-051131-94941-6.....48 | 00-051144-35112-1.....7  |
| 00-051115-19779-6.....5  | 00-051131-94943-0.....48 | 00-051144-35113-8.....7  |
| 00-051115-19781-9.....5  | 00-051131-94949-2.....48 | 00-051144-45121-0.....5  |
| 00-051115-19782-6.....5  | 00-051131-98564-3.....36 | 00-051144-76433-4.....3  |
| 00-051115-19786-4.....5  | 00-051131-98651-0.....38 | 00-051144-76629-1.....3  |
| 00-051115-19788-8.....5  | 00-051131-98652-7.....38 | 00-051144-76631-4.....3  |
| 00-051115-19790-1.....5  | 00-051135-06580-8.....32 | 00-051144-76633-8.....3  |
| 00-051115-19792-5.....5  | 00-051135-08945-3.....15 | 00-051144-76634-5.....3  |
| 00-051115-19793-2.....5  | 00-051135-08993-4.....15 | 00-051144-80660-7.....2  |
| 00-051115-19795-6.....5  | 00-051135-37677-5.....22 | 00-051144-80661-4.....2  |
| 00-051115-19798-7.....5  | 00-051135-38139-7.....22 | 00-051144-80662-1.....2  |
| 00-051115-19800-7.....5  | 00-051135-71698-4.....21 | 00-051144-80663-8.....2  |
| 00-051115-19801-4.....5  | 00-051135-71699-1.....21 | 00-051144-82238-6.....7  |
| 00-051115-19805-2.....5  | 00-051135-71864-3.....16 | 00-051144-83488-4.....7  |
| 00-051115-19807-6.....5  | 00-051135-92312-2.....8  | 00-051144-85960-3.....2  |
| 00-051115-19809-0.....5  | 00-051135-92313-9.....8  | 00-051144-85961-0.....2  |
| 00-051115-19811-3.....5  | 00-051135-92314-6.....8  | 00-051144-85962-7.....2  |
| 00-051115-19812-0.....5  | 00-051135-92315-3.....8  | 00-051144-85963-4.....2  |
| 00-051115-19815-1.....5  | 00-051135-92318-4.....7  | 00-051144-85974-0.....2  |
| 00-051115-19817-5.....5  | 00-051138-25348-6.....20 | 00-051144-85975-7.....2  |
| 00-051115-19818-2.....5  | 00-051138-29002-3.....38 | 00-051144-85976-4.....2  |
| 00-051115-19819-9.....5  | 00-051138-93423-1.....14 | 00-051144-85977-1.....2  |
| 00-051115-19821-2.....5  | 00-051138-93424-8.....14 | 00-051144-88901-3.....3  |
| 00-051115-19823-6.....5  | 00-051138-93425-5.....14 | 00-051144-88902-0.....3  |
| 00-051115-19824-3.....5  | 00-051138-93426-2.....14 | 00-051144-88903-7.....3  |
| 00-051115-23421-7.....42 | 00-051138-93427-9.....14 | 00-051144-88904-4.....3  |
| 00-051115-23422-4.....42 | 00-051138-93429-3.....14 | 00-051144-88905-1.....3  |
| 00-051115-24804-7.....44 | 00-051138-93674-7.....14 | 00-051144-88906-8.....3  |
| 00-051115-24807-8.....44 | 00-051138-93684-6.....14 | 00-051144-99430-4.....4  |
| 00-051115-25027-9.....45 | 00-051138-93688-4.....14 | 00-051144-99431-1.....4  |
| 00-051115-25089-7.....45 | 00-051138-93718-8.....14 | 00-051144-99432-8.....4  |
| 00-051115-25133-7.....12 | 00-051138-93729-4.....14 | 00-051144-99433-5.....4  |
| 00-051115-25137-5.....12 | 00-051138-93733-1.....14 | 00-051144-99436-6.....4  |
| 00-051115-25188-7.....12 | 00-051138-93769-0.....14 | 00-051144-99437-3.....4  |
| 00-051115-25522-9.....46 | 00-051138-93780-5.....14 | 00-051144-99438-0.....4  |
| 00-051115-25523-6.....46 | 00-051138-93784-3.....14 | 00-054007-00072-3.....17 |
| 00-051128-54451-8.....19 | 00-051141-20275-4.....7  | 00-054007-00839-2.....20 |
| 00-051128-54454-9.....19 | 00-051141-20276-1.....7  | 00-054007-04833-6.....18 |
| 00-051128-56030-3.....18 | 00-051141-20963-0.....5  | 00-054007-04835-0.....18 |
| 00-051131-01994-2.....7  | 00-051141-20964-7.....5  | 00-054007-06130-4.....17 |
| 00-051131-04901-7.....10 | 00-051141-20965-4.....5  | 00-054007-06132-8.....17 |
| 00-051131-04902-4.....10 | 00-051141-20966-1.....5  | 00-054007-06133-5.....17 |
| 00-051131-05916-0.....15 | 00-051141-20967-8.....5  | 00-054007-06143-4.....17 |
| 00-051131-05919-1.....15 | 00-051141-20968-5.....6  | 00-054007-06195-3.....47 |
| 00-051131-06463-8.....43 | 00-051144-05071-0.....3  | 00-054007-06220-2.....20 |
| 00-051131-06488-1.....43 | 00-051144-05072-7.....3  | 00-054007-08159-3.....19 |
| 00-051131-06843-8.....45 | 00-051144-05073-4.....3  | 00-054007-08161-6.....19 |
| 00-051131-06896-4.....44 | 00-051144-05620-0.....2  | 00-054007-08427-3.....20 |
| 00-051131-06898-8.....44 | 00-051144-05621-7.....2  | 00-054007-09053-3.....22 |
| 00-051131-06975-6.....42 | 00-051144-05622-4.....2  | 00-054007-09056-4.....22 |
| 00-051131-06976-3.....42 | 00-051144-09093-8.....6  | 00-054007-09230-8.....20 |
| 00-051131-07521-4.....4  | 00-051144-09095-2.....6  | 00-054007-09404-3.....20 |
| 00-051131-07522-1.....4  | 00-051144-13932-3.....2  | 00-054007-09656-6.....18 |
| 00-051131-67442-4.....29 | 00-051144-13933-0.....2  | 00-054007-09910-9.....19 |
| 00-051131-67777-7.....29 | 00-051144-13934-7.....2  | 00-054007-09964-2.....22 |
| 00-051131-79683-6.....43 | 00-051144-13936-1.....2  | 00-054007-10075-1.....17 |
| 00-051131-79684-3.....43 | 00-051144-14270-5.....2  | 00-054007-10216-8.....17 |
| 00-051131-79778-9.....43 | 00-051144-14661-1.....3  | 00-054007-10638-8.....18 |
| 00-051131-80058-8.....43 | 00-051144-20868-5.....3  | 00-054007-10810-8.....17 |
| 00-051131-83260-2.....42 | 00-051144-20870-8.....3  | 00-054007-10828-3.....17 |
| 00-051131-85493-2.....45 | 00-051144-20871-5.....3  | 00-054007-10836-8.....17 |
| 00-051131-85494-9.....45 | 00-051144-20873-9.....3  | 00-054007-10844-3.....17 |
| 00-051131-92580-9.....37 | 00-051144-20874-6.....3  | 00-054007-10851-1.....17 |



# UPC Number Index

## UPC Number.....Page

|                        |    |
|------------------------|----|
| 00-054007-10869-6..... | 17 |
| 00-054007-10885-6..... | 17 |
| 00-054007-11032-3..... | 20 |
| 00-054007-11156-6..... | 18 |
| 00-054007-11271-6..... | 17 |
| 00-054007-12174-9..... | 20 |
| 00-054007-12175-6..... | 20 |
| 00-054007-12312-5..... | 20 |
| 00-054007-12314-9..... | 20 |
| 00-054007-13061-1..... | 17 |
| 00-054007-14853-1..... | 21 |
| 00-054007-14887-6..... | 20 |
| 00-054007-15041-1..... | 18 |
| 00-054007-15603-1..... | 17 |
| 00-054007-20041-3..... | 19 |
| 00-054007-20058-1..... | 19 |
| 00-054007-21346-8..... | 19 |
| 00-054007-21494-6..... | 20 |
| 00-054007-27478-0..... | 19 |
| 00-054007-34457-5..... | 22 |
| 00-054007-34458-2..... | 22 |
| 00-054007-34459-9..... | 22 |
| 00-054007-34460-5..... | 22 |
| 00-054007-34461-2..... | 22 |
| 00-054007-34462-9..... | 22 |
| 00-054007-41717-0..... | 17 |
| 00-054007-41718-7..... | 17 |
| 00-054007-41742-2..... | 21 |
| 00-054007-41743-9..... | 21 |
| 00-054007-41750-7..... | 18 |
| 00-054007-41753-8..... | 17 |
| 00-054007-41754-5..... | 17 |
| 00-054007-42033-0..... | 19 |
| 00-054007-42146-7..... | 22 |
| 00-054007-42390-4..... | 22 |
| 00-054007-42391-1..... | 22 |
| 00-054007-42768-1..... | 18 |
| 00-054007-43150-3..... | 19 |
| 00-054007-43152-7..... | 19 |
| 00-054007-43153-4..... | 19 |
| 00-054007-43154-1..... | 19 |
| 00-054007-43556-3..... | 21 |
| 00-054007-43906-6..... | 21 |
| 00-054007-49702-8..... | 18 |
| 00-054007-50217-3..... | 19 |
| 00-054007-50335-4..... | 18 |
| 00-054007-50622-5..... | 21 |
| 00-054007-50623-2..... | 21 |
| 00-054007-50624-9..... | 21 |
| 00-054007-50727-7..... | 18 |
| 00-080529-11033-6..... | 37 |
| 00-080529-40003-1..... | 37 |
| 50-048011-05509-6..... | 27 |
| 50-048011-08003-6..... | 26 |
| 50-048011-08004-3..... | 26 |
| 50-048011-08275-7..... | 25 |
| 50-048011-08278-8..... | 25 |
| 50-048011-08293-1..... | 27 |
| 50-048011-08388-4..... | 25 |
| 50-048011-08391-4..... | 25 |
| 50-048011-08392-1..... | 25 |
| 50-048011-08394-5..... | 25 |
| 50-048011-08395-2..... | 25 |
| 50-048011-08410-2..... | 25 |
| 50-048011-08412-6..... | 25 |
| 50-048011-08413-3..... | 25 |
| 50-048011-08542-0..... | 26 |
| 50-048011-08548-2..... | 26 |
| 50-048011-13702-0..... | 24 |

## UPC Number.....Page

|                        |    |
|------------------------|----|
| 50-048011-14002-0..... | 24 |
| 50-048011-14003-7..... | 24 |
| 50-048011-14004-4..... | 24 |
| 50-048011-15498-0..... | 26 |
| 50-048011-16861-1..... | 24 |
| 50-048011-19150-3..... | 26 |
| 50-048011-19152-7..... | 26 |
| 50-048011-19217-3..... | 31 |
| 50-048011-19218-0..... | 31 |
| 50-048011-19221-0..... | 31 |
| 50-048011-19223-4..... | 31 |
| 50-048011-19224-1..... | 31 |
| 50-048011-19279-1..... | 31 |
| 50-048011-19281-4..... | 31 |
| 50-048011-19282-1..... | 31 |
| 50-048011-19344-6..... | 24 |
| 50-048011-19927-1..... | 24 |
| 50-048011-20511-8..... | 26 |
| 50-048011-20688-7..... | 27 |
| 50-048011-23163-6..... | 27 |
| 50-048011-23769-0..... | 30 |
| 50-048011-23793-5..... | 30 |
| 50-048011-26445-0..... | 30 |
| 50-048011-26452-8..... | 30 |
| 50-048011-29524-9..... | 25 |
| 50-048011-34746-7..... | 24 |
| 50-048011-34747-4..... | 25 |
| 50-048011-34782-5..... | 24 |
| 50-048011-34854-9..... | 25 |
| 50-048011-54109-4..... | 23 |
| 50-048011-54110-0..... | 24 |
| 50-048011-54111-7..... | 24 |
| 50-048011-59023-8..... | 23 |
| 50-048011-59029-0..... | 23 |
| 50-048011-59033-7..... | 27 |
| 50-048011-59054-2..... | 23 |
| 50-048011-59056-6..... | 23 |
| 50-048011-59154-9..... | 27 |
| 50-051131-07000-9..... | 35 |
| 50-051131-07024-5..... | 34 |
| 50-051131-07025-2..... | 34 |
| 50-051131-07026-9..... | 34 |
| 50-051131-07166-2..... | 38 |
| 50-051131-07172-3..... | 38 |
| 50-051131-07173-0..... | 38 |
| 50-051131-07184-6..... | 35 |
| 50-051131-07189-1..... | 33 |
| 50-051131-37021-5..... | 33 |
| 50-051131-37022-2..... | 33 |
| 50-051131-37081-9..... | 35 |
| 50-051131-37082-6..... | 35 |
| 50-051131-37083-3..... | 35 |
| 50-051135-89171-6..... | 33 |
| 50-051135-89172-3..... | 33 |
| 50-051135-89212-6..... | 37 |
| 50-051135-89219-5..... | 34 |
| 50-051135-89220-1..... | 35 |
| 50-051135-89221-8..... | 35 |
| 50-051135-89222-5..... | 35 |
| 50-051135-89223-2..... | 34 |
| 50-051135-89224-9..... | 34 |
| 50-051135-89225-6..... | 34 |
| 50-051135-89226-3..... | 34 |
| 50-051135-89228-7..... | 35 |
| 50-051135-89229-4..... | 36 |
| 50-051138-28911-4..... | 37 |
| 50-051138-28995-4..... | 38 |
| 50-051138-28998-5..... | 38 |
| 50-051138-29008-0..... | 37 |

## UPC Number.....Page

|                        |    |
|------------------------|----|
| 50-051138-29009-7..... | 37 |
| 50-051138-46457-3..... | 33 |
| 50-051138-54187-8..... | 34 |
| 50-051138-54343-8..... | 33 |
| 50-051138-54371-1..... | 33 |

## Product Name Index

| Product Name.....   | Page |
|---|------|
| 3M™ “Performance Plus” Wire Connectors.....   | 19   |
| 3M™ 5-Way Penetrant.....  | 16   |
| 3M™ 8420 Series Cold Shrink Insulators.....   | 22   |
| 3M™ Abrasive Flap Disc 747D, Type 27.....   | 2    |
| 3M™ Adflo™ Powered Air Purifying Respirator High Efficiency System, 15-1101-21.....     | 37   |
| 3M™ Adhesion Promoter 86A.....  | 13   |
| 3M™ Adhesive Remover.....   | 16   |
| 3M™ All Purpose Cleaner Concentrate.....  | 25   |
| 3M™ Aluminum Foil Tape 425.....   | 45   |
| 3M™ Anti-Slip/Anti-Stick Tape 5461.....   | 45   |
| 3M™ Blue Cleaner Pad 5300.....  | 25   |
| 3M™ Blunt End Mix Tip for 12 oz Cartridge (356cc).....                                  | 10   |
| 3M™ Brake Lube/Anti-Seize.....  | 15   |
| 3M™ Cable Tie Assortment Pack 06220.....  | 20   |
| 3M™ Camera FF131-1IR, NTSC/110V Transmitter.....  | 38   |
| 3M™ Camera FF131-2IR, NTSC/110V.....  | 38   |
| 3M™ Cartridge/Filter Multi Gas/Vapor/P100, 60926.....                                   | 34   |
| 3M™ Citrus Base Cleaner.....  | 16   |
| 3M™ Clean-Walk Framed Mat 5840.....   | 30   |
| 3M™ Clean-Walk Mat 5830.....  | 30   |
| 3M™ Clean-Walk Mat 5836.....  | 30   |
| 3M™ Clean-Walk Replacement Pad 5842.....  | 30   |
| 3M™ Cloth Flap Wheel 244E.....  | 7    |
| 3M™ Cloth Gaffers Tape 6910.....  | 45   |
| 3M™ Command™ Large Hook Value Pack 17003-VP-3PK.....                                    | 48   |
| 3M™ Command™ Medium Hook Value Pack 17001-VP-6PK.....                                   | 48   |
| 3M™ Command™ Medium Picture Hanging Strips 17204.....                                   | 48   |
| 3M™ Command™ Small Hook Value Pack 17002-VP-6PK.....                                    | 48   |
| 3M™ Command™ Small Wire Hooks Value Pack 17067-VP.....                                  | 48   |
| 3M™ Concrete Repair 600, Self Leveling.....   | 9    |
| 3M™ Concrete Repair DP600 Gray Non-Sag.....   | 9    |
| 3M™ Concrete Repair DP600, Self Leveling.....   | 10   |
| 3M™ Corded Foam Ear Plug 1110.....  | 37   |
| 3M™ DBR and DBY Direct Bury Splice Kits.....  | 22   |
| 3M™ Damping Foil 2552.....  | 45   |
| 3M™ Depressed Center Wheel.....   | 8    |
| 3M™ Disc Pad Face Plate - Plain.....  | 2    |
| 3M™ Disc Pad Holder (Hook-and-Loop).....  | 3    |
| 3M™ Disc Retainer Nut.....  | 2    |
| 3M™ Doodlebug™ Brown Scrub ‘n Strip Pad 8541.....                                       | 26   |
| 3M™ Doodlebug™ Handblock 6473.....  | 26   |
| 3M™ Doodlebug™ Pad Holder 6472.....   | 26   |
| 3M™ Doodlebug™ Pad Holder with Pads 6472 - Kit.....                                     | 26   |
| 3M™ Doodlebug™ White Cleansing Pad 8440.....  | 26   |
| 3M™ Doodleduster™ Cloth White.....  | 26   |
| 3M™ Doodleduster™ Holder.....   | 26   |
| 3M™ Dose ‘n Fill Cleaning System, All-Purpose Cleaner & Degreaser Refill Cartridge..... | 24   |
| 3M™ Dose ‘n Fill Cleaning System, All-Purpose Cleaner & Degreaser Starter Kit.....      | 23   |
| 3M™ Dose ‘n Fill Cleaning System, Glass Cleaner Starter Kit.....                        | 24   |
| 3M™ Double Coated Urethane Foam Tape 4026, Square.....                                  | 46   |
| 3M™ Drywall Corner Sanding Sponge 912-CDS.....  | 7    |
| 3M™ Drywall Sanding Sponge CP042.....   | 6    |
| 3M™ Dual Lock™ Reclosable Fastener System MP3560.....                                   | 43   |
| 3M™ Dual Lock™ Reclosable Fasteners.....  | 42   |
| 3M™ Easy Scrub Express Bottles.....   | 23   |
| 3M™ Easy Scrub Express Caddy.....   | 23   |
| 3M™ Easy Scrub Express Flat Mop Tool.....   | 23   |
| 3M™ Easy Scrub Flat Mop.....  | 23   |
| 3M™ Electrical Spring and Grounding Connectors.....                                     | 19   |
| 3M™ Extra Large Area Sanding Sponge 910-XLA.....  | 6    |
| 3M™ Fibre Disc 281C.....  | 2    |
| 3M™ Fibre Disc 501C.....  | 2    |
| 3M™ Fibre Disc 785C.....  | 2    |
| 3M™ Fire Barrier Sealant CP 25WB+ Caulk.....  | 28   |
| 3M™ Fire Barrier Sealant IC 15WB+ Caulk.....  | 28   |
| 3M™ Floor Sweeper 6000.....   | 26   |
| 3M™ Foam Ear Plug 1100.....   | 37   |
| 3M™ Forked Spindle 45121.....   | 5    |
| 3M™ Full Facepiece 6862.....  | 34   |

# Product Name Index

| Product Name.....  | Page |
|--|------|
| 3M™ Full Facepiece 6963.....   | 34   |
| 3M™ General Purpose PTFE Glass Cloth Tape 5151.....                                  | 45   |
| 3M™ Glass Cloth Electrical Tape 27.....  | 19   |
| 3M™ Glo-Mega™ Hard Hat 1910GL, Ratchet Suspension.....                               | 37   |
| 3M™ Green Corps™ Cut-Off Wheel.....  | 7    |
| 3M™ Green Corps™ Cutting/Grinding Wheel, Type 27.....                                | 7    |
| 3M™ Green Corps™ Depressed Center Wheel.....   | 7    |
| 3M™ Gum Remover Ready-to-Use.....  | 25   |
| 3M™ Half Facepiece 6000 Series.....  | 34   |
| 3M™ Half Facepiece 6262.....   | 34   |
| 3M™ Half Facepiece 6363.....   | 34   |
| 3M™ Half Facepiece 7500 Series, Ultimate Reusable.....                               | 35   |
| 3M™ Hand-Masker™ Pre-Folded Contractor's Plastic CP6.....                            | 43   |
| 3M™ Hand-Masker™ Pre-Folded Contractors Plastic CP12.....                            | 43   |
| 3M™ Hand-Masker™ Pre-Folded Contractors Plastic CP9.....                             | 43   |
| 3M™ Hand-Masker™ Pre-Taped Drop Cloth w/2090.....                                    | 43   |
| 3M™ Hazard Marking Vinyl Tape 766.....   | 47   |
| 3M™ Heat Shrink Tubing Kit FP-301.....   | 22   |
| 3M™ Heavy Duty Degreaser Concentrate.....  | 24   |
| 3M™ Heavy Duty Duct Tape 3939.....   | 42   |
| 3M™ Hi-Strength 90 Spray Adhesive.....   | 9    |
| 3M™ High Performance Welding Drape, 05919.....                                       | 15   |
| 3M™ High Productivity Stripper Pad 7300.....   | 25   |
| 3M™ IR-500 Infrared Thermometer.....   | 21   |
| 3M™ Lane Marking Applicator M-77.....  | 47   |
| 3M™ Large Area Drywall Sanding Sponge 9095DCNA.....                                  | 6    |
| 3M™ Maintenance Sorbent Drum Cover M-DC22DD, High Capacity.....                      | 38   |
| 3M™ Maintenance Sorbent Folded M-FL550DD/M-F2001/07172.....                          | 38   |
| 3M™ Maintenance Sorbent Pad M-PD1520DD, High Capacity.....                           | 38   |
| 3M™ Maintenance Sorbent Roll M-RL15150DD/M-B2001/07166.....                          | 38   |
| 3M™ Maintenance Sorbent Rug M-RG36300E.....  | 38   |
| 3M™ Manual Dispenser.....  | 10   |
| 3M™ Marine Adhesive/Sealant Fast Cure 4000 UV.....                                   | 32   |
| 3M™ Mini Mandrel 935.....  | 5    |
| 3M™ Multi-Purpose Duct Tape 3900.....  | 42   |
| 3M™ Neutral Quat Disinfectant Cleaner Concentrate.....                               | 24   |
| 3M™ Nomad™ Carpet Matting 4000.....  | 30   |
| 3M™ Nomad™ Carpet Matting 5000.....  | 30   |
| 3M™ Nomad™ Medium Traffic Scraper Matting 6050.....                                  | 30   |
| 3M™ Novec™ Contact Cleaner Aerosol.....  | 21   |
| 3M™ Novec™ Contact Cleaner Plus.....   | 16   |
| 3M™ Novec™ Electronic Degreaser.....   | 21   |
| 3M™ PSA Cloth Disc 248D.....   | 3    |
| 3M™ PTFE Film Tape 5480.....   | 46   |
| 3M™ PTFE Film Tape 5491.....   | 46   |
| 3M™ Paper Masking Tape 2209.....   | 44   |
| 3M™ Particulate Filter 2071PK, P95.....  | 35   |
| 3M™ Particulate Filter 2091, P100.....   | 35   |
| 3M™ Particulate Filter 2097PK, P100, with Nuisance Level Organic Vapor Relief*.....  | 36   |
| 3M™ Particulate Filter with Nuisance Level Organic Vapor Relief** 2097, P100.....    | 35   |
| 3M™ Particulate Respirator 8210, N95.....  | 33   |
| 3M™ Particulate Respirator 8210PlusPro, N95.....                                     | 33   |
| 3M™ Particulate Respirator 8511, N95.....  | 33   |
| 3M™ Particulate Respirator 8577, P95, with Nuisance Level* Organic Vapor Relief..... | 33   |
| 3M™ Particulate Respirator 9210, N95.....  | 33   |
| 3M™ Particulate Respirator 9211, N95.....  | 33   |
| 3M™ Particulate Welding Respirator 8515, N95.....                                    | 33   |
| 3M™ Performance Plus Duct Tape 8979.....   | 42   |
| 3M™ Performance Plus Duct Tape 8979N.....  | 42   |
| 3M™ Petroleum Sorbent Folded P-FL550DD/T-F2001/07073.....                            | 38   |
| 3M™ Petroleum Sorbent Pad, High Capacity, HP-156.....                                | 37   |
| 3M™ Pneumatic Dispenser.....   | 10   |
| 3M™ Portable Utility Roll 314D.....  | 5    |
| 3M™ Portable Utility Roll Kit 314D.....  | 6    |
| 3M™ Pressure Sensitive Spray Adhesive Blue 72.....                                   | 9    |
| 3M™ Pro-Pak™ Drywall Sanding Screens.....  | 4    |
| 3M™ Pro-Pak™ Drywall Sanding Sheets.....   | 4    |
| 3M™ Professional Caulking Gun 08993.....   | 15   |
| 3M™ Professional Series Half Facepiece 7572.....                                     | 35   |

## Product Name Index

| Product Name.....  | Page |
|--|------|
| 3M™ Professional Series Half Facepiece 7573.....   | 35   |
| 3M™ Red Buffer Pad 5100.....   | 25   |
| 3M™ Respirator Supply Kit 6001K.....   | 34   |
| 3M™ Respirator Supply Kit 6006K.....   | 35   |
| 3M™ Roloc™ Cloth Disc 361F.....  | 3    |
| 3M™ Roloc™ Cloth Disc 777F.....  | 3    |
| 3M™ Rubber & Vinyl 80 Spray Adhesive.....  | 9    |
| 3M™ Safety Stripe Tape 5700.....   | 47   |
| 3M™ Safety Stripe Tape 5702.....   | 47   |
| 3M™ Safety-Walk™ Conformable Treads 500 Series.....  | 31   |
| 3M™ Safety-Walk™ Cushion Matting 3270E.....  | 30   |
| 3M™ Safety-Walk™ General Purpose Treads 600 Series.....  | 31   |
| 3M™ SandBlaster™ Dual Angle Sanding Sponge.....  | 7    |
| 3M™ SandBlaster™ Sandpaper WSP150-PP.....  | 6    |
| 3M™ Scotch-Seal™ Mastic Tape 2229.....   | 18   |
| 3M™ Scotch-Weld™ Control Joint Sealant DP5106 Gray, Self-Leveling.....                         | 12   |
| 3M™ Scotch-Weld™ EPX 10:1 Mixing Nozzle.....   | 11   |
| 3M™ Scotch-Weld™ EPX Plus II 10:1 Plunger.....   | 11   |
| 3M™ Scotch-Weld™ EPX Plus II Applicator W 2:1 and 1:1 Plunger.....                             | 10   |
| 3M™ Scotch-Weld™ EPX Plus II Mixing Square Nozzle Gold.....                                    | 10   |
| 3M™ Scotch-Weld™ Epoxy Adhesive DP100 Plus Duo-Pak.....  | 11   |
| 3M™ Scotch-Weld™ Epoxy Adhesive DP125 Duo-Pak.....   | 11   |
| 3M™ Scotch-Weld™ Expansion Joint Sealant DP5105.....   | 12   |
| 3M™ Scotch-Weld™ High Performance Industrial Plastic Adhesive 4693H.....                       | 12   |
| 3M™ Scotch-Weld™ Industrial Adhesive 4799.....   | 10   |
| 3M™ Scotch-Weld™ Instant Adhesive CA4.....   | 11   |
| 3M™ Scotch-Weld™ Instant Adhesive CA40.....  | 11   |
| 3M™ Scotch-Weld™ Instant Adhesive CA40H.....   | 11   |
| 3M™ Scotch-Weld™ Low Odor Acrylic Adhesive DP810 Duo-Pak.....                                  | 9    |
| 3M™ Scotch-Weld™ Neoprene High Performance Rubber and Gasket Adhesive 1300.....                | 13   |
| 3M™ Scotch-Weld™ Nitrile High Performance Plastic Adhesive 1099.....                           | 11   |
| 3M™ Scotch-Weld™ Nitrile High Performance Rubber and Gasket Adhesive 847.....                  | 13   |
| 3M™ Scotch-Weld™ Polyurethane Sealant DP5001.....  | 10   |
| 3M™ Scotch-Weld™ Structural Plastic Adhesive DP8010.....                                       | 9    |
| 3M™ ScotchCode™ SDR Wire Marker Tape Refill Roll.....  | 20   |
| 3M™ ScotchCode™ STD-C Wire Marker Tape Dispenser.....  | 20   |
| 3M™ ScotchCode™ Wire Marking Tape Dispenser.....   | 20   |
| 3M™ Scotchfil™ Electrical Insulation Putty.....  | 18   |
| 3M™ Scotchkote™ Electrical Coating.....  | 21   |
| 3M™ Scotchlok™ Electrical Spring Connectors.....   | 19   |
| 3M™ Scotchlok™ Insulation Displacement Connector (IDC).....                                    | 20   |
| 3M™ Scotchlok™ T-Tap Nylon Insulated Self-Stripping Female QuickSlide Disconnect.....          | 20   |
| 3M™ Scotchlok™ Terminal Kit STK-1.....   | 20   |
| 3M™ Scotchmate™ Hook-and-Loop Reclosable Fastener SJ3526N/SJ3527N.....                         | 43   |
| 3M™ Scotchmate™ Reclosable Fastener MP3526/MP3527.....   | 43   |
| 3M™ Scotchrap™ All-Weather Corrosion Protection Tape 50.....                                   | 18   |
| 3M™ Scotchrap™ Pipe Primer.....  | 18   |
| 3M™ Sharpshooter™ Extra Strength No-Rinse Mark Remover.....                                    | 24   |
| 3M™ Silicone Lubricant.....  | 16   |
| 3M™ Small Area Drywall Sanding Sponge 9093DCNA.....  | 6    |
| 3M™ Speedglas™ FlexView Helmet with Auto-Darkening Filter 9002X, 04-0016-21.....               | 36   |
| 3M™ Speedglas™ Helmet 9000 with Auto-Darkening Filter 9002V, 04-0012-31.....                   | 36   |
| 3M™ Speedglas™ Helmet 9000 with Auto-Darkening Filter 9002X, 04-0012-21.....                   | 36   |
| 3M™ Speedglas™ Helmet 9000 with SideWindows and Auto-Darkening Filter 9002V, 04-0012-31SW..... | 36   |
| 3M™ Speedglas™ Helmet SL 05-0013-41, with Auto-Darkening Filter, Shades 8-12.....              | 36   |
| 3M™ Stainless Steel Cleaner and Polish.....  | 24   |
| 3M™ Super 77™ Multipurpose Adhesive.....   | 9    |
| 3M™ Tapered Mixer Tip 04902.....   | 10   |
| 3M™ Temflex™ Friction Tape 1755.....   | 19   |
| 3M™ Traction Tape 5401.....  | 45   |
| 3M™ TroubleShooter™ Liquid Finish Remover.....   | 25   |
| 3M™ TroubleShooter™ Baseboard Stripper.....  | 25   |
| 3M™ UHMW Film Tape 5423.....   | 46   |
| 3M™ Ultrathon Insect Repellent.....  | 29   |
| 3M™ Utility Cloth Roll 314D.....   | 5-1  |
| 3M™ Utility Cloth Sheet 314D.....  | 6    |
| 3M™ VHB™ Heavy Duty Clear Outdoor/Indoor Mounting Tape 4910.....                               | 46   |
| 3M™ VHB™ Heavy Duty Outdoor/Indoor Mounting Tape 5952.....                                     | 46   |
| 3M™ VHB™ Tape 4950.....  | 46   |



# Product Name Index

| Product Name.....   | Page |
|---|------|
| 3M™ VHB™ Tape 5952.....   | 46   |
| 3M™ Value Duct Tape 1900.....   | 42   |
| 3M™ Vinyl Tape 471.....   | 47   |
| 3M™ Welding and Spark Deflection Paper.....                                     | 15   |
| 3M™ Wetordry™ Cloth Roll 281W.....  | 3    |
| E-A-Rsoff™ Yellow Neons™ ,Regular Size, Corded in Poly Bag.....                 | 37   |
| E-A-R™ UltraFit™ Plugs with Cord.....   | 37   |
| Filtrete™ Commercial High Performance HVAC Filter.....                          | 14   |
| Filtrete™ Commercial High-Performance HVAC Utility Filter.....                  | 14   |
| Filtrete™ Commercial Mid-Performance HVAC Filter.....                           | 14   |
| Filtrete™ Commercial Mid-Performance HVAC Utility Filter.....                   | 14   |
| Rite-Lok™ Cyanoacrylate Debonder/Cleaner.....                                   | 12   |
| Rite-Lok™ Gasket Makers.....  | 13   |
| Rite-Lok™ General Purpose Retaining Compound.....                               | 13   |
| Rite-Lok™ Hydraulic/Pneumatic Sealants.....                                     | 13   |
| Rite-Lok™ Low Odor Instant Adhesive.....  | 12   |
| Rite-Lok™ Rapid Flash Cyanoacrylate Accelerator Activator.....                  | 12   |
| Rite-Lok™ Slip Fit/Hi Strength Retaining Compound.....                          | 13   |
| Rite-Lok™ Stainless Steel Hi Temperature Pipe Sealants.....                     | 13   |
| Rite-Lok™ Threadlockers.....  | 12   |
| Scotch-Brite™ Bristle Disc.....   | 1    |
| Scotch-Brite™ Clean and Strip Disc.....   | 1    |
| Scotch-Brite™ Coating Removal Disc.....   | 1    |
| Scotch-Brite™ Doodlebug™ Easy Erasing Pad 4610.....                             | 27   |
| Scotch-Brite™ EXL Deburring Wheel.....  | 8    |
| Scotch-Brite™ General Purpose Hand Pad 7447.....                                | 4    |
| Scotch-Brite™ General Purpose Scouring Pad No. 96.....                          | 27   |
| Scotch-Brite™ Heavy Duty Commercial Scouring Pad No. 86.....                    | 27   |
| Scotch-Brite™ Heavy Duty Hand Pad 7440.....                                     | 4    |
| Scotch-Brite™ Light Duty Cleansing Pad 7445.....                                | 4    |
| Scotch-Brite™ Medium Duty Scrubbing Sponge No. 74.....                          | 27   |
| Scotch-Brite™ Multi-Flex Abrasive Sheet Roll.....                               | 4    |
| Scotch-Brite™ Power Sponge No. 3000.....  | 27   |
| Scotch-Brite™ Purple Scour Pad 2020.....  | 27   |
| Scotch-Brite™ Radial & Roloc™ Radial Bristle Discs, 2" & 3".....                | 1    |
| Scotch-Brite™ Radial Bristle Brush.....   | 1    |
| Scotch-Brite™ Roloc™ Bristle Disc.....  | 1    |
| Scotch-Brite™ Roloc™ Coating Removal Disc.....                                  | 1    |
| Scotch-Brite™ Roloc™ Surface Conditioning Disc.....                             | 3    |
| Scotch-Brite™ Surface Conditioning Disc.....                                    | 3    |
| Scotch-Brite™ Ultra Fine Hand Pad 7448.....                                     | 4    |
| Scotchgard™ Heavy Duty Stain Remover.....                                       | 24   |
| Scotchgard™ Spot Remover and Upholstery Cleaner.....                            | 24   |
| Scotch® 24 Electrical Shielding Tape.....                                       | 18   |
| Scotch® 48 Thread Sealant Tape.....   | 47   |
| Scotch® Box Sealing Tape 373.....   | 44   |
| Scotch® Box Sealing Tape Dispenser H180.....                                    | 44   |
| Scotch® Box Sealing Tape Dispenser H183.....                                    | 44   |
| Scotch® Electrical Insulating Varnished Cambric Tape 2520.....                  | 18   |
| Scotch® Filament Tape 898.....  | 44   |
| Scotch® Foil Tape 3311.....   | 45   |
| Scotch® Foil Tape 3326.....   | 45   |
| Scotch® General Purpose Masking Tape 234.....                                   | 44   |
| Scotch® Glass Cloth Tape 69.....  | 19   |
| Scotch® High Performance Masking Tape 232.....                                  | 44   |
| Scotch® Linerless Rubber Splicing Tape 130C.....                                | 17   |
| Scotch® Painters' Masking Tape for Hard-to-Stick Surfaces 2060.....             | 44   |
| Scotch® Premium Vinyl Electrical Tape Super 88.....                             | 17   |
| Scotch® Rubber Mastic Tape 2228.....  | 18   |
| Scotch® Rubber Splicing Tape 23.....  | 17   |
| Scotch® Self-Fusing Silicone Rubber Electrical Tape 70.....                     | 17   |
| Scotch® Self-Fusing, Silicone Heavy Duty Triangular Electrical Tape 70 HDT..... | 18   |
| Scotch® Sticker & Marker Remover.....   | 16   |
| Scotch® Super 33+D Vinyl Electrical Tape Dispenser Pack.....                    | 17   |
| Scotch® Super 33+™ Vinyl Electric Tape.....                                     | 17   |
| Scotch® Transparent High Performance Duct Tape.....                             | 42   |
| Scotch® Vinyl Electrical Tape 35.....   | 17   |
| Scotch® Wire Pulling Lubricant Gel.....   | 21   |
| Scotch® Wire Pulling Lubricant Wax.....   | 21   |

# NOTES

Notes







**Q**uality **D**iscount **P**ress **P**arts & **E**quipment Inc.  
Established since 1993

6088 Reega Ave  
Egg Harbor Twp, NJ 08234  
Phone: 1-800-646-2212 or 1-609-646-2212

Fax: 1-609-646-2212  
Web: [www.qualitydiscount.com](http://www.qualitydiscount.com)  
Email: [sales@qualitydiscount.com](mailto:sales@qualitydiscount.com)



**MRO Maintenance Repair Operations**

3M.com/MRO  
**Industrial** 1-800-567-1639 Ext 4335  
**Electrical** 1-800-245-3573

3M, Cool Flow, Cubitron, Doodlebug, Dual Lock, E-A-Rsoft, Filtrete, Green Corps, Nomad, Novec, Rite-Lok, Safety-Walk, Scotch, Scotch-Brite, Scotch-Grip, Scotch-Seal, Scotch-Weld, ScotchCode, Scotchgard, Scotchlok, Scotchmate, Sharpshooter, Speedglas, Super 77, TroubleShooter, Ultrathon, VHB, Virtua and Yellow Neons are registered trademarks of 3M.