



**QUALITY DISCOUNT PRESS PARTS & EQUIPMENT**  
**AAA PRESS INTERNATIONAL**


---

**6088 REEGA AVE, EGG HARBOR TOWNSHIP, NJ 08234**

**PHONE - 609-646-2212 OR 1-800-646-2212**


**EMAIL - SALES@QUALITYDISCOUNT.COM**

# **OFFICIAL CATALOG**



## MARK ANDY TURNBARS

THE WEB TURN ALLOWS THE PRESS OPERATOR TO PRINT ON BOTH SIDES OF THE WEB IN ONE RUN. INSTALLATION TAKES ONLY MINUTES!




**MARK ANDY:**  
**2100/2200/4100**

AVAILABLE FOR 7", 10", 13" & 16" PRESSES!

## LAMINATION SILENCER

**UP TO 50% REDUCTION  
OF NOISE**

**EASY TO MOUNT!**




**AVAILABLE IN 7", 10",  
13" AND 16" WIDTHS**

## M1- MM: REWIND - UNWIND

- ROLLER ROTATION IS REVERSIBLE
- TENSION CAN BE ADJUSTED BY THE REGULATOR OR BY THE THUMBSCREWS
- AIR MOTOR IS A 3.8 HP AT MAX. AIR PRESSURE.
- COMES WITH 4 HOLES TO MOUNT TO PRESS FROM SIDE



## SUPERCCELL MANUAL CORECUTTER




- 60" RAW TUBE HANDLING CAPACITIES
- STANDARD 3" MANDREL AND ANVIL
- INCLUDES END STOP 1" THROUGH 6" WORKING I.D. RANGE
- SMOOTH AND EFFICIENT OPERATION
- VIRTUALLY MAINTENANCE FREE
- CAPABLE TO CUT PLASTIC CORES

SEMI-AUTOMATED UNITS AVAILABLE

## DELAM/RELAM ASSEMBLY

ENABLES PRINTING ON THE ADHESIVE SIDE OF THE WEB.  
(MUST HAVE A WEB TURN BAR)



**USED & NEW ASSEMBLIES!  
CAN FIT ANY PRESS**

## UV CURING SYSTEMS



- INTELLIGENT POWER SUPPLY
- QUICK WARM-UP
- VERY LOW STANDBY POWER
- REMOTE OPERATOR DISPLAY
- VENTILATION CONTROL
- EASY REPLACEABLE FILTER
- FAST REACTING RAMP UP/DOWN

**HUNDREDS OF  
UV BULBS AVAILABLE!!**

## ERHARDT + LEIMER INC.

### OMS VIDEO INSPECTION SYSTEM



- FOR MONITORING NARROW WEBS
- PERFECT SYSTEM FOR:**
1. CHECKING THE REGISTER
  2. DIE CUT POSITION
  3. PRINT QUALITY
- EASY INSTALLATION, INTERGRATION & LOW COST
  - OTHER UNITS AVAILABLE!

**SAY GOODBYE TO WASTE!**

### SMARTSCAN INSPECTION SYSTEM



- ALLOWS THE MANAGER TO VIEW THE PRINT FROM ANYWHERE
  - SMARTSCAN CATCHES
1. MISSING AND DAMAGED LABELS
  2. PRINT DEFECTS
  3. COLOR DEFECTS
  4. UNREMOVED MATRIX
  5. DIE CUT DEFECTS
  6. SPLICES AND FLAGS

## PLATECUTTER



P/N: PCA-11.5"  
(11.5" TON ARBOR)

P/N: PCA-18"  
(18" 2 TON ARBOR)

- INCREASED PRODUCTIVITY
- ELIMINATE RUINED PLATES
- PRODUCE BEVELED EDGES
- TRIM PLATES TO FINAL SIZE



## SUPERCCELL ULTRASONIC CLEANING SYSTEM

INCLUDES: TIMER, HEATER, ULTRASONIC TANK, STAINLESS STEEL LID, REMOVABLE STAINLESS STEEL ROTATOR, ADJUSTABLE STAINLESS STEEL SUPPORT BAR

PART NUMBER	SYSTEM
SC-650-18.5-2ROLL	CLEANS UP TO 18" FACE LENGTH
SC-650-28	CLEANS UP TO 28" FACE LENGTH
SC-650-38	CLEANS UP TO 38" FACE LENGTH
SC-650-18.5-4ROLL	CLEANS 4 ROLLS UP TO 18" FACE LENGTH
SC-650-18.5-6ROLL	CLEANS 6 ROLLS UP TO 18" FACE LENGTH



AVAILABLE IN CUSTOM SIZES UP TO 48"

CAN CLEAN UP TO 2 REGULAR SIZE ROLLS AT A TIME, OR UP TO 4 WEBTRON 650 / 750 ROLLS AT A TIME!

## STACKER / CONVEYORS & BOTTOM STACKERS




THE TOP STACKERS / CONVEYORS & BOTTOM STACKERS ARE AVAILABLE IN 2 DIFFERENT STYLES TO FIT YOUR BUDGET. BOTH UNITS COME WITH MANY STANDARD FEATURES.

## ECONOMY DIE HOIST

- 360 DEGREE ROTATION
- REMOVABLE PRESSMOUNT
- LIFT CAPACITY OF 300 LBS
- CAN BE EASILY REMOVED AND RELOCATED
- WORKS GREAT ON MARK ANDY PRESSES
- CUSTOM DESIGN AND FABRICATION AVAILABLE

THIS PRODUCT IS SWEEPING THE MARKET



## ECONOMY PLATE MOUNTER



PART #	SIZE
EPM-7	7"
EPM-10	10"
EPM-13	13"
EPM-16	16"

FOR ALL PRESSES!

## FLEXICO V5 VIDEO PLATEMOUNTER

- FEATURES:
- MOUNT PLATES QUICKLY AND ACCURATELY
  - AUTO-FOCUSING CAMERAS
  - PNEUMATICALLY OPERATED PLATE CLAMP FOR EASE OF MOUNTING FROM CENTER OF PLATE



AVAILABLE IN: 10" 13" 16" & 22"

## RD SCORER UNIT

- FEATURES:
- FULLY HARDENED ANVIL ROLL
  - ADJUSTABLE BLADE PRESSURE
  - UNITS COME WITH SLITTER HOLDERS AND BLADES
  - PERFORM SCORING AND SLITTING
  - BALL BEARING DESIGN
  - AVAILABLE IN: 7", 10", 13", 16" & MORE



## SUPERCCELL ANILOX SERVICE CART

- UP TO 4" OUTSIDE DIAMETER, 1/4 THICK
- HOLDS UP TO AN 18.5" FACE LENGTH
- HOLDS UP TO MAX WEIGHT OF 1,000 LBS
- STEEL STRUCTURE W/ HEAVY DUTY SWIVEL WHEELS
- EASY TO MOVE W/ HANDLE
- DIMENSIONS: 25" WIDTH, 42" HEIGHT, 30" LENGTH
- A FRAME DESIGN
- OPTIONAL ROLL COVERS AVAILABLE
- OPTIONAL WHEEL REMOVAL



## SUPERCCELL MOBILE DIE HOIST PLATFORM CART

- 500 LB MAXIMUM LIFT CAPACITY
- SMOOTH AND EASY OPERATION WITH LOCKING WHEELS
- ASSISTS IN ELIMINATING EXPENSIVE DIE DAMAGE
- REDUCE WORKPLACE INJURIES
- RAIL SYSTEM FOR EASY AND SAFE POSITIONING, AND FOR LOADING & UNLOADING DIES
- ADJUSTABLE CRADLE FOR DIFFERENT DIE WIDTHS
- CAN BE CONVERTED INTO A LIFT FOR YOUR SUBSTRATES



## SUPERCCELL PRINT CYLINDER CART

- STEEL FRAME W/ PVC UP TO 22" LONG CYLINDERS
- HEAVY DUTY WHEELS: 2 FIXED, 2 SWIVEL
- EASY TO MOVE FROM ONE LOCATION TO ANOTHER
- CAN BE MODIFIED TO FIT YOUR CYLINDER INVENTORY
- WHEELS CAN BE REMOVED FOR PERMANENT POSITIONING
- 2 STANDARD CARTS AVAILABLE
  1. 120 CYLINDER MODEL W/ 4" & 6" DIA. PVC PIPES
  2. 90 CYLINDER MODEL W/ ALL 6" DIA. PVC PIPES



**ASK US FOR CUSTOMIZATION DETAILS**

## QDPP&E REWINDER

- MANY MODELS AVAILABLE
- EACH MODEL INCLUDES: A PREDETERMINING COUNTER, A STAINLESS STEEL TOP, AND SPEED CONTROL
- MANUAL AND AIR OPTIONS
- AVAILABLE IN SIZES 6", 7", 8", 10" AND MORE!
- ADDONS ALSO AVAILABLE



## SUPERCCELL ROLL LIFT CART



- SUPER-MOVER-A MAX LIFT HEIGHT IS 48"
- SUPER-MOVER-B MAX LIFT HEIGHT IS 63"
- MAX ROLL WEIGHT 400 LB. (HIGHER CAPACITIES AVAILABLE)
- CUSTOM HEIGHTS AVAILABLE FOR ADDITIONAL COST
- ROLLER BOOM ATTACHMENT (P/N: SUPER-BOOM): ALLOWS THE OPERATOR TO EASILY SLIDE THE ROLL ALONG THE BEARINGS ACROSS THE BOOM FOR EASY INSTALLATION AND REMOVAL. 17", 27" & CUSTOM LENGTHS AVAILABLE

- QDP-150 330 LBS CAPACITY AT 9" LOAD CENTER
- QDP-250 550 LBS CAPACITY AT 8" LOAD CENTER
- QDP-150 & QDP-250 ELECTRIC ROLL LIFTERS ARE HIGHLY MANEUVERABLE LIGHT CAPACITY LIFTERS DESIGNED FOR MULTIPLE MATERIAL HANDLING APPLICATIONS. THESE ELECTRIC LIFTS ARE BATTERY OPERATED AND FEATURE AN ONBOARD CHARGER THAT RUNS ON 110 VOLT INPUT.
- ALSO AVAILABLE ARE OPTIONAL ATTACHMENTS THAT CUSTOMIZE THE UNIT FOR SPECIFIC APPLICATIONS.

**QDP-150**  
**QDP-250**



**ELECTRIC**

**ALSO AVAILABLE AT ADDITIONAL COST:**  
SWIVEL CRADLE ATTACHMENT (P/N: SUPER-SWIVEL)  
THE SWIVEL CRADLE SUPPORTS THE ROLL FROM THE BOTTOM; THE CRADLE MAY BE ROTATED TO HELP IN POSITIONING THE ROLL FOR THE INSTALLATION OR REMOVAL



## LOL-5 STROBE



- SMALL, RUGGED, AND LIGHTWEIGHT DESIGN TO GIVE YOU THE FLEXIBILITY FOR FULL WEB INSPECTION
- LITHO -O-LITE 5 PROVIDES FULL WEB INSPECTION FOR WIDTHS UP TO 40 CM
- TRAVEL BETWEEN LINES OR BETWEEN PLANTS
- PINPOINT DEFECT ORIGINS QUICKLY AND EFFICIENTLY


## WOODEN CORE ADAPTERS



STURDY, ECONOMICAL DESIGN INCLUDES METALS HIGH TENSION SPRINGS AND DURABLE HARDWOOD

3" ID TO 5" OD  
3" ID TO 6" OD  
UP TO 20" LENGTH

## SLITTER KNIFE ASSEMBLY'S



COMPLETE AIR SLITTER ASSEMBLY'S FOR ALL PRINTING PRESSES

**INCLUDES:** 3.0" OD BLADE, KNIFE HOLDER, HOSE & CONNECTOR

90-4011 - EUROPEAN  
90-4011A - AMERICAN  
90-4011-QC - QUICK CHANGE

## ANILOX ROLLS

- HIGH LINE COUNT ROLLS WITH UNMATCHED QUALITY AND CONSISTENCY
- COMES WITH 2 YEAR WARRANTY
- RESURFACING AVAILABLE



## COREHOLDERS



EXPANDING SHAFTS, CHUCKS, ADAPTERS AND ACCESSORIES FOR ALL PRESSES

## ROLL SAVERS



### Description

### Part Numbers

Mark I Roll Saver	RS-300 or 700042
4" Core Adapter	700026
5" Core Adapter	700034
6" Core Adapter	129871
6 - 3/4" Core Adapter	27L522363
Sledge Weight	133144
Mark II Roll Saver	RS-700-066 or 700066

## GENERAL SPECIFICATIONS

	Mark I Roll Saver		Mark II Roll Saver	
Core ID	70 mm to 76 mm	2 - 3/4" to 3"	70 mm to 76 mm	2 - 3/4" to 3"
Penetration	915 mm	36 inches	250 mm	10 inches
Weight - body only	17 kg	37 lbs	N/A	N/A
Weight - w/ pump	26 kg	57 lbs	9 kg	19 lbs
Hydraulic Pressure	700 bar	10,150 psi	621 bar	9,000 psi
For Roll Diameters up to	1.8 m	70 inches	1,025 mm diameter, 902 mm width	45 inch diameter, 36 inch width
Expansion	Approximately 1/4 inch above nominal core			

### MARK ANDY ANILOX GEAR MOTOR CONSTANT TURNING



PART # 900259B

### ANTI STATIC TINSEL

72 FT PER BOX  
PART # 0001



### RD-SCORER BLADE

PART # 93-4210  
INCLUDES BEARING



RESHARPENING AVAILABLE

### UNIVERSAL STROBES



PORTABLE, HIGHLY STABLE,  
INDUSTRIAL-QUALITY  
STROBOSCOPE



PORTABLE, HIGHLY STABLE,  
INDUSTRIAL-QUALITY  
STROBOSCOPE WITH  
RECHARGEABLE BATTERY



HEAVY DUTY, PORTABLE  
STROBOSCOPE  
WITH RECHARGEABLE  
BATTERY

### UV BULBS & ACCESSORIES

HUNDREDS OF UV BULBS IN STOCK  
FOR ALL MAKES AND MODELS.  
FROM LIGHTOUCH UNITS TO GEW,  
TO AETEK, TO AQUAFLEX AND  
MORE!



SIMPLY GIVE US THE BULB NUMBER  
AND WE WILL HOOK YOU UP.

#### UV ACCESSORIES ALSO AVAILABLE:


- SHUTTERS
- REPAIR KITS
- GLASS BARRIERS
- GLOVES
- GOGGLES
- SCRAPPERS
- SPRAY BOTTLES
- BLACK LIGHT REPLACEMENT LAMPS



### TINT SLEEVES • Superior Rubber Compounds with Exceptionally Low Pricing

SLEEVES 55-65 DUROMETER, EPDM COMPOUND, ARE STOCKED  
IN BLACK, WHITE AND GRAY FOR **SAME DAY SHIPPING**

OTHER TINT SLEEVES AVAILABLE IN DIFFERENT SIZES,  
COMPOUNDS, DUROMETER (HARDNESS) AND COLOR.  
**FREE SLITTING AVAILABLE FOR ALL SLEEVES**





## CR-1 ANILOX CLEANING SOLUTION:



THE CR-1 COMES IN A 6 OR 55 GALLON PAIL AND IS CONCENTRATED TO BE MIXED WITH WATER UP TO A 5:1 RATIO

**OUR MOST POPULAR!!**

## ANILOX CLEANING BRUSHES

### STAINLESS

#99-4016


.003

(LINE COUNT OF 650 AND ABOVE)

#99-4014

.005

(LINE COUNT 600 AND BELOW)




### BRASS

#99-4013

.005

(LINE COUNT 600 AND BELOW)



## YELLOW MAGIC

YELLOW MAGIC IS A NON-HAZMAT, ENVIRONMENTALLY SAFE CLEANER. THIS WATER BASED CLEANER CAN SAFELY CLEAN VIRTUALLY EVERYTHING ON A PRESS.

YELLOW MAGIC IS TERRIFIC WHEN USED IN AN ULTRASONIC CLEANING MACHINE.

IT CAN EVEN CLEAN CEMENT FLOORS!

### FEATURES:

- NON-TOXIC
- MANUFACTURED IN AMERICA
- NON-FLAMMABLE: CAN BE DISPOSED OF AS ORDINARY GARBAGE
- ZERO SWELLING - THE GRAPHIC ARTS TECHNICAL FOUNDATION (GATF) TESTING ON RUBBER SURFACES FOUND THAT YELLOW MAGIC CAUSED 0% SWELLING



**1 & 5 GALLON PAILS AND 55 GALLON DRUMS AVAILABLE**

## SUR-KLEEN

ANILOX CLEANER

5 LB CONTAINER

#SK-5



## QUICK-CLEAN

ANILOX ROLL CLEANER

1 QUART  
MOQ 2 BOTTLES

#QUICK-CLEAN



## LOXWASH

ANILOX ROLL CLEANER SPRAY  
#LOX-WSH

SOLD BY THE BOTTLE OR CASE.

AVAILABLE IN 5, 6, 30, & 55 GALLONS AND OTHER SIZES!



## SPEEDCLEAN

ANILOX CLEANER  
SPEED CLEAN

SOLD BY THE CASE (12) PACK OF 32 OZ BOTTLES


#84-5000030





# PLATEMOUNTING TAPE

WE CARRY HUNDREDS OF 3M TAPES AND INDUSTRIAL PRODUCTS, MANY OF THEM IN STOCK AND READY TO SHIP SAME DAY!



## WHY BUY FROM US?

- We are one of the largest distributors of 3M Platemounting tape
- We are the BEST on pricing and delivery
- SAME DAY SHIPPING on most orders
- Rolls Slit to any custom size - no extra charge
- Samples always available for testing - no charge
- We have experts to help you determine which tape you will need for your application



SCAN ME FOR MORE INFO!



# INDUSTRIAL PRODUCTS

DID YOU KNOW THAT WE CARRY OVER 160 DIFFERENT 3M INDUSTRIAL PRODUCTS?



\*Various colors and sizes available

3M TAPE



**KNUBBY TAPE**

IDLER ROLL COVERING  
 PART # 4863

WIDTH - 2"  
 OTHER WIDTH'S AVAILABLE



**BEST  
 SELLER!**

**SPLICING TAPE**

PART # 4104A  
 72 YARDS PER ROLL

1" = 72 ROLLS / CASE  
 1.5" = 48 ROLLS / CASE  
 2" = 36 ROLLS / CASE  
 OTHER WIDTHS AVAILABLE




AVAILABLE IN MANY COLORS!

**HIGH FRICTION TAPE**

IDLER ROLL COVERING  
 PART # 4563

SMOOTH, LIGHT GRAY IN  
 COLOR WITH LINER  
 2" WIDE X 27.5 YDS

**CORK TAPE**

ADHESIVE BACKED  
 PART # C-1042

DURABLE, SILASTIC  
 COATED WOVEN TAPE  
 THAT ELIMINATES MESS  
 ON IDLER ROLLERS

1" OR 2" WIDE X 27.5 YDS  
 MORE SIZES AVAILABLE!

**TEFLON / FIBERGLASS TAPE**

PART # 5480  
 PART # 5480-WL (WITH LINER)  
 ROLL COVERING TAPE  
 SIZES FROM 1" TO 54" WIDTHS

**GRIT TAPE**

ADHESIVE BACKED  
 PART # 99-4010

2" WIDE X 50 FT  
 AVAILABLE GRITS:  
 80, 120, & 220

**BLACK DIAMOND TAPE**

PART # 4565  
 2" WIDE X 36 YDS

SIMILAR TO KNUBBY  
 TAPE 4863

PRINTERS ROLLER  
 WRAP EMBOSSED,  
 BLACK IN COLOR

**3M PTFE TAPE**

FILM TAPE  
 P/N 3M5480



1" OR 2" WIDE X 27.5 YDS

**LOOP & HOOK TAPE**

AN EXCELLENT LOW COST  
 ADHESIVE BACKED TAPE

V-3527 = LOOP, SOFT  
 V-3527-H = HOOK, HARD



## DR. BLADES

For Every Printing Application

DO YOU HAVE PROBLEMS WITH:

- U.V. SPITTING
- ABRASIVE INKS / WHITE OPAGUE
- WATER BASED HIGH PH INKS
- CHATTER/ BOUNCE
- LOW LINE SCREEN ANILOX'S

IF SO, QUALITY DISCOUNT HAS THE DR. BLADE TO REDUCE OR ELIMINATE THESE COMMON PROBLEMS

DR. BLADES CAN BE PURCHASED PRE-CUT TO ANY LENGTH, OR IN ROLLS UP TO 3600" LENGTHS. WE HAVE EXPERTS TO DETERMINE THE EXACT DR. BLADE YOU NEED!

SAMPLES AVAILABLE!



## ARPECO BLADES



Female Part # 93-4202FB



Male: Part # 93-4202MB

### BLADE HOLDERS

Male: p/n 93-4202MH  
Female: p/n 93-4202FH



## SLITTER BLADES



3" OD

p/n 93-4206 (3/4" ID)

p/n 93-4207 (7/8" ID)

Razor Sharp Available


Bearing & Axel Assembly  
for Slitter Blades



p/n 10-4031-1 (3/4" ID)

p/n 10-4031 (7/8" ID)

## PERF & SHEETER BLADES



VARIOUS OPTIONS AVAILABLE:

- TEETH
- LENGTH
- PITCH
- HEIGHT

WHATEVER SIZE YOU NEED,  
WE CUSTOM MAKE!

## CORECUTTER



3" OD  
.5" ID  
.24" THICK

p/n 707

## DISHED KNIFE BLADES

AKA BAYANETT



p/n 93-0001

93-0001HLD Holder

93-0001SNP Snap Ring

93-0001SPR Spring

## RAZOR BLADES

#12 RAZOR  
P/N 12-RAZOR



## GALLAS BLADES



P/N GALLAS62/40/.8  
DISH SLITTER SINGLE KEYWAY



WE RESHARPEN ALL TYPES OF SLITTER BLADES AND KNIVES



## FOUNTAIN WIPERS



**DON'T SEE THE WIPER YOU ARE  
LOOKING FOR? PLEASE CALL,  
WE CAN MAKE THEM!!**

### 7708-MA

FOR MARK ANDY  
BLACK IN COLOR  
3,000 PCS

**1 1/2" X 1" X 5/8"**  
RECTANGULAR IN SHAPE

### 7708-MAC

FOR MARK ANDY  
WHITE IN COLOR  
3,000 PCS

**2 X 1" X 9/16"**  
ANGLED IN SHAPE

### WMALP-12

FOR MARK ANDY LP/XP  
FOAM WIPER 2 PART -  
1,000 PCS EACH

**2 9/16" X 1 9/16" X 1/2"**

### 7708

FOR WEBTRON 650  
CHARCOAL IN COLOR -  
3,000 PCS

**1 13/32" X 3/4" X 9/16"**

### 7708-DP

FOR WEBTRON 650/750  
CHARCOAL IN COLOR -  
3,000 PCS

**1 1/4" X 7/8" X 3/4"**  
ANGLED IN SHAPE

### 7708-WEB

FOR WEBTRON 650  
CHARCOAL IN COLOR -  
3,000 PCS

**1 13/32" X 3/4" X 9/16"**

### 7708-ALL

FOR ALLIED GEAR -  
WHITE IN COLOR  
1,000 PCS

**2 1/4" X 1" X 1/2"**

### 7708-AQUA-1.375

FOR AQUAFLEX  
CHARCOAL IN COLOR  
500 PCS

**2 1/8" X 1 3/8" X 9/16"**

### 7708-NIL

FOR NILPETER -  
2,500 PCS EACH

**1 1/4" X 15/16" X 1/2"**

### 7708-COM

FOR COMCO  
WHITE IN COLOR -  
3,000 PCS

**1 1/2" X 13/16" X 1"**

### 7708-ROTO

FOR ROTOPRESS  
3,000 PCS

**1 1/2" X 1" X 5/8"**

## FIBER WASHERS



**1/32" thick**

p/n	ID
6980-1	1/2"
6980-2	5/8"
6980-3	3/4"
6980-4	7/8"
6980-5	1"
6980-6	1-1/4"
6980-7	1-1/8"
6980-8	1-3/4"
6980-9	1-1/2"
6980-10	1-1/4" x 1-5/8"

**1/64" thick**

p/n	ID
6982-2	5/8"
6982-3	3/4" x 1-1/4"
6982-4	7/8"
6982-5	1"
6982-6	1-9/32"
6982-7	1-1/2"
6982-8	1-1/8"
6982-10	1-3/4"

## NYLON WASHERS

**Various  
thicknesses available**

p/n	ID
6981-1	3/4"
6981-2	1"
6981-3	1-3/4"
6981-4	7/8"
6981-5	1-1/2" x 1/16"
6981-10	1-1/4" x 1 3/4"



## Q-GUARD

This low-density polyethylene netting is highly elastic, and has a soft cushioned feel. Q-Guard stretches up to twice its diameter and is our most protective economical tubular sleeve for Coreholders and MORE!



**Available to fit:  
2"-3" or 4"- 5.5" or 6" to 7"**

## RUBBER ROLLS NEW & RECOVERED

Rolls for all presses and slitter rewinders.  
Comes in EPDM, BUNA, and Silicone.  
Other Compounds available.

**BEST  
PRICING!!**



**All sizes available!  
Ask about Replacement Bearings!**

## INDUSTRIAL SHOP RAGS



- White in color
- Size: 13" x 14"
- Preshrunk and Prewashed
- 100% Cotton
- All Four Sides are Hemmed for Added Strength & Durability

**Available in cases of 100,  
200, 1000, 1250, & 1500**

## SEALEDGE

- Keeps flexo plates from coming loose
- Prevents both ink and solvent from seeping under plate edges
- Eliminates any weakening of the bond between plate and sticky-back
- Available for waterbased inks - Blue Sealedge
- Available for solvent based inks - Black Sealedge



p/n blackseal




p/n blueséal

## NYLON BRUSH

99-4015

For Cleaning Plates



## HORSE HAIR BRUSH

99-4017

For Cleaning Plates



## 3M ADHESION PROMOTER AP86A

- Increases the bond between photopolymer plates and platemounting tape
- Provides added confidence that plate edges won't lift
- Best for use with 3M cushion mount platemounting tape



## ANILOX CARE PADS

Size - 6.25" x 4.375"

Pack of 10 or 20



## SPRAY PRODUCTS

945 - Silicone Spray
SWS963 Industrial Strength Cleaner Wipes
950 - Ink Anti-Skin NO Wash
SW727 - Flexo Plate Coat
RD-90 Lubricant
732/004 - General Purpose Degreaser
201 - UV Clear Coat Spray
PC-60 Plate Coat Primer
PLATEKOTE - Spray
60 - Solvent Clean / Degreaser
946 - Silicone Spray
077 - Industrial Silicone Lubricant
955 - Anti-Static Spray
205 - Film Cleaner
66 - Spray Adhesive
295 - Dry Lubricant Release Agent
805 - Lint & Dust Remover
203 - Rubber Roller Cleaner
206 - Specialty Film Cleaner
040 - Graphic Arts Glass Cleaner



## TACK & LINT FREE WIPES

NON-TACK, LINT FREE



SIZE 15" x 17" -  
sold by the box (24 pcs)  
or the case (144 pcs)  
P/N LINTFREE

## TACK CLOTH, LINT FREE



Surface Cleaning Cloth:  
SIZE 20" x 16" -  
sold by the box (24 pcs)  
or the case (144 pcs)  
P/N TAC-1836

SIZE 9 x 18" -  
sold by the box (24 pcs) or the case (144 pcs)  
P/N TAC-918

## INK PAN STOPPERS



#001	3/4" tappers to 1/2"	#003	15/16" tappers to 3/4"
#002	13/16" tappers to 5/8"	#004	1" tappers to 13/16"





## FIFE SPARE PARTS KIT

We can provide a Spare Parts Kit that contains Air Filters, Oil Filters, Veins, and O-Rings for your Fife Edge Guide System



## WEBTRON IMPRESSION ROLLS

### Webtron 650

- #6459 - 1/8-64T Gearing - OBS
- #6339 - 1/8-64T Gearing - Cantilever
- #6445 - 1/8-63T & 32 DP Gearing - OBS
- #6304 - 1/8-63T & 32 DP Gearing - Cantilever

### Webtron 750

- #301-0418 1/8-64T Gearing
- #301-0160 1/8-63T & 32 DP Gearing



Impression rolls in your print station are critical for maintaining consistent imagery on your printed product.

Our stocked rolls are fully inspected. Each surface is thoroughly examined and they are checked against CAD print measurements. They are further tested to ensure each one will fit properly when a shaft is inserted.

## CLUTCH REBUILD KIT

A full line of replacement components for brakes and clutches are in stock or available to ship to you in a timely fashion.

Rebuild kits, clutch faces, back-up plates, o-rings, bearings and more!



## CLUTCH BEARING KIT P/N CBK-1000

WHAT'S INCLUDED:

- |                             |                           |
|-----------------------------|---------------------------|
| Seals                       | Snap Rings                |
| C-Clips                     | Bearing Clutch Roller     |
| Front & Rear Thrust Washers | Spacers - Dr Roll Gears & |
| Bearings with oil holes     | Anilox Roll Gears         |
| Rubber O-Rings              | Cam Pins                  |



1 PER PRINT STATION IS RECOMMENDED

## LOWER BASE ROLLS

Are you having die cutting issues? Lower base rolls are often the culprit and are often neglected.

### Webtron 650

- #6787 - 1/8-64T Gearing
- #6908 - 1/8-63T & 32 DP Gearing

### Webtron 750

- #301-0420 - 1/8-64T Gearing
- #301-0161 - 1/8-63T & 32 DP

IN STOCK!!



### ALSO: Webtron 650/750 Lower Base Roll Assemblies

Complete with gear, spacers, wipers, brackets, bearings, and screws

## REMOVABLE BASE ROLLS

Our removable base rolls can be purchased individually or fully assembled to be installed immediately into your die and sheeter stations



IN STOCK!!

### Webtron 650

- #6791 - 1/8-64T Gearing
- #9418 - 1/8-64T Gearing - .020 oversized
- #6909 - 1/8-63T & 32 DP Gearing
- #8256 - 1/8-63T & 32 DP Gearing - .020 oversized

### Webtron 750

- #301-0156 - 1/8-64T Gearing
- #301-0155 - 1/8-64T Gearing - .020 oversized
- #302-0156 - 1/8-63T & 32 DP Gearing
- #302-0155 - 1/8-63T & 32 DP Gearing - .020 oversized
- #302-0142 - 1/8-64T 650 Die Adaptor
- #301-0142 - 1/8-63T 650 & 32DP 650 Die Adaptor

ALSO: Webtron 650/750  
Lower Base Roll Assemblies  
Complete with gear, spacers, wipers, brackets, bearings, and screws

Individual components can be purchased separately from our in-stock inventory

## WEBTRON PARTS NEW & MADE TO OEM SPECIFICATIONS

Need your  
Webtron Serviced?  
Revamped?

We have experts in  
service and preventative  
maintenance!

CALL FOR  
DETAILS



## PRECISION INK PUMP TUBING

- Tygon, Silicone, Norprene & Other Types of Tubing Available
- Inside Diameter Available from 1/16" to 1"
- All Tubing is Optically Inspected and Factory Tested
- Manufactured to Tight Tolerances, Ensuring Accurate Flow Rates & Long Life
- Available in 25' or 50' Rolls




## DIE CAVITY FOAM

### Insert Foams & Ink Wiper Sponge Tape

All Rolls Available in 25', 50', 75', 100' & 150' Rolls  
All Rolls Cut to Size - Custom Thicknesses Available

P/n	Description
010101	Black Open Foam 1/8" thick x 25 ft
010102	White Close Foam 1/8" thick x 25 ft
010104	White Close Foam 1/16" thick x 25 ft
010105	Black Close Foam 1/8" thick x 25 ft
010107	Black Close Foam 1/16" thick x 25 ft
010110-18	White Close Foam 1/32" thick x 25 ft



## INK DRAIN HOSE

92-4005-1/16-50	1/2" x 1/16" x 50'
92-4005-50	1/2" x 1/8" x 50'
92-4005-100	1/2" x 1/8" x 100'
92-4006-50	5/8" x 1/8" x 50'
92-4006-100	5/8" x 1/8" x 100'
92-4007-50	3/4" x 1/8" x 50'
92-4007-100	3/4" x 1/8" x 100'
92-4008-50	7/8" x 1/8" x 50'
92-4008-100	7/8" x 1/8" x 100'
92-4009-50	1" x 1/8" x 50'
92-4009-100	1" x 1/8" x 100'

## ARPECO / ROTOFLEX COREHOLDER BLADDER

Available in 10 foot length minimum



P/N 10609A -  
Arpeco Tie Off String for  
Bladders

p/n	Size
106091	1/2" x 3/4" x 1/8"
106091a	1/2" x 5/8" x 1/16"
106092	5/8" x 7/8" x 1/8"
106092a	5/8" x 3/4" x 1/16"
106093	3/4" x 1" x 1/8"
106094	3/8" x 5/8" x 1/8"
106094a	3/8" x 1/2" x 1/16"
106095	1/4" x 3/8" x 1/16"
106095a	1/4" x 1/2" x 1/8"
106096	1" x 1 1/4" x 1/8"
59213	7/8" x 1 1/8" x 1/8"
59210	1 1/2" x 1 3/4" x 1/8"

Also available in many other sizes

## TEFLON HEAT SHRINK Idler Roller Covers



p/n	Size
99-4179-1.25	1.25" ID X 6 FT. DIAMETER RANGE 1.0 to 1.3
99-4179-1.5	1.5" ID X 6 FT. DIAMETER RANGE 1.3 to 1.7
99-4179-2	2" ID X 6 FT. DIAMETER RANGE 1.7 to 2.1
99-4179-2.5	2.5" ID X 6 FT. DIAMETER RANGE 2.1 to 2.6
99-4179-3	3" ID X 6 FT. DIAMETER RANGE 2.6 to 3.1
99-4179-4	3" ID X 6 FT. DIAMETER RANGE 3.5 to 4.3
99-4179-5	5" ID X 6 FT. DIAMETER RANGE 4.3 to 5.2
99-4179-6	6" ID X 6 FT. DIAMETER RANGE 5.2 to 6.2
99-4179-7	7" ID X 6 FT. DIAMETER RANGE 6.2 to 7.2
99-4179-8	8" ID X 6 FT. DIAMETER RANGE 7.2 to 8.3


Other Sizes 1" to 12" ID x 6 ft. Call for Details!




## WEBCLEANERS

**IMPROVE PRODUCT QUALITY!  
REMOVE PRODUCT CONTAMINATION!  
REDUCE DOWNTIME!**


EASY INSTALLATION & INEXPENSIVE WAY TO REMOVE DIRT,  
CONTAMINATION, SLITTING DUST & CONVERTING DEBRIS.



4 Roll Web Cleaner,  
2 Sided Cleaning




2 Roll Vertical Web Cleaner,  
2 Sided Cleaning



4 Roll Web Cleaner,  
2 Sided Cleaning

## WEB CLEANER REPLACEMENT ROLLERS

ADHESIVE TAPE ROLLS  
PRE-CUT & FULL ROLLS  
AVAILABLE FOR REPLACING  
WEB CLEANING ROLLS



Available in sizes from  
8" - 24" wide by 66 ft

## UV LAMP


### REPLACEMENT BULBS

We provide replacement UV bulbs for a wide  
variety of UV manufacturers such as:

AAA Press	Gallus	Kaman	Prime
Aetek	GEW	Kopack	Rotoflex
Brewer	Hanovia	Lightouch™	Stanford
Eye	Honle	Nilpeter	UV Research
Fusion	IST	Phidastien	UV Technology

**All bulbs we provide are warranted and  
pro-rated for 1,000 hours of performance.**

It is advised that you should keep one spare on hand at all  
to avoid costly HAZMAT handling charges for next day air  
shipments in the event your system is down.



## UNILUX LED-B STROBE

### Key Features

- Long-life LED's with up to 8 years of service-life
- Constant-on mode to use the strobe as a work light
- Seperate flash rate & flash duration adjustments
- High quality, durable all metal construction



### Benefits

Reduces Waste  
Low Cost  
Environmentally Freindly

## STROBE ACCESSORIES

P/n	Description
59-4241-OC	Standard Strobe Arm
59-4244	DT 311/314 Strobe Bulb
59-4248	Stroboscope Ametek Bulb 834/858
45-1040	Cricket Strobe Bulb
59-4246	Gen Rad Strobe Bulb
59-4247	Strobe Base Surface Mount

## ST-B29

- Permanent mount strobe
- Wide flash range 60-120k
- Long-life LED operation
- Lifetime far exceeds xenon strobes
- Ten standard size lengths
- Custom options available



## TESA TAPES

**We are a Master Distributor of Tesa**  
 Softprint Steel Master, TP and Secure / Snap-on & MORE!

Product	Design	X-Soft	Soft	Medium	Medium-Hard	Hard	X-Hard
tesa Softprint® Steelmaster	Classic 20mil	—	tesa® 72022	tesa® 72024	tesa® 72026	tesa® 72028	—
	Classic 15mil	tesa® 52018	tesa® 52017	tesa® 52016	tesa® 52015	tesa® 52014	—
tesa Softprint® Steelmaster TP	Classic 20mil	—	tesa® 72122	tesa® 72124	tesa® 72126	tesa® 72128	tesa® 72129
	Classic 15mil	tesa® 52118	tesa® 52117	tesa® 52116	tesa® 52115	tesa® 52114	—
tesa Softprint® Sleeve-master	Classic 20mil	tesa® 72220	tesa® 72222	tesa® 72224	tesa® 72226	tesa® 72228	—
	Classic 15mil	—	—	—	—	—	—
	Classic 15mil	—	—	—	—	—	—
tesa Softprint® FE	Classic 20mil	tesa® 72420	tesa® 72422	tesa® 72424	tesa® 72426	tesa® 72428	—
	Classic 15mil	—	—	—	—	—	—
tesa Softprint® FE-X	Classic 20mil	—	tesa® 72522	tesa® 72524	tesa® 72526	tesa® 72528	—
	Classic 15mil	—	—	—	—	—	—
tesa Softprint® Secure	Classic 20mil	—	—	—	—	—	—
	Classic 15mil	tesa® 52818	tesa® 52817	tesa® 52816	tesa® 52815	tesa® 52814	—
tesa Softprint® Secure-X	Classic 20mil	—	tesa® 72722	tesa® 72724	tesa® 72726	tesa® 72728	—
	Classic 15mil	—	—	—	—	—	—

## LOHMANN

### DuploFLEX Plate Mounting Tape

A Perfect Printed Image  
Down to the Last Detail

- 4 Ranges Offer a Wide Selection to Tackle Any of the Challenges Faced in the Label Printing Industry
- Minimal Thickness Tolerances and Optimal Resilience
- Premium Quality
- Easy Repositioning During Mounting

	Desired Print Image	Foam	Adhesive Formulation
	Fine process work, highlights and very fine lines (minimalized dot gain)	Soft	DuploFLEX 5.1
	Process work, brilliant halftones and fine lines	Medium Soft	DuploFLEX 5.2
	Halftones and lines, a combination of solids, line work and screen	Medium Firm	DuploFLEX 5.3
	Solids, lines, large fonts (dense ink coverage)	Firm	DuploFLEX 5.3





QUALITY DISCOUNT PRESS PARTS & EQUIPMENT + AAA PRESS INTERNATIONAL  
 6088 REEGA AVE, EGG HARBOR TOWNSHIP, NJ 08234  
 PHONE: 609-646-2212 • 800-646-2212 • FAX: 609-646-2255  
 WEBSITE: WWW.QUALITYDISCOUNT.COM • EMAIL: SALES@QUALITYDISCOUNT.COM

### ION 360 IONIZING MAGNETIC ROD



Used to Effectively remove Static,  
Dust Attraction, Sparks and Shocks.

### STATIC ELIMINATOR BAR ASSEMBLIES For All Press Lines!!



Model 400 Ion Edge AC Static Eliminator Bar

## MARK ANDY PARTS

**New and made to OEM Specifications - Guaranteed!**

Bearings  
Gears  
Anilox Rolls  
DR Blade Assembly  
Dr Roll  
Nip Roll  
Meter Rolls  
Impression Rolls  
Lamination Rolls

O Rings  
Washers  
Collars  
Coreholders  
Bladders  
Tint Mandrels  
Clutch  
Motors  
UV Systems

Base Rolls  
Print Cylinders  
Pulley  
Assist Mandrels  
Die Block  
Ink Pans  
Belts  
Die Bridge  
**& HUNDREDS MORE!!**

**GREAT VALUE, IN-STOCK, CALL FOR DETAILS!**

## RECONDITION & REBUILDS


In addition to rebuilding & reconditioning presses, we can also recondition most items in your press rooms!

Ultrasonic Cleaning Systems  
Stackers / Turnbars  
Strobe Lights  
Printing Presses  
UV Systems  
Slitter Rewinders  
Rubber Rolls  
FIFE Web Guides  
& Many Other Products!

## EQUIPMENT

LOOKING TO SELL EQUIPMENT?  
LOOKING TO PURCHASE EQUIPMENT?

NOT ONLY DO WE SELL PARTS....  
WE ALSO SELL AND BROKER PRINTING  
PRESSES AND ASSOCIATED EQUIPMENT!



Check out our Pre-Owned Equipment  
Section on our Website, updated daily!

Call for Details!!

EQUIPMENT

## HV SERIES

### Ink Pump Control System

Centrifugal printing ink pump control systems for small presses requiring ink flow rates of 1 GPM or less.

HV series ink pumps are the most popular of the Graymills ink pump for the narrow web printing industry. These ink pumps include a wide variety of motor and tank options to fit almost any application. Ideal for use with water, solvent or UV based inks/coatings, the HV series ink pump can be provided with pneumatic or electric pumping sources.

#### Features:

- High strength thermoplastic pump body
- Stainless steel shaft
- Ball valve & 1/2" slip-on barb discharge tube
- Agitor jet for in-tank agitation
- 1 or 2 gallon flanged lid container with 3/4" return hole



## HR SERIES

### Ink Pump Control System

Centrifugal printing ink pump control system for larger narrow web presses requiring ink flow rates of up to 2 GPM.

HR series ink pumps are typically used on wider narrow & mid-web presses that require larger flow rates due to higher ink transfer requirements. These ink pumps can be specified with a variety of electric motor options or pneumatic controls to deliver the proper amount of ink.

#### Features:

- TEFLON® coated cast iron body
- Stainless steel shaft
- Agitor tube for in-tank agitation
- Discharge 1/2" NPT
- 2 gallon stainless steel tank



## PQS & PQL "QUICK CHANGE" - PERISTALTIC INK PUMP

Sometimes fast is not fast enough. **Time is money**, and you'll get quick returns from fast color changes and press turnaround using Graymills "Quick Change" peristaltic ink pumps. Pump head/tube changes are accomplished in seconds - without tools. Simply pull the lock-pin, remove the used head and replace with another head already loaded with clean tube. Done! Change the tube and perform maintenance while the pump and press are back running with the new head.

#### Features:

- Variable speed motor and directional control - The ability to use the aerosol without direct contact between the application device and surface.
- Dual roller technology - maximizes performance and tube life
- Straight-thru head design - eliminates snaking, kinks and flow stoppage
- Splash resistant steel housing - protects components
- Retrofit to existing peristaltic Graymills pumps - "Quick Change" heads can be installed on all Graymills peristaltic pumps made since January 2005
- Pump head/tube changes accomplished in seconds without tools
- Eight-position adjustable head orientation



#### Optional Features & Accessories

- Extra "Quick Change" Heads; Two Heads are better than one
- Two "Quick Change" pump heads powered by a single motor - pump the same or different inks to two decks or supply and pump back from the same deck.
- Large and small heads available.
- Bracket to hold extra pre-loaded heads until needed
- Stand to mount pump over ink container
- Mounting to bracket for direct attachment to press
- Mixer to keep contents blended CE/ATEX compliant Remote mounting of controls
- Remote control/low profile pump
- Installs anywhere - even inside press frame. Controls can be mounted to press operator.

New and innovative quick change peristaltic ink pump; means faster turnaround for your press... quickly adds to your bottom line.




**PPS**

### TYPICAL APPLICATIONS

For Narrow web flexo and rotary screen applications and light to heavy viscosity inks, coatings and adhesives (including UV/EB) requiring flow rates of 1.5 GPM or less. If flow requirements are above 1 GPM, consider model PPL for slower running speed and longer tube life.

#### Motor Options

- Electric gearmotor with electronic variable speed control (115 or 230 VAC) 50/60Hz.
- Variable speed air gearmotor (28 CFM @ psig/792.9 LPM @ 5.4 bar).


**PQLM**

### TYPICAL APPLICATIONS

Ideal for tough environments. For mid to wide web flexo, gravure and rotary screen applications. The metal head lasts through long runs, numerous changeovers, demanding applications. Variable speed control offers adjustable flows which can exceed 4 GPM.

#### Motor Options

- Standard Large Peristaltic Drive package
- CE version of standard model
- Inverter-duty model with reversibility and variable speed ATEX motor
- Dial-A-Flow variable frequency drive


**PPL**

### TYPICAL APPLICATIONS

For mid to wide web flexo, gravure and rotary screen applications and light to heavy viscosity inks, coatings and adhesives (including UV/EB), requiring flow rates of 4.5 GPM or less. (See model PPS for low-flow rates)

#### Motor Options

- Electric gearmotor with electronic variable speed control (115 or 230 VAC) 50/60Hz.
- Explosion-proof electric gearmotor with variable speed control (240/460 VAC, 3 Ph) 50/60Hz.
- ATEX compliant models available

## Unique Peristaltic Pump Features

#### Quick Tube Change

Swivel lock fasteners permit quick cover removal with no tools or loose parts – for fast turn arounds.

#### Straight-Thru Design

Head Design allows the tube to run direct from the ink container to the print deck – eliminates tube-destroying kinks, flow stoppages, the snaking or tube creep common in other peristaltic pump designs.

#### Dual Roller Technology

Twin rollers made from nylon impregnated with a high-tech lubricant deliver full flow with fewer compressions and less tube wear.

#### Standard Features

- Variable speed for flow control
- Reversible for easy draining and flushing
- Straight-Thru patented head design eliminates flow stoppage and tube kinks
- Recommended maximum viscosity 500 cps.

#### Optional Features & Accessories

- Quick Change Removable Heads
- Dual heads
- Stand to mount pump over ink tank
- Mounting bracket for direct attachment to press
- Mixer to keep contents blended
- CE/ATEX compliant
- Remote mounting controls

#### Tank Options

- 1, 2, 5, gallon pails (accessory pump stand or mounting bracket recommended)
- 10, 20, 30 gallon mild steel tanks. Stainless steel optional.